

Citrix.1Y0-204.v2022-03-31.q103

Exam Code:	1Y0-204
Exam Name:	Citrix Virtual Apps and Desktops 7 Administration
Certification Provider:	Citrix
Free Question Number:	103
Version:	v2022-03-31
# of views:	1372
# of Questions views:	1030
https://www.dumpsdb.com/dumps/Citrix/1Y0-204/Citrix.1Y0-204.v2022-03-31.q103	

NEW QUESTION: 1

Scenario: A Citrix Administrator has given permissions to team members to access their own admin partition, so they can add resources for different departments and manage them without making changes to the default Citrix ADC partition and configuration.

One team member was trying to use the command-line interface to troubleshoot an authentication issue and could NOT use `aaad.debug`. However, the team member has full permissions on the admin partition.

What can be the cause of this issue?

- A. The team member does NOT have permission to use the CLI.
- B. The team member needs to troubleshoot the issue from the GUI.
- C. The team member does NOT have Shell access by design.
- D. The team member is NOT using the CLI correctly.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 2

Scenario: A Citrix ADC appliance is having intermittent issues. A Citrix Administrator is unable to identify the root cause and fix them. The administrator opened a Support ticket and the Engineer assigned to the case requested all the logs and configuration information from the Citrix ADC.

Which technical support tool can the administrator use to gather all the information on the Citrix ADC to send to the Support Engineer?

- A. Start New Trace
- B. Get Back Trace
- C. Generate Support File
- D. Batch Configuration

Answer: C (LEAVE A REPLY)

Explanation/Reference:

Reference: <https://support.citrix.com/article/CTX127900>

NEW QUESTION: 3

Scenario: A Citrix Administrator configured the rewrite policies below:

```
bind lb vserver VPN_http-policyName POL_1-priority 120 -gotoPriorityExpression END -type REQUEST
bind lb vserver VPN_http-policyName POL_2-priority 90 -gotoPriorityExpression NEXT -type REQUEST
bind lb vserver VPN_http-policyName POL_3-priority 100 -gotoPriorityExpression NEXT -type REQUEST
bind lb vserver VPN_http-policyName POL_4-priority 110 -gotoPriorityExpression END -type REQUEST
```

In which order will the policies be evaluated?

- A. POL_2, POL_3
- B. POL_2
- C. POL_2, POL_3, POL_4, POL_1
- D. POL_2, POL_3, POL_4

Answer: C (LEAVE A REPLY)

Explanation/Reference:

NEW QUESTION: 4

Scenario: A Citrix Administrator maintains a Citrix Virtual Apps and Desktops Site with a number of network print servers being used for all users. Currently, the print servers use native Windows drivers. No client printers are being used. New company guidelines require a reduction in the number of native drivers being used within the Site infrastructure.

Which step can the administrator take to meet the new company guidelines?

- A. Enable the Citrix Universal Print Driver (EMF) driver and leave the default Universal printer driver usage policy setting.
- B. Install the Universal Print Server on all print servers in the Site and leave the default Universal printer driver usage policy setting.
- C. Configure the Citrix Universal Generic Printer and update the Auto-create generic universal printer policy setting.
- D. Install the Universal Print Server on all print servers in the Site and update the Universal printer usage policy setting.

Answer: C (LEAVE A REPLY)

Explanation/Reference: <https://docs.citrix.com/en-us/xenapp-and-xendesktop/7-15-ltsr/printing/printing-provision-printers.html>

NEW QUESTION: 5

Which mode on the Citrix ADC can a Citrix Administrator utilize to avoid asymmetrical packet flows and multiple route/ARP lookups?

- A. Layer 2
- B. Use Subnet IP (USNIP)

C. MAC-based forwarding (MBF)

D. Layer 3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

Which three statements are correct regarding Citrix printing? (Choose three.)

A. The Citrix Print Manager Service handles requests by impersonating the actual session user.

B. The Citrix Print Manager Service monitors session events, such as logon and logoffs or session termination.

C. Citrix printing sets the default security descriptor for auto-created printers to ensure client printer security.

D. Citrix printing allows administrators, but NOT users, to print to any other users' active session client printers.

E. Citrix printing does NOT assign each printer a unique namespace within a given session.

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 7

Scenario: A Citrix Administrator has configured a Citrix ADC active-passive high availability (HA) pair. When the HA pair fails over, customers are unable to access the hosted websites. After some troubleshooting, the administrator found that the upstream router was NOT updating its ARP table.

What can the administrator configure to resolve this issue?

A. Virtual MAC

B. Independent Network Configuration (INC) mode

C. Route Monitor

D. HA monitor

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference:

NEW QUESTION: 8

A Citrix Administrator has configured the Citrix ADC as a DNS Proxy Server. The administrator executed the following commands on the Citrix ADC using command-line interface:

```
add rewrite action Act_1 replace_dns_header_field "dns.res.header.flags.set(aa)"
add rewrite policy Pol_1 true Act_1
bind rewrite global Pol_1 100 -type dns_res_override
```

What will be the effect of executing the above commands?

A. Set the AA bit of DNS Request

B. Set the AA bit of DNS Response

C. Unset the AA bit of DNS Response

D. Unset the AA bit of DNS Request

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 9

Scenario: While using Citrix Studio to create a new Delivery Group, a Citrix Administrator does NOT see any machine catalogs listed, but does see an error message. The administrator successfully verified the presence of machine catalogs in the Machine Catalogs node of Citrix Studio.

Which issue can cause this to happen?

- A. The Virtual Delivery Agent (VDA) version is lower than 7.15 LTSR.
- B. There are no unassigned machine catalog machines.
- C. The administrator has insufficient permissions to create the Delivery Group.
- D. No machine catalog machines have been started.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Scenario: A Citrix Administrator is configuring the Citrix Workspace app to allow users to access their applications and desktops. Management requires that users can log on to the environment from any device without having to remember the server address.

What should the administrator do to meet these requirements?

- A. Allow users to download the configuration from Citrix.com.
- B. Deploy and configure the Citrix Workspace app using scripts.
- C. Configure the Citrix Workspace app using a Group Policy Template File.
- D. Configure a DNS Service Record for the Citrix Workspace app.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 11

Which tool can a Citrix Administrator utilize to verify that a policy is bound and showing the number of hits?

- A. nstcpdump.sh
- B. nstrace.sh
- C. nsconmsg
- D. nscollect

Answer: C ([LEAVE A REPLY](#))

Explanation/Reference: <https://support.citrix.com/article/CTX138840>

NEW QUESTION: 12

A Citrix Administrator has deployed a non-domain-joined StoreFront server.

Which two options should the administrator be aware of with this deployment? (Choose two.)

- A. Server groups are supported.
- B. Two-factor authentication is NOT supported.
- C. Authentication occurs at the Citrix ADC.

- D. Authentication occurs at the Domain Controller.
- E. Authentication occurs at the Delivery Controller.
- F. Server groups are NOT supported.

Answer: E,F ([LEAVE A REPLY](#))

NEW QUESTION: 13

A Citrix Administrator is in the process of installing Citrix Cloud Connector, but the installation fails.

What could be causing the Citrix Cloud Connector installation to fail on the machine?

- A. Enhanced Security Configuration (ESC) is set to 'off'.
- B. It is NOT joined to the domain.
- C. It is in sync with UTC time instead of local time.
- D. It cannot run on a machine template cloned across multiple machines.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 14

The "Limit Visibility" option should be configured when a Citrix Administrator wants to _____.

(Choose the correct option to complete the sentence.)

- A. prevent all access to an application which is installed on a Virtual Delivery Agent (VDA) machine
- B. define what a custom administrator role can view within Citrix Studio
- C. hide a published application on Citrix Workspace app for specified users
- D. restrict which Windows administrative menus can be accessed within a virtual desktop session

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

Scenario: A Citrix Administrator is in the process of migrating a Citrix Virtual Apps and Desktops on-premises deployment to Citrix Cloud with an on-premises resource location. StoreFront and Citrix ADC machines are located on premises. The administrator notices that application enumeration is working, but application launch is failing with an error for resources managed by the Citrix Cloud Site.

What does the administrator need to change in order to get application launch working?

- A. Decommission the old Citrix Delivery Controllers and Databases.
- B. Add the Citrix Cloud Connectors as Secure Ticket Authority (STA) servers on Citrix ADC and StoreFront.
- C. Remove the Citrix policies on the old Citrix Delivery Controllers.
- D. Add the Citrix Cloud Connectors as XML servers to the existing StoreFront servers.

Answer: C ([LEAVE A REPLY](#))

Explanation/Reference:

NEW QUESTION: 16

Scenario: A Citrix Administrator is configuring the Workspace Experience to provide users with access to their applications and desktops. The administrator deployed Microsoft Azure Active Directory (AD) already and wants to leverage it to support user access to the Workspace Experience.

Which two steps does the administrator need to take to enable users to authenticate using Azure AD to the Workspace Experience? (Choose two.)

- A. Enable Azure AD authentication under Workspace Configuration in Citrix Cloud.
- B. Add Cloud Connector information to the Azure AD console.
- C. Add Azure AD Account under Identity Providers in Citrix Cloud.
- D. Deploy Cloud Connectors to support Azure AD authentication.

Answer: A,C ([LEAVE A REPLY](#))

Valid 1Y0-204 Dumps shared by TrainingQuiz.com for Helping Passing 1Y0-204 Exam! TrainingQuiz.com now offer the **newest 1Y0-204 exam dumps**, the TrainingQuiz.com 1Y0-204 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Y0-204 dumps with Test Engine here:
<https://www.trainingquiz.com/1Y0-204-practice-quiz.html> (183 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

Scenario: A Citrix Administrator has configured the Citrix ADC as a DNS Proxy Server. The administrator executed the commands in the screenshot on the Citrix ADC using the command-line interface.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

```
>  
>add responder action Act_1 respondwidth DNS.NEW_RESPONSE(true, true, NOERROR)  
Done  
> add responder policy Pol_1 dns.REQ.TRANSPORT.EQ(udp) Act_1  
Done  
> bind lb vserver DNS -policyName Pol_1 -type request -priority 100
```

What will be the effect of this configuration?

- A. Create a DNS Response with TC bit set and rcode as NOERROR
- B. Set TC bit and rcode as NOERROR in the DNS Request from Client
- C. Set TC bit and rcode as NOERROR in the DNS Response from DNS server
- D. Create a DNS Request with TC bit set and rcode as NOERROR

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 18

Which scenario will cause automatic high availability (HA) synchronization to fail?

- A. A force failover
- B. Different build versions
- C. Manually forced synchronization
- D. A configuration change to the primary Citrix ADC

Answer: B (LEAVE A REPLY)

NEW QUESTION: 19

Scenario: A Citrix Administrator is in the process of migrating the existing 7.15 LTSR Virtual Delivery Agent (VDA) machines used on premises to Citrix Cloud. The administrator has created a new manual machine catalog and Delivery Group in Citrix Cloud and pointed to the existing Device Collection in Citrix Provisioning. The administrator also restarted the VDA machines. What could prevent the VDA machines from registering in Citrix Cloud?

- A. One of the two Cloud Connectors is down and unresponsive.
- B. The Citrix policies have NOT been migrated to Citrix Cloud.
- C. The VDA master image was NOT updated to communicate with the Cloud Connectors.
- D. The VDA on the master image has NOT been updated to a later version.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 20

Which two resource locations are supported for machines running the Virtual Delivery Agent (VDA) when using the Citrix Virtual Apps and Desktops service? (Choose two.)

- A. Citrix Cloud
- B. On-premises datacenter
- C. Amazon Web Services (AWS)
- D. VMware Workspace One

Answer: A,B (LEAVE A REPLY)

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-virtual-apps-desktops-service.html>

NEW QUESTION: 21

A Citrix Administrator needs to block access to multiple URLs for security reasons. Which configuration should the administrator use to accomplish this requirement?

- A.


```
add policy patset BAD_URL
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS(!"BAD_URL!")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE
  add policy patset BAD_URL
  bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
  bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
  add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS(!"BAD_URL!")" DROP
```
- B.


```
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE
```

C.

```
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS("BAD_URL")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ
```

D.

```
add policy patset BAD_URL
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS_ANY("BAD_URL")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE
```

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 22

Which Front-End Optimization (FEO) action can a Citrix Administrator use to achieve the results shown in the screenshots?

Click the Exhibit button to view the screenshots.



```
Exhibit Window
<html>
  <head>
  </head>
  <body>
    <script src="abc.js" type="text/javascript"></script>
    <div class="monday tuesday">
      Hi!
    </div>
    <style type="text/css">
      .foo {day : wednesday; }
    </style>
    <link rel="stylesheet" type="text/css" href="styles/all_styles/css">
  </body>
</html>

<html>
  <head>
    <style type="text/css">
      .foo { day: wednesday; }
    </style>
  </head>
  <body>
    <script src="abc.js" type="text/javascript"></script>
    <div class="monday tuesday">
      Hi!
    </div>
    <link rel="stylesheet" type="text/css" href="styles/all_styles.css">
  </body>
</html>
```

A. Move CSS to head

B. Rearrange CSS

- C. Inline CSS
- D. Truncate CSS

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

Scenario: A Citrix Administrator has configured the Citrix ADC as a DNS Proxy Server. The administrator executed the commands in the screenshot on the Citrix ADC using the command-line interface.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

```
>  
>add responder action Act_1 respondwidth DNS:NEW_RESPONSE(true, true, NOERROR)  
Done  
> add responder policy Pol_1 dns.REQ_TRANSPORT.EQ(udp) Act_1  
Done  
> bind lb vserver DNS -policyName Pol_1 -type request -priority 100
```

What will be the effect of this configuration?

- A. Create a DNS Request with TC bit set and rcode as NOERROR
- B. Create a DNS Response with TC bit set and rcode as NOERROR
- C. Set TC bit and rcode as NOERROR in the DNS Request from Client
- D. Set TC bit and rcode as NOERROR in the DNS Response from DNS server

Answer: B ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.citrix.com/en-us/netScaler/12/appExpert/responder/dns-support-responder.html>

NEW QUESTION: 24

A Citrix Administrator is configuring a Citrix ADC high availability (HA) pair and needs to ensure that one Citrix ADC is UP and primary at all times to ensure the business websites are always available.

What does the administrator need to do to ensure that the Citrix ADCs still handle web traffic in the event that both nodes become unavailable or fail a health check?

- A. Configure HA Fail-safe mode on the Primary Citrix ADC only.
- B. Disable HA Fail-safe mode on the Secondary Citrix ADC.
- C. Disable HA Fail-safe mode on the Primary Citrix ADC only.
- D. Configure HA Fail-safe mode on each Citrix ADC independently.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 25

Scenario: A Citrix Administrator configured the rewrite policies below:

```
bind lb vserver VPN_http-policyName POL_1-priority 120 -gotoPriorityExpression END -type REQUEST  
bind lb vserver VPN_http-policyName POL_2-priority 90 -gotoPriorityExpression NEXT -type REQUEST  
bind lb vserver VPN_http-policyName POL_3-priority 100 -gotoPriorityExpression NEXT -type REQUEST  
bind lb vserver VPN_http-policyName POL_4-priority 110 -gotoPriorityExpression END -type REQUEST
```

In which order will the policies be evaluated?

- A. POL_2, POL_3, POL_4, POL_1
- B. POL_2, POL_3
- C. POL_2, POL_3, POL_4
- D. POL_2


Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 26

Scenario: A Citrix Administrator ran the Get-BrokerSite PowerShell command on the primary Delivery Controller to obtain overview information of the infrastructure.

The administrator received the error as shown in the exhibit.

Click on the Exhibit button to view the error.



```
Administrator Windows PowerShell
Windows PowerShell
Copyright (C) 2016 Microsoft Corporation. All rights reserved.

PS C:\Users\Administrator\WORKSPACE\LAB> Get-BrokerSite

Get-BrokerSite : The term 'Get-BrokerSite' is not recognized as the name of a cmdlet, function, script file, or operable program.
Check the spelling of the name, or if a path was included, verify that the path is correct and try again.
At line:1 char:1
+ Get-BrokerSite
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (Get-BrokerSite:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException
```

Why did the administrator receive this PowerShell error?

- A. The Get-BrokerSite PowerShell command was performed before running the Add-PSSnapin Citrix* command.
- B. The Get-BrokerSite PowerShell command was performed without Administrator privileges in PowerShell.
- C. The incorrect PowerShell command for retrieving Site information was performed.
- D. The Get-BrokerSite PowerShell command was performed with a syntax error.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

Scenario: A Citrix Administrator needs to configure StoreFront to allow external users access to internal resources. The external users will authenticate on StoreFront.

Which StoreFront authentication method can the administrator configure?

- A. HTTP Basic
- B. Pass-through from NetScaler Gateway
- C. Smart card
- D. Username and password

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 28

Which command should a Citrix Administrator use to configure a Content Switching virtual server for implementing the Citrix Secure Web Gateway in the transparent proxy mode?

- A. add cs vserver swgVS PROXY * 21 -Authn401 on -authnVsName transparent-auth-vs
- B. add cs vserver swgVS PROXY 192.168.10.1 -Authn401 on -authnVsName transparent-auth-vs
- C. add cs vserver swgVS PROXY** -Authn401 on -authnVsName explicit-auth-vs
- D. add cs vserver swgVS PROXY 192.168.10.1 80 -Authn401 on -authnVsName transparent-auth-vs

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

Scenario: Users are calling the help desk because they are unable to launch published applications. The users mention the sessions are opening and immediately closing; however, a Citrix Administrator observes that more than 150 sessions are already being delivered. Which tool can the administrator use to review the state of the Citrix infrastructure from a single location?

- A. Citrix PowerShell SDK
- B. Citrix Director
- C. Citrix Studio
- D. StoreFront

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 30

Scenario: A Citrix Administrator has enabled an HDX Session printers policy within a Citrix Virtual Apps and Desktops Site. The administrator added a printer to a print server and assigned the printer to all users through a session printer policy. In addition, several local client printers are auto-created within HDX sessions. No other printing policies are configured.

How will print jobs be routed when users send print jobs to a printer managed by the print server?

- A. Directly to the network print server and then to the specified printer.
- B. Over the HDX virtual channel to the specified printer attached to the print server.
- C. Directly from the session Virtual Delivery Agent (VDA) machine to the printer.
- D. Over the HDX virtual channel, through the endpoint, and then to the print server.

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference: <https://support.citrix.com/article/CTX227534>

NEW QUESTION: 31

Scenario: A Citrix Administrator will use PowerShell to configure a new restart schedule for the Windows 2016 Server OS group named "Win2016-ServerOS" within a Citrix Virtual Desktops infrastructure.

The administrator needs the machines in the Server OS group to restart at a time when no users will be accessing them: beginning at 23:00h (11:00 PM) each day, with 30-minute intervals between each machine restart.

Which PowerShell command should the administrator use?

- A. New-BrokerRebootScheduleV2 -Name XYZ-ServerOS-DailyReboot -DesktopGroupName Win2016-ServerOS -Frequency Daily -StartTime "23:00" -Enabled \$true - RebootDuration 30
- B. Set-BrokerRebootSchedule -Name XYZ-ServerOS-DailyReboot -DesktopGroupName Win2016-ServerOS -Frequency Daily -StartTime "23:00" -Enabled \$true - RebootDuration 30
- C. New-BrokerRebootSchedule -Name XYZ-ServerOS-DailyReboot -DesktopGroupName Win2016-ServerOS -Frequency Daily -StartTime "11:00" -Enabled \$true - RebootDuration 30
- D. Set-BrokerRebootScheduleV2 -Name XYZ-ServerOS-DailyReboot -DesktopGroupName Win2016-ServerOS -Frequency Daily -StartTime "11:00" -Enabled \$true - RebootDuration 30

Answer: ([SHOW ANSWER](#))

Valid 1Y0-204 Dumps shared by TrainingQuiz.com for Helping Passing 1Y0-204 Exam! TrainingQuiz.com now offer the **newest 1Y0-204 exam dumps**, the TrainingQuiz.com 1Y0-204 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Y0-204 dumps with Test Engine here:
<https://www.trainingquiz.com/1Y0-204-practice-quiz.html> (**183 Q&As Dumps, 40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

On which two components must the Secure Ticket Authority (STA) server locations be configured if a Citrix Administrator wants to configure secure external access to a Citrix Virtual Apps and Desktops Site? (Choose two.)

- A. Virtual Delivery Agent (VDA)
- B. Delivery Controller
- C. Citrix Workspace app
- D. Citrix Gateway
- E. StoreFront

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 33

What is the effect of the "set cs vserver vserver-CS-1 -redirectURL http://www.newdomain.com/mysite/" command?

- A. All the requests without url path /mysite/ will be redirected to http://www.newdomain.com/mysite/.
- B. All the requests to vserver-CS-1 will be redirected to http://www.newdomain.com/mysite/.
- C. If the vserver-CS-1 encounters high connection rate, then users will be redirected to http://www.newdomain.com/mysite/.
- D. If the status of vserver-CS-1 is DOWN, then users will be redirected to http://www.newdomain.com/mysite/.

Answer: D ([LEAVE A REPLY](#))

Explanation/Reference: Reference:

https://www.cisco.com/c/dam/en/us/td/docs/switches/datacenter/nexus1000/solutions/citrix-ns/10_5/traffic-mgmt/guide/Citrix_NetScaler_10_5_Traffic_Management_Guide.pdf (124)

NEW QUESTION: 34

Scenario: A Citrix Administrator needs to grant permissions to a contractor to manage an inventory application in Citrix Virtual Apps and Desktops Service managed in Citrix Cloud. The administrator needs to minimize the access granted to the contractor to only administer the inventory application.

Which two permissions will the administrator need to grant to the contractor? (Choose two.)

- A. Custom access in Citrix Cloud
- B. Cloud Administrator in the Citrix Virtual Apps and Desktops Service
- C. Help Desk Administrator in Citrix Virtual Apps and Desktops Service
- D. Full Administrator in Citrix Cloud
- E. Delivery Group Administrator in the Citrix Virtual Apps and Desktops Service

Answer: (SHOW ANSWER)

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-virtual-apps-desktops-service/manage-deployment/delegated-administration.html>

NEW QUESTION: 35

Which Citrix Director view will allow a Citrix Administrator to view data on the current CPU, as well as memory and disk latency for a machine running the Virtual Delivery Agent (VDA)?

- A. Capacity Management
- B. Machine Utilization
- C. Load Evaluator Index
- D. Resource Utilization

Answer: D (LEAVE A REPLY)

NEW QUESTION: 36

Which three statements are correct regarding Citrix printing? (Choose three.)

- A. Citrix printing does NOT assign each printer a unique namespace within a given session.
- B. The Citrix Print Manager Service monitors session events, such as logon and logoffs or session termination.
- C. Citrix printing sets the default security descriptor for auto-created printers to ensure client printer security.
- D. Citrix printing allows administrators, but NOT users, to print to any other users' active session client printers.
- E. The Citrix Print Manager Service handles requests by impersonating the actual session user.

Answer: B,C,E (LEAVE A REPLY)

Explanation/Reference: <https://docs.citrix.com/en-us/xenapp-and-xendesktop/7-15-ltsr/printing/printing-best-practices.html>

NEW QUESTION: 37

Which step does a Citrix Administrator need to take to enable Citrix XML Service trust for user access within a Citrix Virtual Apps and Desktops infrastructure?

- A. Enable XML Service trust using the StoreFront console.
- B. Run the `Set-BrokerSite -TrustRequestsSentToTheXMLServicePort $true` PowerShell command from within a Virtual Delivery Agent (VDA) machine.
- C. Run the `Set-BrokerSite -TrustRequestsSentToTheXMLServicePort $true` PowerShell command from within a Controller.
- D. Configure the appropriate XML Service trust settings using HDX policy within Citrix Studio.

Answer: C ([LEAVE A REPLY](#))

Explanation

Explanation/Reference: <https://docs.citrix.com/en-us/storefront/current-release/plan/user-authentication.html>

NEW QUESTION: 38

Scenario: A Citrix Administrator created an SSL virtual server using only the following commands:

```
add lb vserver sslvserver SSL 10.102.29.133.444
add service sslsvc1 192.168.0.14 SSL 443
add service sslsvc2 192.168.0.15 SSL 443
bind lb vserver sslvserver sslsvc1
bind lb vserver sslvserver sslsvc2
set ssl vserver sslvserver -ssl3 disabled
```

The SSL virtual server is currently in a DOWN state.

What could be the reason the SSL virtual server is in a down state?

- A. The SSL Certificate is NOT bound to the virtual server.
- B. The virtual server SSL port is NOT set to port 443.
- C. The SSL services are NOT on the 10.102.29.X network.
- D. SSLv3 is disabled.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 39

Scenario: A Citrix Administrator needs to deploy Citrix Virtual Apps Project requirements dictate that management and maintenance should be minimized for the administrator, while still maintaining control of the Virtual Delivery Agent (VDA) machines.

Which hosting platform should the administrator choose to meet these requirements?

- A. Public Cloud-hosted
- B. On-premises
- C. Citrix Cloud
- D. Service provider

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 40

Scenario: A Citrix Administrator maintains a Citrix Virtual Apps and Desktops Site with a large number of Windows users running various locally attached client printers. No network printers are being used. The administrator has enabled the HDX printer mapping policy to 'Auto-create all client printers', which has resulted in a large number of drivers being loaded onto the Virtual Delivery Agent (VDA) machines. New standards are requiring the administrator to limit these Windows drivers on the VDA machines.

Which printing feature can the administrator enable to meet the new standards?

- A. The Auto-create PDF universal printer policy
- B. The Auto-create local (non-network) client printers only policy
- C. The Citrix Universal Print Server
- D. The Citrix Universal Printer Driver

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 41

Which Citrix component acts as Secure Ticket Authority (STA) in a Citrix Virtual Apps and Desktops environment?

- A. Delivery Controller
- B. StoreFront server
- C. Citrix License Server
- D. Citrix Gateway

Answer: D ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-gateway/13/integrate-web-interface-apps/ng-wi-comm-wrapper-con/ng-wi-comm-sta-config-tsk.html>

NEW QUESTION: 42

A Citrix Administrator has executed the commands in the screenshot on the Citrix ADC using the command-line interface.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

```

>
> add transform profile prof_url_change
Done
> add transform action "URL change" prof_url_change 10
Done
> set transform action "URL change" -priority 10 -reqUrlFrom "https://*" -reqUrlInto
"http://*" -resUrlFrom "http://*" -resUrlInto "https://*"
Done
> add transform policy pol_url_change true prof_url_change
Done
> bind lb vserver LB_vserver -policyName pol_url_change -priority 100 -
gotoPriorityExpression END -type REQUEST

```

Which two replacements will be the outcome of executing these commands? (Choose two.)

- A. https:// will be replaced by http:// in the HTTP REQUEST
- B. http:// will be replaced by https:// in the HTTP REQUEST
- C. http:// will be replaced by https:// in the HTTP RESPONSE
- D. https:// will be replaced by http:// in the HTTP RESPONSE

Answer: A,D (LEAVE A REPLY)

Explanation/Reference:

NEW QUESTION: 43

Scenario: A Citrix Administrator is in the process of migrating a Citrix Virtual Apps and Desktops on-premises deployment to Citrix Cloud with an on-premises resource location. StoreFront and Citrix ADC machines are located on premises. The administrator notices that application enumeration is NOT occurring for resources managed by the Citrix Cloud Site.

What does the administrator need to change in order to get application enumeration working?

- A. Add the Citrix Cloud Connectors as XML servers to the existing StoreFront servers.
- B. Decommission the old Citrix Delivery Controllers and Databases.
- C. Remove the Citrix policies on the old Citrix Delivery Controllers.
- D. Add the Citrix Cloud Connectors as Secure Ticket Authority (STA) servers on Citrix ADC and StoreFront.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 44

Scenario: Client connections to certain virtual servers are abnormally high. A Citrix Administrator needs to be alerted whenever the connections pass a certain threshold.

How can the administrator use Citrix Application Delivery Management to accomplish this requirement?

- A. Configure TCP Insight on the Citrix Application Delivery Management.
- B. Configure specific alerts for virtual servers using Citrix Application Delivery Management.
- C. Configure SMTP Reporting on the Citrix Application Delivery Management by adding the threshold and email address.

D. Configure Network Reporting on the Citrix Application Delivery Management by setting the threshold and email address.

Answer: (SHOW ANSWER)

Explanation/Reference: <https://docs.citrix.com/en-us/netscaler-mas/12/network-reporting.html>

NEW QUESTION: 45

What information does a Citrix Administrator need when creating a silent installation of the Cloud Connector?

- A. Citrix.CloudServices.AgentHub.Api
- B. Machine Catalog Name
- C. Resource Location ID
- D. Active Directory Schema

Answer: C (LEAVE A REPLY)

Explanation

In order to silently install Citrix Cloud connectors when you have more than one resource location, the ID of the target resource location must be passed on the command-line of the installer. Although this ID is available in the CC user interface, it is sometimes desirable to get this information programmatically.

Reference: <https://developer.cloud.com/services/get-details-about-resource-locations-within-customer>

NEW QUESTION: 46

Scenario: A Citrix Administrator is configuring load balancing on a Citrix ADC appliance for the company web servers. The administrator needs to create a custom monitor that will look for a specific keyword response from the website and will be used to keep the services in an UP state. Which type of monitor can the administrator create to accomplish this scenario?

- A. A TCP monitor with the keyword in the Special Parameters - Response Code field.
- B. A HTTP monitor with the keyword in the Special Parameters - Response Codes field.
- C. HTTP-ECV monitor with the keyword in the Special Parameters - Receive String field.
- D. An UDP-ECV monitor with the keyword in the Special Parameters - Receive String field.

Answer: C (LEAVE A REPLY)

Valid 1Y0-204 Dumps shared by TrainingQuiz.com for Helping Passing 1Y0-204 Exam!

TrainingQuiz.com now offer the **newest 1Y0-204 exam dumps**, the TrainingQuiz.com 1Y0-204 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Y0-204 dumps with Test Engine here:

<https://www.trainingquiz.com/1Y0-204-practice-quiz.html> (183 Q&As Dumps, **40%OFF Special**

Discount: Exam-Tests)

NEW QUESTION: 47

Which three policy settings can a Citrix Administrator configure to improve HDX session performance for high- latency, low bandwidth user connections? (Choose three.)

- A. Maximum number of sessions
- B. View window contents while dragging
- C. CPU usage
- D. Target frame rate and color depth
- E. Limit video quality
- F. Application launch wait timeout

Answer: B,D,E ([LEAVE A REPLY](#))

Explanation/Reference:

<https://support.citrix.com/article/CTX138404>

NEW QUESTION: 48

What two options are limitations of a typical Global Server Load Balancing (GSLB) setup? (Choose two.)

- A. Any given GSLB Vserver can load-balance only one FQDN.
- B. Restrict the selection of a GSLB service from a subset of GSLB services bound to a GSLB virtual server for the given domain.
- C. An administrator CANNOT define a backup for a backup Vserver in an active standby GSLB setup for a given GSLB domain
- D. Apply spillover policies on a subset of GSLB services and the user CANNOT have a backup for a subset of GSLB services.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 49

Which tool should a Citrix Administrator use when a user reports "event ID 1022: The Citrix Desktop Service Failed to register with any controller"?

- A. HDX Monitor
- B. VDA Cleanup Utility
- C. Citrix Scout
- D. Citrix Health Assistant

Answer: D ([LEAVE A REPLY](#))

Explanation/Reference:

<https://support.citrix.com/article/CTX207624>

NEW QUESTION: 50

Scenario: A Citrix Administrator has configured a Citrix ADC active-passive high availability (HA) pair.

When the HA pair fails over, customers are unable to access the hosted websites. After some troubleshooting, the administrator found that the upstream router was NOT updating its ARP table.

What can the administrator configure to resolve this issue?

- A. HA monitor
- B. Route Monitor
- C. Virtual MAC
- D. Independent Network Configuration (INC) mode

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 51

Which PowerShell command can be used to display all the Citrix services installed on the Delivery Controller?

- A. Get-Service -DisplayName *citrix*
- B. Get-Service -DisplayName *site*
- C. Get-Service -DisplayName *controller*
- D. Get-Service -DisplayName *broker*

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

Which method, according to Citrix leading practices, can a Citrix Administrator use to successfully make a configuration change for a StoreFront server group?

- A. Make the change on one StoreFront server in the group, then restart all servers in the group to synchronize the change.
- B. Make the change on one StoreFront server in the group, then use the Propagate Changes feature.
- C. Make the same change manually on all StoreFront servers in the group, then run a Site health check.
- D. Make the same change on all StoreFront servers in the group using remote PowerShell commands.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 53

Scenario: A Citrix Administrator is enabling TLS Secure connections between the Cloud Connectors and on-premises StoreFront. After configuring the TLS certificate on all Cloud Connectors and disabling HTTP connections, the administrator finds that no resources are being enumerated.

Which extra step does the administrator need to take to allow enumeration to work between on-premises StoreFront and Citrix Cloud?

- A. Configure Internet Information Services (IIS) on the StoreFront server to use HTTPS.
- B. Change transport type to HTTPS in the StoreFront store DDC list.

- C. Configure Cloud Connectors to allow unsecure connections.
- D. Install Internet Information Services (IIS) on the Cloud Connector.

Answer: (SHOW ANSWER)

Explanation/Reference:

<https://www.exam4training.com/which-extra-step-does-the-administrator-need-to-take-to-allow-enumeration-to-work-between-on-premises-storefront-and-citrix-cloud/>

NEW QUESTION: 54

Scenario: A Citrix Administrator is working on a published application. The network is connected for 100 seconds but is interrupted and applications become unusable. The session then automatically resumes, and the administrator is able to continue working on the application at the same progress point as before the interruption.

Which policy is enabled in this scenario?

- A. ICA Keep Alive
- B. Load Management
- C. Session Reliability
- D. Auto client reconnect

Answer: C (LEAVE A REPLY)

NEW QUESTION: 55

Scenario: A Citrix Administrator has received user complaints about issues connecting to the domain through the Citrix ADC using AAA. The administrator investigated the issue and found that the domain session cookie that was used during authentication is failing due to resolution issues.

What can the administrator do to fix the issue?

- A. Configure DNS to assign authentication and traffic management virtual servers to FQDNs in the domain.
- B. Configure FQDNs for the Session Cookies in the domain.
- C. Change the Session Cookie timeout in DNS.
- D. Configure DNS to assign an FQDN for the Citrix ADC in the domain.

Answer: (SHOW ANSWER)

Explanation/Reference: <https://docs.citrix.com/en-us/netscaler/12/aaa-tm/authentication-virtual-server.html>

NEW QUESTION: 56

A Citrix Administrator needs to block all the DNS requests from subnet 10.107.149.0/24.

Which expression can the administrator use to match the required traffic?

- A. CLIENT.IP.SRC(10.107.149.0) && (client.UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53))
- B. CLIENT.IP.SRC(10.107.149.0) && client.UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53)

C. CLIENT.IP.SRC.IN_SUBNET(10.107.149.0/24)&& (client UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53))

D. CLIENT.IP.SRC.IN_SUBNET(10.107.149.0/24)&& client UDP.DSTPORT.EQ(53) || client.TCP.DSTPORT.EQ(53)

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 57

Scenario: A Citrix Administrator currently manages a Citrix ADC environment in a retail company that is growing quickly and may soon double its volume of business. Currently, a Citrix ADC MPX 5550, which handles web and SSL transactions, is in place, but is close to full capacity. Due to the forecasted growth increase, the administrator needs to find a cost effective solution.

What can the administrator recommend to management in order to cost effectively handle the growth?

A. Performance hardware upgrade to Citrix ADC SDX 14100

B. Perform license upgrade to Citrix ADC MPX 5650

C. Another MPX 5550 appliance

D. Perform hardware upgrade to Citrix ADC MPX 8005

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 58

Which tool should a Citrix Administrator use to monitor the overall daily performance of a Citrix Virtual Apps and Desktops Site?

A. Citrix Studio

B. Citrix Director

C. HDX Monitor

D. CDF Traces

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 59

Scenario: A Citrix Administrator is in the process of migrating the existing 7.15 LTSR Virtual Delivery Agent (VDA) machines used on premises to Citrix Cloud. The administrator has created a new manual machine catalog and Delivery Group in Citrix Cloud and pointed to the existing Device Collection in Citrix Provisioning.

The administrator also restarted the VDA machines.

What could prevent the VDA machines from registering in Citrix Cloud?

A. One of the two Cloud Connectors is down and unresponsive.

B. The VDA on the master image has NOT been updated to a later version.

C. The Citrix policies have NOT been migrated to Citrix Cloud.

D. The VDA master image was NOT updated to communicate with the Cloud Connectors.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 60

A Citrix Administrator needs to block access to multiple URLs for security reasons. Which configuration should the administrator use to accomplish this requirement?

A.

```
add policy patset BAD_URL
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS(!"BAD_URL!")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE
```

```
add policy patset BAD_URL
```

```
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
```

```
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
```

```
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS(!"BAD_URL!")" DROP
```

B. bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE

C.

```
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS(!"BAD_URL!")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ
```

D.

```
add policy patset BAD_URL
bind policy patset BAD_URL badurl1.mylab.lab -index 11 -charset ASCII
bind policy patset BAD_URL badurl2.mylab.lab -index 10 -charset ASCII
add responder policy BAD_URL_DNS "DNS.REQ.QUESTION.DOMAIN.CONTAINS_ANY(!"BAD_URL!")" RESET
bind responder global BAD_URL_DNS 100 END -type DNS_REQ_OVERRIDE
```

Answer: B ([LEAVE A REPLY](#))

Explanation/Reference:

NEW QUESTION: 61

Which two features can a Citrix Administrator enable to improve the launch times of published applications for users? (Choose two.)

A. Application Prelaunch

B. ICA Keep Alive

C. Session Reliability

D. Session Sharing

Answer: (SHOW ANSWER)

Explanation

Valid 1Y0-204 Dumps shared by TrainingQuiz.com for Helping Passing 1Y0-204 Exam! TrainingQuiz.com now offer the **newest 1Y0-204 exam dumps**, the TrainingQuiz.com 1Y0-204 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Y0-204 dumps with Test Engine here:

<https://www.trainingquiz.com/1Y0-204-practice-quiz.html> (183 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 62

What are three daily steps a Citrix Administrator should take to monitor a Citrix Virtual Apps and Desktops infrastructure? (Choose three.)

- A. Check virtual machine power states.
- B. Check for warnings or alerts with Citrix Director.
- C. Review Citrix policies.
- D. Review available Citrix software upgrades.
- E. Test environment access.
- F. Perform a capacity assessment.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 63

Scenario: A Citrix Administrator configured the HTTP_Callout feature on the Citrix ADC using the command-line interface. After configuring the commands, the device is facing the HTTP callout recursion issue.

Click on the 'Exhibit' button to view the screenshot of the command-line interface.

```
>
> add policy httpCallout myCallout
Done
> set policy httpCallout myCallout - IPAddress 10.102.3.95 -port 80 -returnType TEXT -
hostExpr "\"10.102.3.95\" \" -urlStemExpr \"/cgi-bin/check_clnt_from_database.pl
lout Request") -parameters cip (CLIENT.IP.SRC) -resultExpr "HTTP.RES.BODY(100)"
Done
> add responder policy Poll "SYS.HTTP_CALLOUT(myCallout).CONTAINS(\"IP Matched\")" RESET
Done
> bind responder global Poll 100 END -type OVERRIDE
```

How will the administrator rectify the issue?

- A. In the HTTP Callout policy, change the -parameters to "cip(CLIENT.IP.SRC) &&HTTP.REQ.HEADER ("Request").EQ("Callout Request")"
- B. Change the expression of the Responder policy to "HTTP.REQ.HEADER("Request").EQ("Callout Request").NOT && SYS.HTTP_CALLOUT(myCallout).CONTAINS("IP Matched")"
- C. In the HTTP Callout policy, change the -parameters to "cip(CLIENT.IP.DST) &&HTTP.REQ.HEADER ("Request").EQ("Callout Request")"
- D. Change the expression of the Responder policy to "HTTP.REQ.HEADER("Request").EQ("Callout Request").NOT && SYS.HTTP_CALLOUT(myCallout).CONTAINS("IP Matched").NOT

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 64

A Citrix Administrator configured the Responder policy to redirect the request for root page to the home page.

However, after executing the command, the webpage access entered a loop, as shown in the second screenshot.

Click on the 'Exhibit' buttons to view the screenshots.

```
>
>
> add responder action rs_redirect_home_act redirect "\ http://server1.training.lab/home.php
\" -responseStatusCode 302
Done
> add responder policy rs_redirect_home_pol HTTP.REQ.IS_VALID res_redirect_home_act
Done
> bind lb vserver lb_vsrv www -policyName rs_redirect_home_pol -priority 100 -
gotoPriorityExpression END -type REQUEST
Done
>
>
```



How will the administrator rectify this issue?

- A. Change Responder action expression to "/"
- B. Change Responder Policy expression to http.REQ.URL.Contains("/")
- C. Change Responder Action expression to http.REQ.URL
- D. Change Responder Policy expression to http.REQ.URL.EQ("/")

Answer: D (LEAVE A REPLY)

Explanation/Reference:

NEW QUESTION: 65

Scenario: A Citrix Administrator needs to review the current state of specific machine sessions and application instances that are running in a Citrix Virtual Apps and Desktops Site. The administrator also needs to power-manage sessions. The Site is a premium licensed Site. Where should the administrator navigate to within Citrix Director to obtain this information?

- A. Trends
- B. Dashboard
- C. Alerts
- D. Filters

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 66

Scenario: A Citrix Administrator is configuring the Citrix Workspace app to allow users to access their applications and desktops. Users should NOT be able to migrate their application sessions between devices throughout the work day.

The administrator needs to modify the Citrix Workspace Control settings _____ to prevent users from migrating their sessions between devices. (Choose the correct option to complete the sentence.)

- A. in the Site configuration within Citrix Studio
- B. in the StoreFront console
- C. through a Group Policy object
- D. in the Citrix Workspace app

Answer: (SHOW ANSWER)

Explanation

Explanation/Reference:

https://www.citrix.com/blogs/2016/05/02/workspace-control-when-you-dont-want-to-roam/?_ga=2.128113484.1931410663.1574163418-1307916011.1522390933

NEW QUESTION: 67

A Citrix Administrator complains that between the two rewrite policies bound to the vserver, only one policy, whichever has lower priority, works. The other policy is never used.

Click the 'Exhibit' button to view the screenshot of the relevant policy binding.

Exhibit Window

Load Balancing Virtual Server Rewrite Policy Binding

Add Binding Unbind Regenerate Priorities Bind NO POLICY-REWRITE Edit

Priority	Policy Name	Expression	Action	Goto Expression	Invoke
100	RP_remove_srv_header	HTTP.REQ.IS_VALID	Replace_Host_header	END	END
110	no_chunk_pol	true	no_chunk	END	END

Close

CITRIX

What is the cause of the issue?

- A. The Policy expression of the no_chunk_pol is 'true' and 'NOT HTTP.REQ.IS_VALID'.
- B. GotoExpression value for Policy RP_remove_srv_header is configured as 'END'.
- C. The Invoke label is NOT configured.
- D. The Priority of the no_chunk_pol is a higher numeric value than 100.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 68

Scenario: A Citrix Administrator needs to reduce costs by limiting users' printing sources. The administrator needs to stop automatic creation of all client printers in a session and map printers based on the floor of the building from which the user's session connects.

Which two policies should the administrator configure to complete this task? (Choose two.)

- A. Printer properties retention
- B. Auto-create client printers
- C. Direct connections to print servers
- D. Session printers

Answer: C,D ([LEAVE A REPLY](#))

Explanation/Reference:

<https://support.citrix.com/article/CTX232031>

NEW QUESTION: 69

What are three daily steps a Citrix Administrator should take to monitor a Citrix Virtual Apps and Desktops infrastructure? (Choose three.)

- A. Review Citrix policies.
- B. Perform a capacity assessment.
- C. Test environment access.
- D. Check virtual machine power states.
- E. Review available Citrix software upgrades.
- F. Check for warnings or alerts with Citrix Director.

Answer: ([SHOW ANSWER](#))

Explanation/Reference: <https://docs.citrix.com/en-us/xenapp-and-xendesktop/7-15-ltsr/citrix-vdi-best-practices/monitor.html>

NEW QUESTION: 70

Which layer contains the Site database in a Citrix Virtual Apps and Desktops Architecture model?

- A. Access
- B. User
- C. Control
- D. Resource

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.citrix.com/en-us/tech-zone/design/reference-architectures/virtual-apps-and-desktops-service.html>

NEW QUESTION: 71

Which port does a Citrix Administrator need to open for Cloud Connector to communicate with the internet?

- A. 443
- B. 80
- C. 8080
- D. 3389

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

Which two resource locations are supported for machines running the Virtual Delivery Agent (VDA) when using the Citrix Virtual Apps and Desktops service? (Choose two.)


- A. VMware Workspace One
- B. Citrix Cloud
- C. Amazon Web Services (AWS)
- D. On-premises datacenter

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 73

A Citrix Administrator complains that between the two rewrite policies bound to the vserver, only one policy, whichever has lower priority, works. The other policy is never used.

Click the 'Exhibit' button to view the screenshot of the relevant policy binding.



What is the cause of the issue?

- A. The Priority of the no_chunk_pol is a higher numeric value than 100.
- B. GotoExpression value for Policy RP_remove_srv_header is configured as 'END'.
- C. The Policy expression of the no_chunk_pol is 'true' and 'NOT HTTP.REQ.IS_VALID'.
- D. The Invoke label is NOT configured.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

Scenario: A Citrix Administrator has given permissions to team members to access their own admin partition, so they can add resources for different departments and manage them without making changes to the default Citrix ADC partition and configuration.

One team member was trying to use the command-line interface to troubleshoot an authentication issue and cloud NOT use aaad.debug. However, the team member has full permissions on the admin partition.

What can be the cause of this issue?

- A. The team member does NOT have permission to use the CLI.
- B. The team member does NOT have Shell access by design.
- C. The team member needs to troubleshoot the issue from the GUI.
- D. The team member is NOT using the CLI correctly.

Answer: B ([LEAVE A REPLY](#))

Explanation

NEW QUESTION: 75

Scenario: A Citrix Administrator needs to add 10 new web servers to an existing server farm. The new servers are configured to serve the same applications and connections and are twice the capacity of the existing servers. The administrator wants to ensure that they are being fully utilized. Currently in the environment, the default load-balancing method is being used.

To ensure that only the 10 new servers are receiving twice the connections of the old servers without changing the load balancing to the rest of the environment, the administrator needs to add a weight of _____ to the services attached to the _____ servers. (Choose the correct option to complete the sentence.)

- A. 2; old
- B. 50; old
- C. 2; new
- D. 50; new

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 76

Which two options should a Citrix Administrator configure to stop the First-Time wizard from automatically popping up? (Choose two.)

- A. The Default Admin Password has NOT been changed.
- B. Licenses are NOT present on the appliance.
- C. Host Name is NOT configured on the appliance.
- D. The appliance is configured with the default IP address (192.168.100.1)

Answer: B,D ([LEAVE A REPLY](#))

Valid 1Y0-204 Dumps shared by TrainingQuiz.com for Helping Passing 1Y0-204 Exam! TrainingQuiz.com now offer the **newest 1Y0-204 exam dumps**, the TrainingQuiz.com 1Y0-204 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Y0-204 dumps with Test Engine here:
<https://www.trainingquiz.com/1Y0-204-practice-quiz.html> (183 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

Which port does a Citrix Administrator need to open for Cloud Connector to communicate with the internet?

- A. 80
- B. 3389
- C. 8080
- D. 443

Answer: D (LEAVE A REPLY)

Explanation/Reference: <https://support.citrix.com/article/CTX221671>

NEW QUESTION: 78

Which two statements are valid when using Citrix Profile Streaming? (Choose two.)

- A. Registry entries and files in the pending area are fetched when accessed.
- B. Profile Streaming is disabled by default.
- C. The files and folders are fetched on demand.
- D. Profile Streaming will delay the logon process.

Answer: A,C (LEAVE A REPLY)

Explanation

Citrix profile streaming enables and disables the Citrix streamed user profiles feature. When enabled, files and folders contained in a profile are fetched from the user store to the local computer only when they are accessed by users after they have logged on. Registry entries and files in the pending area are fetched immediately.

References:

NEW QUESTION: 79

Scenario: Users report that they are receiving new sessions instead of reconnecting to their disconnected sessions. A Citrix Administrator investigates the issues and finds the sessions are in a disconnected state when the users leave work.

What should the administrator configure to allow the users to reconnect to their disconnected sessions while roaming?

- A. Session Timeout
- B. Session Pre-launch
- C. Workspace Control

D. Session Lingering

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 80

Which Citrix Profile Management feature maintains a backup of the NTUSER.DAT file?

- A. Active Write Back
- B. Profile Caching
- C. Profile Streaming
- D. Profile Protection

Answer: ([SHOW ANSWER](#))

Explanation/Reference: <https://www.citrix.com/blogs/2016/12/20/citrix-profile-management-5-5-5-6-updates/>

NEW QUESTION: 81

Which set of resources can a Citrix Administrator contain within a resource location in a Citrix Virtual Apps and Desktops service deployment?

- A. Citrix ADC, Virtual Delivery Agent (VDA), Active Directory Domain, Hypervisor
- B. Citrix ADC, StoreFront, Citrix Director, Citrix Provisioning
- C. Citrix ADC, Delivery Controller, Virtual Delivery Agent (VDA), Active Directory Domain
- D. Citrix ADC, Virtual Delivery Agent (VDA), StoreFront, Database

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-virtual-apps-desktops-service.html>

NEW QUESTION: 82

Scenario: A Citrix Administrator needs to deploy 300 virtual Windows 10 desktops in an environment. The deployment should have a low impact on the existing network infrastructure. The environment also requires user-installed applications and persistency.

Which Citrix technology can the administrator use to provision the desktops?

- A. Citrix Provisioning
- B. Existing Machines
- C. Machine Creation Services
- D. Manual Provisioning

Answer: C ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.citrix.com/en-us/tech-zone/design/reference-architectures/image-management.html>

NEW QUESTION: 83

Which layer can optionally be managed by Citrix Cloud, when designing Citrix Cloud architecture?

- A. Control
- B. Resource
- C. Access

D. Hardware

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 84

Creating Application Groups requires the delegated administration permission of the _____ Administration built-in role. (Choose the correct option to complete the sentence.)

- A. Host
- B. Delivery Group
- C. machine catalog
- D. Help Desk

Answer: B ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.citrix.com/en-us/xenapp-and-xendesktop/7-15-ltsr/install-configure/application-groups-create.html>

NEW QUESTION: 85

Which layer can optionally be managed by Citrix Cloud, when designing Citrix Cloud architecture?

- A. Access
- B. Hardware
- C. Resource
- D. Control

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

What is the minimum permission a Citrix Administrator can grant to an IT manager to access Citrix Studio?

- A. Read Only Administrator
- B. Delivery Group Administrator
- C. Machine Catalog Administrator
- D. Host Administrator

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-virtual-apps-desktops-service/manage-deployment/delegated-administration.html>

NEW QUESTION: 87

Scenario: A Citrix Administrator previously configured a Citrix Virtual Desktops Site to use evaluation licenses.

The administrator then installed valid advanced licenses on the Citrix License Server and confirmed that licenses show correctly in the licensing console. However, a user reports an issue about logging on to the published desktop. The user receives an error message stating that the evaluation license is about to expire.

What should the administrator do to fix this issue?

- A. Remove the evaluation license.
- B. Restart the License service.
- C. Change the product edition in Citrix Studio.
- D. Verify the host name entry in the license file.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 88

According to Citrix leading practices, what is the minimum number of Delivery Controllers required to deploy Citrix Virtual Apps and Desktops for 500 users?

- A. 2
- B. 4
- C. 3
- D. 1

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 89

Which three policy settings can a Citrix Administrator configure to improve HDX session performance for high-latency, low bandwidth user connections? (Choose three.)

- A. CPU usage
- B. Target frame rate and color depth
- C. Application launch wait timeout
- D. Maximum number of sessions
- E. View window contents while dragging
- F. Limit video quality

Answer: B,E,F ([LEAVE A REPLY](#))

NEW QUESTION: 90

How can a Citrix Administrator enable the ability to monitor application failures for Desktop OS machines running the Virtual Delivery Agent (VDA)?

- A. By upgrading to premium licenses
- B. By entering a PowerShell command on a Delivery Controller
- C. By installing an Application Probe Agent on the Desktop OS VDA machines
- D. By configuring a Citrix policy

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 91

Scenario: A Citrix Administrator created an SSL virtual server using only the following commands:

```
add lb vserver sslvserver SSL 10.102.29.133.444
add service sslsvc1 192.168.0.14 SSL 443
add service sslsvc2 192.168.0.15 SSL 443
bind lb vserver sslvserver sslsvc1
bind lb vserver sslvserver sslsvc2
set ssl vserver sslvserver -ssl3 disabled
```

The SSL virtual server is currently in a DOWN state.

What could be the reason the SSL virtual server is in a down state?

- A. The virtual server SSL port is NOT set to port 443.
- B. SSLv3 is disabled.
- C. The SSL Certificate is NOT bound to the virtual server.
- D. The SSL services are NOT on the 10.102.29.X network.

Answer: C (LEAVE A REPLY)

Valid 1Y0-204 Dumps shared by TrainingQuiz.com for Helping Passing 1Y0-204 Exam!

TrainingQuiz.com now offer the **newest 1Y0-204 exam dumps**, the TrainingQuiz.com 1Y0-204 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Y0-204 dumps with Test Engine here:

<https://www.trainingquiz.com/1Y0-204-practice-quiz.html> (183 Q&As Dumps, **40%OFF Special**

Discount: Exam-Tests)

NEW QUESTION: 92

Scenario: A Citrix Administrator is configuring a Citrix ADC high availability (HA) pair with an existing Primary Citrix ADC with all resources configured. The administrator added the Secondary Citrix ADC in high availability and found that the configuration on the existing primary was removed. It is now the Secondary Citrix ADC in the HA pair.

Which two configurations could the administrator have made to prevent this from happening?

(Choose two.)

- A. Enable HA monitoring on all the interfaces of the SECONDARY device.
- B. Set the Secondary Citrix ADC to STAY SECONDARY in the Configure HA Node settings.
- C. Set the Primary Citrix ADC to STAY PRIMARY in the Configure HA Node settings.
- D. Enable HA monitoring on all the interfaces of the PRIMARY device.

Answer: C,D (LEAVE A REPLY)

Explanation/Reference: <https://docs.citrix.com/ja-jp/netscaler/11/system/high-availability-introduction/forcing-the-primary-node-stay-primary.html>

NEW QUESTION: 93

A user complains to a Citrix Administrator that application load time is long when they log on at the beginning of the work day.

Which feature can the administrator enable to reduce the perceived start time of the user's application?

- A. Application Limits
- B. Application Keyword
- C. Application Linger
- D. Application Pre-launch

Answer: D (LEAVE A REPLY)

Explanation/Reference: <https://docs.citrix.com/en-us/receiver/windows/current-release/optimize/session-pre-launch.html>

NEW QUESTION: 94

A user calls the help desk to report that when launching any application from within their published desktop session, it takes a long time and the overall performance is poor.

Which Citrix Director report can a Citrix Administrator use to initiate the investigation of the issue?

- A. Machine Utilization in Machine Details
- B. Launch Failures in Trends
- C. Load Evaluator in Trends
- D. Session Data in Filters

Answer: C (LEAVE A REPLY)

Explanation

References:

NEW QUESTION: 95

On which two components must the Secure Ticket Authority (STA) server locations be configured if a Citrix Administrator wants to configure secure external access to a Citrix Virtual Apps and Desktops Site?

(Choose two.)

- A. Citrix Workspace app
- B. Citrix Gateway
- C. Delivery Controller
- D. StoreFront
- E. Virtual Delivery Agent (VDA)

Answer: (SHOW ANSWER)

NEW QUESTION: 96

When the Local Host Cache (LHC) is enabled, during a Site database outage _____ will reference _____ to broker new sessions. (Choose the correct option to complete the sentence.)

- A. the principal Delivery Controller, its local database
- B. the principal Delivery Controller, its local XML file
- C. all Delivery Controllers; their local database

D. all Delivery Controllers; their local XML file

Answer: A (LEAVE A REPLY)

Explanation/Reference: <https://docs.citrix.com/en-us/xenapp-and-xendesktop/7-15-ltsr/manage-deployment/local-host-cache.html>

NEW QUESTION: 97

A Citrix Administrator complains that between the two rewrite policies bound to the vserver, only one policy, whichever has lower priority, works. The other policy is never used.

Click the 'Exhibit' button to view the screenshot of the relevant policy binding.



What is the cause of the issue?

- A. The Policy expression of the no_chunk_pol is 'true' and 'NOT HTTP.REQ.IS_VALID'.
- B. The Priority of the no_chunk_pol is a higher numeric value than 100.
- C. GotoExpression value for Policy RP_remove_srv_header is configured as 'END'.
- D. The Invoke label is NOT configured.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 98

What are three valid ways to configure Virtual Delivery Agent (VDA) registration? (Choose three.)

- A. Group Policy Object (GPO)
- B. CONFIG.XML file
- C. Organizational Unit (OU) based Controller discovery
- D. DHCP Options
- E. MCS-based PERSONALITY.INI

Answer: A,C,E (LEAVE A REPLY)

NEW QUESTION: 99

Which Front-End Optimization (FEO) action can a Citrix Administrator use to achieve the results shown in the screenshots?

Click the Exhibit button to view the screenshots.

```
Exhibit Window
<html>
  <head>
  </head>
  <body>
    <script src="abc.js" type="text/javascript"></script>
    <div class="monday tuesday">
      Hi!
    </div>
    <style type="text/css">
      .foo {day : wednesday; }
    </style>
    <link rel="stylesheet" type="text/css" href="styles/all_styles/css">
  </body>
</html>

<html>
  <head>
    <style type="text/css">
      .foo { day: wednesday; }
    </style>
  </head>
  <body>
    <script src="abc.js" type="text/javascript"></script>
    <div class="monday tuesday">
      Hi!
    </div>
    <link rel="stylesheet" type="text/css" href="styles/all_styles.css">
  </body>
</html>
```

- A. Inline CSS
- B. Truncate CSS
- C. Rearrange CSS
- D. Move CSS to head

Answer: A (LEAVE A REPLY)

NEW QUESTION: 100

Scenario: A Citrix Administrator needs to configure StoreFront to allow external users access to internal resources. The external users will authenticate on StoreFront.

Which StoreFront authentication method can the administrator configure?

- A. Smart card
- B. Pass-through from NetScaler Gateway
- C. HTTP Basic
- D. Username and password

Answer: B (LEAVE A REPLY)

Explanation/Reference: <https://docs.citrix.com/en-us/storefront/current-release/plan/user-authentication.html>

NEW QUESTION: 101

Scenario: A Citrix Administrator configured the following policies in a Citrix Virtual Desktops Site environment, in descending priority order.

1. "Marketing Office A" has a filter on Marketing users. 'Client Network Drives' is disabled; 'Client Fixed Drives' is enabled.
2. "Marketing Office B" has a filter on Marketing users' internal IP. 'Client Network Drives' is disabled; 'Client Fixed Drives' is enabled.
3. "Accounting" has a filter on Accounting Users. 'Client Network Drives' is enabled; 'Client Fixed Drives' is NOT configured.
4. "Baseline" is configured without a filter. 'Client Network Drives' and 'Client Fixed Drives' are both disabled.

Based on these policies, what will Accounting users be able to access?

- A. Client network drives only
- B. Neither the client network drive nor the client fixed drive
- C. Client fixed drives only
- D. Client fixed and network drives

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference:

NEW QUESTION: 102

For which three components can Citrix Director capture utilization statistics? (Choose three.)

- A. CPU
- B. IOPS
- C. Network
- D. Memory
- E. Disk space

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 103

Which two features can a Citrix Administrator enable to improve the launch times of published applications for users? (Choose two.)

- A. Session Sharing
- B. Application Prelaunch
- C. ICA Keep Alive
- D. Session Reliability

Answer: A,B ([LEAVE A REPLY](#))

Valid 1Y0-204 Dumps shared by TrainingQuiz.com for Helping Passing 1Y0-204 Exam!
TrainingQuiz.com now offer the **newest 1Y0-204 exam dumps**, the TrainingQuiz.com
1Y0-204 exam **questions have been updated** and **answers have been corrected** get the
newest TrainingQuiz.com 1Y0-204 dumps with Test Engine here:
<https://www.trainingquiz.com/1Y0-204-practice-quiz.html> (**183** Q&As Dumps, **40%OFF** Special
Discount: **Exam-Tests**)