

Citrix.1Y0-341.v2022-12-19.q114

Exam Code:	1Y0-341
Exam Name:	Citrix ADC Advanced Topics - Security, Management and Optimization
Certification Provider:	Citrix
Free Question Number:	114
Version:	v2022-12-19
# of views:	1158
# of Questions views:	1140
https://www.dumpsdb.com/dumps/Citrix/1Y0-341/Citrix.1Y0-341.v2022-12-19.q114	

NEW QUESTION: 1

Which NetScaler Management and Analytics System (NMAS) feature will assist the Citrix Engineer in gathering the required data for issues with Endpoint Analysis?

- A. Gateway Insight
- B. HDX Insight
- C. Security Insight
- D. Web Insight

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 2

Scenario: A Citrix Engineer needs to ensure that the flow of traffic to a web application does NOT overwhelm the server. After thorough testing, the engineer determines that the application can handle a maximum of 3,000 requests per minute. The engineer builds a limit identifier, `rl_maxrequests`, to enforce this limitation.

Which advanced expression can the engineer write in the Responder policy to invoke rate limiting?

- A. `SYS.CHECK_LIMIT("rl_maxrequests").GE(3000)`
- B. `SYS.CHECK_LIMIT("rl_maxrequests")`
- C. `SYS.CHECK_LIMIT("rl_maxrequests").CONTAINS("Busy")`
- D. `SYS.CHECK_LIMIT("rl_maxrequests").IS_VALID`

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 3

Scenario: A Citrix Engineer has enabled the Learn function for a Citrix Web App Firewall profile. After a period of time, the engineer notices that Citrix Web App Firewall is no longer learning any new rules.

What would cause Citrix Web App Firewall to stop learning?

- A. The Citrix Web App Firewall feature is NOT licensed.
- B. The Citrix Web App Firewall profile was unbound from the application.
- C. The Citrix Web App Firewall has reached its capacity of 500 Learn transactions.
- D. The Citrix Web App Firewall Learn database has reached its capacity of 20 MB.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 4

Scenario: A Citrix Engineer wants to protect a web application using Citrix Web App Firewall. After the Web App Firewall policy afweb_protect is bound to the virtual server, the engineer notices that Citrix Web App Firewall is NOT properly displaying the page.

A positive number for the Policy Hits counter for afweb_protect, tells the engineer the number of times Citrix Web App Firewall _____. (Choose the correct option to complete the sentence.)

- A. blocked traffic for web applications assigned the afweb_protect policy
- B. logged a request matching the expression defined in the afweb_protect policy
- C. received a request that matched the policy expression for afweb_protect
- D. forwarded users to the Redirect URL specified in the profile assigned to afweb_protect

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

Scenario: A Citrix Engineer reviews the log files for a business-critical web application. The engineer notices a series of attempts to directly access a file, /etc/passwd.

Which feature can the engineer implement to protect the application against this attack?

- A. Form Field Consistency
- B. Buffer Overflow
- C. Start URL
- D. Content Type

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 6

Scenario: A Citrix Engineer is monitoring the environment with Citrix Application Delivery Management (ADM). Management has asked for a report of high-risk traffic to protected internal websites.

Which dashboard can the engineer use to generate the requested report?

- A. App
- B. App Security
- C. Users & Endpoints

D. Transactions

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 7

The NetScaler processes HTTP/2 web client connections to the backend web servers by _____.

(Choose the correct option to complete the sentence.)

- A. Converting the HTTP/2 headers to HTTP/1.1 headers and forwarding them to the web servers.
- B. Dropping HTTP/2 requests as it is NOT supported by web servers.
- C. Passing- through all HTTP/2 traffic to the web servers.
- D. Converting HTTP/2 to HTTP 0.9 and forwarding the packets to the web servers.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 8

In PCRE, the only characters assumed to be literals are _____ (Choose the correct option to complete the sentence.)

- A. a-z, A-Z
- B. 0-9
- C. a-z, A-Z, 0-9
- D. A-Z

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 9

Scenario: A Citrix Engineer is asked to implement multi-factor authentication for Citrix Gateway. The engineer creates the authentication policies and binds the policies to the appropriate bind points. The engineer creates a custom form using Notepad++ to format the page which will capture the user's credentials.

To which folder on the Citrix ADC will the engineer need to upload this form?

- A. /flash/nsconfig/loginschema/LoginSchema
- B. /var/netscaler
- C. /flash/nsconfig/loginschema
- D. /var

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/system/authentication-and-authorization-for-system-user/two-factor-authentication-for-system-users-and-external-users.html>

NEW QUESTION: 10

Scenario: A Citrix Engineer has configured Citrix Application Delivery Management (ADM) to monitor applications presented by Citrix ADC appliances. When reviewing the App Security Dashboard, the engineer finds no data.

What must the engineer do to ensure data is being collected from the applications?

- A. Enable AppFlow for Security Insight on the instances in Citrix ADM.
- B. Point the default route on Citrix ADM to the subnet with the NSIPs of the Citrix ADC appliances.
- C. Update the password stored in the instance profile on Citrix ADM.
- D. Enable the Web App Firewall feature on the Citrix ADC appliances.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 11

A Citrix Engineer needs to create a configuration job to clone a configuration from an existing Citrix ADC to a new Citrix ADC.

Which configuration source can the engineer use to accomplish this?

- A. Master Configuration
- B. Inbuilt Template
- C. Instance
- D. Configuration Template

Answer: D ([LEAVE A REPLY](#))

<https://docs.citrix.com/en-us/citrix-application-delivery-management-software/current-release/stylebooks/migrate-citrix-adc-application-configuration-using-stylebooks.html>

NEW QUESTION: 12

Scenario: A Citrix Engineer is using Citrix Application Delivery Management (ADM) to manage SSL certificates across all Citrix ADC instances. The engineer wants to distribute a new certificate to the devices. What, in addition to the certificate file, must the engineer provide when uploading the new certificate?

- A. Certificate Signing Request (CSR)
- B. Root Certificate
- C. Key File
- D. Serial Number File

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

Scenario: A Citrix Engineer has configured a NetScaler Management Analytics System (NMAS) policy mandating that all certificates must have minimum key strengths of 2048 bits and must be authorized by trusted CA/Issuers.

How does NMAS alert the engineer about non-compliance?

- A. NMAS highlights any non-compliance with the 'Non-Recommended' tag.
- B. NMAS disables any non-compliant certificates.
- C. NMAS disables any non-compliant policies.
- D. NMAS does NOT alert the engineer.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

A Citrix Engineer is configuring an Application Firewall Policy to protect a website. Which expression will the engineer use in the policy?

- A. HTTP.RES.HEADER ("hostname").EQ ("true")
- B. HTTP.REQ.IS_VALID
- C. HTTP.REQ.HOSTNAME.EQ ("true")
- D. HTTP.RES.IS_VALID

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

Scenario: A Citrix Engineer has deployed four NetScaler MPXs with the following network configuration:

- Management traffic is on VLAN 5 (NSIP).
- Application and server traffic is on VLAN 10 (SNIP).

The engineer added the NetScaler Management and Analytics System (NMAS) interface to VLAN 10 to deploy a NMAS High Availability (HA) pair to manage and monitor the applications and virtual servers. After doing so, the engineer is NOT able to see the NetScaler or applications that need to be managed.

How can the engineer resolve the issue?

- A. Configure VLAN 5 as NSSYNC VLAN
- B. Move the NMAS interface to VLAN 5
- C. Bind SNIP to VLAN 5
- D. Configure VLAN 5 as NSVLAN 5

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 16

How can a Citrix Engineer configure a specific LDAP attribute in the nFactor implementation?

- A. Change the order of the policies.
- B. Change the login schema and add the new attribute.
- C. Add the attribute on the nFactor traffic policy.
- D. Specify the attribute in the LDAP server attributes field.

Answer: ([SHOW ANSWER](#))

Valid 1Y0-341 Dumps shared by TrainingQuiz.com for Helping Passing 1Y0-341 Exam! TrainingQuiz.com now offer the **newest 1Y0-341 exam dumps**, the TrainingQuiz.com 1Y0-341 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Y0-341 dumps with Test Engine here:

NEW QUESTION: 17

Which security model should a Citrix Engineer implement to ensure that only appropriate traffic that matches the expected application behavior is permitted to pass through to the web application?

- A. Hybrid
- B. Dynamic
- C. Positive
- D. Negative

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 18

A Citrix Engineer wants to quietly track attempts that cause a web application to display a list of all user accounts.

Which action should the engineer enable to achieve this?

- A. Stats
- B. Block
- C. Learn
- D. Log

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 19

Which Citrix Application Delivery Management (ADM) Analytics page allows a Citrix Engineer to monitor web application traffic?

- A. Gateway Insight
- B. HDX Insight
- C. WAN Insight
- D. Web Insight

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 20

Which protection ensures that links to sensitive pages can only be reached from within an application?

- A. Buffer Overflow Check
- B. Form Field Consistency Check
- C. URL Closure
- D. Deny URL

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 21

Which Front End Optimization technique overcomes the parallel download limitation of web browsers?

- A. Domain Sharding
- B. Minify
- C. Extend Page Cache
- D. Lazy Load

Answer: A (LEAVE A REPLY)

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/optimization/front-end-optimization.html>

NEW QUESTION: 22

Which report can a Citrix Engineer review to ensure that the Citrix ADC meets all PCI-DSS requirements.

- A. PCI-DSS Standards
- B. Generate PCI-DSS
- C. Generate Application Firewall Configuration
- D. Application Firewall Violations Summary

Answer: (SHOW ANSWER)

NEW QUESTION: 23

Scenario: A Citrix Engineer is reviewing the Citrix Web App Firewall log files using the GUI. Upon further analysis, the engineer notices that legitimate application traffic is being blocked.

What can the engineer do to allow the traffic to pass through while maintaining security?

- A. Select the check box in the log entry. Choose Dismiss to allow the traffic to pass through from the Action menu.
- B. Note the protection blocking the traffic in the log entry. Edit the profile and deselect the Block action for the protection.
- C. Note the protection blocking the traffic in the log entry. Create a new profile and policy and bind it with a larger priority number.
- D. Select the check box in the log entry. Choose Edit & Deploy to create a relaxation rule from the Action menu.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 24

Scenario: A Citrix Engineer has configured the Signature file with new patterns and log strings and uploaded the file to Application Firewall. However, after the upload, the Signature rules are NOT implemented.

What can the engineer modify to implement Signature rules?

- A. The new Signature file should have new ID and version number.
- B. The NetScaler version should be upgraded before upgrading the signatures.

- C. The Signature upgrade will take effect only after a restart.
- D. The Signature update URL should have an older version than the one on Application Firewall.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 25

Scenario: A Citrix Engineer wants to protect a web application using Citrix Web App Firewall. After the Web App Firewall policy afweb_protect is bound to the virtual server, the engineer notices that Citrix Web App Firewall is NOT properly displaying the page.

A positive number for the Policy Hits counter for afweb_protect, tells the engineer the number of times Citrix Web App Firewall_____ . (Choose the correct option to complete the sentence.)

- A. forwarded users to the Redirect URL specified in the profile assigned to afweb_protect
- B. logged a request matching the expression defined in the afweb_protect policy
- C. blocked traffic for web applications assigned the afweb_protect policy
- D. received a request that matched the policy expression for afweb_protect

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 26

Which NetScaler owned IP address is used by NetScaler Management and Analytics System (NMAS) to communicate with NetScaler Instances?

- A. CLIP (Cluster IP)
- B. NSIP (NetScaler IP)
- C. VIP (Virtual IP)
- D. SNIP (Subnet IP)

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which mechanism does the NetScaler use to enable a safe and speedy data exchange between a client/ server initial TCP handshake?

- A. TCP Time Stamp
- B. TCP Hystart
- C. TCP Burst Rate Control
- D. TCP Fast Open (TFO)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

What can a Citrix Engineer do to decrease browser load times by increasing the number of parallel connections to the resource?

- A. Do NOT allow HTML websites.
- B. Block JavaScript on client browsers.
- C. Configure Domain Sharding.
- D. Add more web servers.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

Which security option falls under the Negative Security Model for Citrix Application Firewall?

- A. HTML Cross-Site Scripting
- B. Start URL
- C. Signature
- D. Content-type

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 30

Scenario: A Citrix Engineer wants to configure the Citrix ADC for OAuth authentication. The engineer uploads the required certificates, configure the actions, and creates all the necessary policies. After binding the authentication policy to the application, the engineer is unable to authenticate.

What is the most likely cause of this failure?

- A. The log files are full.
- B. The Redirect URL is incorrect.
- C. The certificates have expired.
- D. The policy bindings were assigned incorrect priorities.

Answer: ([SHOW ANSWER](#))

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/aaa-tm/entities-of-authentication-authorization-auditing/authentication-policies.html>

NEW QUESTION: 31

Scenario: A Citrix Engineer wants to protect a web application using Citrix Web App Firewall. After the Web App Firewall policy afweb_protect is bound to the virtual server, the engineer notices that pages are displaying in plain text with graphics included.

What is the likely cause of this?

- A. The policy expression allows for HTML files only.
- B. The Web App Firewall feature is disabled.
- C. The Safe Objects protection is NOT properly configured.
- D. The Start URL list does NOT include CSS files.

Answer: D ([LEAVE A REPLY](#))

Valid 1Y0-341 Dumps shared by TrainingQuiz.com for Helping Passing 1Y0-341 Exam! TrainingQuiz.com now offer the **newest 1Y0-341 exam dumps**, the TrainingQuiz.com 1Y0-341 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Y0-341 dumps with Test Engine here:

NEW QUESTION: 32

Which action can be used to place the rule on the relaxation list without being deployed and ensuring that the rule is NOT learned again?

- A. Delete
- B. Edit& Deploy
- C. Skip
- D. Deploy

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 33

Which three items does Citrix Application Delivery Management (ADM) require when adding an instances? (Choose three.)

- A. IP address
- B. Agent
- C. Profile
- D. Tags
- E. Site

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 34

How can a Citrix Engineer monitor the Citrix ADC appliances to check that all SSL certificates have a key strength of at least 2048 bits from the SSL Dashboard Settings?

- A. Delete 512, 1024, and 4096 on the Enterprise Policy tab.
- B. Delete 512 and 1024 on the Enterprise Policy tab.
- C. Select 2048 on the Enterprise Policy tab.
- D. Select 2048 and 4096 on the Enterprise Policy tab.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 35

Scenario: A Citrix Engineer needs to set up a NetScaler Web Logging (NSWL) client system for logging.

The engineer attempted to start the NSWL service on the client system and found that the service is NOT starting.

What could be causing this issue?

- A. "nswl-verify" command has NOT yet been run on the NSWL client.
- B. Web Logging feature is NOT installed on the NetScaler.
- C. log.conf file is NOT properly configured on the NSWL client.
- D. TCP 3011 is NOT open between the NetScaler SNIP and the NSWL client.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 36

A Citrix Engineer needs to set the rate at which connections are proxied from the NetScaler to the server.

Which values should the engineer configure for Surge Protection?

- A. Grant Quota and Buffer Size
- B. UDP Threshold and Start Port
- C. Base Threshold and Throttle
- D. TCP Threshold and Reset Threshold

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 37

Scenario: A Citrix Engineer is asked to help improve the performance of a web application. After capturing and analyzing a typical session, the engineer notices a large number of user requests for the stock price of the company.

Which action can the engineer take to improve web application performance for the stock quote?

- A. Enable the Combine CSS optimization.
- B. Create a static content group.
- C. Create a dynamic content group.
- D. Enable the Minify JavaScript optimization.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 38

Scenario: A Citrix Engineer wants to protect a web application using Citrix Web App Firewall. The engineer enables the Learn action for the Start URL, HTML, Cross-Site Scripting, and HTML SQL Injection protections. The engineer assigns this profile to a policy, which is then bound to the virtual server.

Which two items can the engineer check to determine that the Learn action is NOT capturing any rules? (Choose two.)

- A. The aslearn process is running on the Citrix ADC appliance.
- B. Enough space is left on the /flash file system.
- C. The Learn database is less than 20 MB.
- D. The HTML Error Object is configured for the profile.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which syntax is used to write a StyleBook?

- A. JSON
- B. LISP
- C. YAML

D. XML

Answer: C (LEAVE A REPLY)

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-application-delivery-management-service/stylebooks.html>

NEW QUESTION: 40

A Citrix Engineer needs to create an Citrix Web App Firewall Profile. Which statement is applicable when using Signatures for creating an Citrix Web App Firewall Profile?

- A. Only external format Signatures can be used.
- B. No Custom Signatures can be used.
- C. The Default Signatures are bound to the profile.
- D. No Signatures are bound to the profile.

Answer: (SHOW ANSWER)

NEW QUESTION: 41

Which Front End Optimization technique reduces the number of files to be requested for download?

- A. Minify
- B. Domain Sharding
- C. Shrink to Attributes
- D. Inlining

Answer: A (LEAVE A REPLY)

NEW QUESTION: 42

Which action ensures that content is retrieved from the server of origin?

- A. CACHE
- B. MAY_CACHE
- C. NOCACHE
- D. MAY_NOCACHE

Answer: C (LEAVE A REPLY)

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/optimization/integrated-caching/ configure-cookies-headers-and-polling.html>

NEW QUESTION: 43

A Citrix Engineer has found issues in the websites after enabling Application Firewall. Which logs on the NetScaler can the engineer check to verify that the issues are NOT caused by Application Firewall?

- A. ns.log
- B. newnslog
- C. nslog
- D. aaad.debug

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 44

Which reason can cause fail over in a Citrix ADC Application Delivery Management High Availability pair?

- A. A primary server does NOT receive the SNMP traps from the instances connected.
- B. A secondary server loses connectivity in the LAN.
- C. The engineer manually forces the secondary server to shut down.
- D. A primary server encounters a critical software issue.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 45

A Citrix Engineer has deployed Front-end Optimization on NetScaler. The following are the snippets of the content before and after optimization.

Before Optimization:

Which optimization technique has been applied to the content?

- A. Convert linked JavaScript to inline JavaScript
- B. Move JavaScript to End of Body Tag
- C. Inline JavaScript
- D. Minify JavaScript

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 46

Which protection can a Citrix Engineer implement to prevent a hacker from extracting a customer list from the company website?

- A. HTML Cross-Site Scripting (XSS)
- B. Cross-Site Request Forgeries (CSRF)
- C. HTML SQL Injection
- D. Form Field Consistency

Answer: ([SHOW ANSWER](#))

Valid 1Y0-341 Dumps shared by TrainingQuiz.com for Helping Passing 1Y0-341 Exam!
TrainingQuiz.com now offer the **newest 1Y0-341 exam dumps**, the TrainingQuiz.com 1Y0-341 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Y0-341 dumps with Test Engine here:
<https://www.trainingquiz.com/1Y0-341-practice-quiz.html> (230 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

Which three items does Citrix Application Delivery Management (ADM) require when adding an instances?

(Choose three.)

- A. Site
- B. Tags
- C. IP address
- D. Agent
- E. Profile

Answer: C,D,E ([LEAVE A REPLY](#))

Explanation

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-application-delivery-management-software/current-release/configure/add-instances.html>

NEW QUESTION: 48

Which three options can be used to specify the destination of an HTTP Callout? (Choose three.)

- A. NetScaler Gateway Virtual server
- B. Content switching Virtual server
- C. Cache redirection Virtual server
- D. Load balancing Virtual server
- E. Global server load balancing Virtual server

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

Scenario: A Citrix Engineer has deployed four NetScaler MPXs with the following network configuration:

- Management traffic is on VLAN 5 (NSIP).
- Application and server traffic is on VLAN 10 (SNIP).

The engineer added the NetScaler Management and Analytics System (NMAS) interface to VLAN 10 to deploy a NMAS High Availability (HA) pair to manage and monitor the applications and virtual servers.

After doing so, the engineer is NOT able to see the NetScaler or applications that need to be managed.

How can the engineer resolve the issue?

- A. Configure VLAN 5 as NSVLAN 5
- B. Configure VLAN 5 as NSSYNC VLAN
- C. Bind SNIP to VLAN 5
- D. Move the NMAS interface to VLAN 5

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 50

Scenario: A Citrix Engineer must enable a cookie consistency security check and ensure that all the session cookies get encrypted during the transaction. The engineer needs to ensure that none of the persistent cookies are encrypted and decrypted and decrypt any encrypted cookies during the transaction.

Which cookie consistency security feature will the engineer configure in the following configuration to achieve the desired results?

```
add appfw profile Test123 startURLAction none- denyURLAction none- cookieConsistencyAction log - cookieTransforms ON cookieEncryptionencryptSessionOnly addCookieFlagshttpOnly - crossSiteScriptingAction none- SQLInjectionAction log stats SQLInjectionTransformSpecialChars ON- SQLInjectionCheckSQLWildChars ON fieldFormatAction none bufferOverflowAction none - responseContentType "application/octet-stream"- XMLSQLInjectionAction none XMLXSSAction none- XMLWSIAction none- XMLValidationAction none
```

- A. Configure Encrypt Server cookies to "Encrypt only"
- B. Configure Encrypt Server cookies to "Encrypt All"
- C. Configure Encrypt Server cookies to "None"
- D. Configure Encrypt Server cookies to "Encrypt Session Only"

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 51

Scenario: A Citrix Engineer is monitoring the environment with Citrix Application Management (ADM). Management has asked for a report of high-risk traffic to protected internal websites. Which dashboard can the engineer use to generate the requested report?

- A. Users & Endpoints
- B. APP Security
- C. Transactions
- D. APP

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 52

Which two protections ensure that the correct data is returned by the client? (Choose two.)

- A. Form Field Consistency.
- B. Field Formats
- C. HTML Cross-Site Scripting (XSS)
- D. Cross-Site Request Forgeries (CSRF)

Answer: A,D ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/citrix-adc-secure-deployment/secure-deployment-guide.html>

NEW QUESTION: 53

A Citrix Engineer wants the Citrix Web App Firewall to respond with a page stored on the Citrix ADC when a violation is detected.

Which profile setting accomplishes this?

- A. Redirect URL
- B. RFC Profile
- C. Default Request
- D. HTML Error Object

Answer: ([SHOW ANSWER](#))

<https://support.citrix.com/article/CTX140293>

NEW QUESTION: 54

Which requirement must be addressed to implement the IP Reputation feature on a NetScaler MPX appliance?

- A. TheNetScaler appliance must be able to connect to api.bcss.brightcloud.com on port 80.
- B. TheNetScaler appliance must be able to connect to wiprep-rtu.s3-us-west-2.amazonaws.com on port 80.
- C. TheNetScaler appliance must be able to connect to api.bcti.brightcloud.com on port 443.
- D. TheNetScaler appliance must be able to connect to wiprep-rtu.s3-us-west-2.amazonaws.com on port 443.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 55

Scenario: A Citrix Engineer is implementing Integrated Caching to increase performance of a web application. The Application Engineer replaces a small logo on the main page with a new one. Later on, when the engineer attempts to access the page, the old logo is displayed. Which enabled setting in the Content Group would cause this to happen?

- A. Ignore browser's reload request
- B. Expire content after 60 seconds
- C. Do not cache - if hits are less than 1
- D. Do not cache - if size exceeds 500 KB

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 56

Which two actions can a Citrix Engineer use to provide Denial of Service (DoS) protection with the AppQoE feature? (Choose two.)

- A. Denial Response
- B. HICResponse
- C. Simple Response
- D. Complex Response

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

Which setting in the Cookie Consistency protection feature does a Citrix Engineer need to configure to ensure that all a cookie is sent using TLS only?

- A. Flags to Add in Cookies > Secure
- B. Encrypt Server Cookies > Encrypt Session Only
- C. Encrypt Server Cookies > Encrypt All
- D. Proxy Server Cookies > Session Only

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 58

Scenario: A Citrix Engineer has configured Application Firewall and enabled it in learning mode. However, the Application Firewall database is reaching full capacity due to excessive requests. What can the engineer configure to mitigate this issue?

- A. Configure caching policies.
- B. Enable learning only on XML based profiles.
- C. Increase NetScaler hard drive capacity.
- D. Configure Trusted Learning Clients.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 59

Which license must be present on the Citrix ADC for the Citrix Application Delivery Management (ADM) Service to generate HDX Insight reports that present one year's worth of data?

- A. Advanced
- B. Standard
- C. Premium
- D. Premium Plus

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 60

Scenario: A Citrix Engineer needs to ensure that the flow of traffic to a web application does NOT overwhelm the server. After thorough testing, the engineer determines that the application can handle a maximum of 3,000 requests per minute. The engineer builds a limit identifier, rl_maxrequests, to enforce this limitation.

Which advanced expression can the engineer write in the Responder policy to invoke rate limiting?

- A. SYS.CHECK_LIMIT("rl_maxrequests")
- B. SYS.CHECK_LIMIT("rl_maxrequests").CONTAINS("Busy")
- C. SYS.CHECK_LIMIT("rl_maxrequests").IS_VALID
- D. SYS.CHECK_LIMIT("rl_maxrequests").GE(3000)

Answer: ([SHOW ANSWER](#))

<https://support.citrix.com/article/CTX134009>

NEW QUESTION: 61

An attacker inserting a malicious code that compromises the trust relationship between users and a web application is an example of a (n) _____ attack. (Choose the correct option to complete the sentence.)

- A. Form Field Consistency
- B. Cookie Tampering
- C. Cross-site Scripting
- D. SQL Injection

Answer: C ([LEAVE A REPLY](#))

Valid 1Y0-341 Dumps shared by TrainingQuiz.com for Helping Passing 1Y0-341 Exam! TrainingQuiz.com now offer the **newest 1Y0-341 exam dumps**, the TrainingQuiz.com 1Y0-341 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Y0-341 dumps with Test Engine here:
<https://www.trainingquiz.com/1Y0-341-practice-quiz.html> (230 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

Scenario: A Citrix Engineer wants to use Citrix Application Delivery Management (ADM) to monitor a single Citrix ADC VPX with eight web applications and one Citrix Gateway. It is important that the collected data be protected.

Which deployment will satisfy the requirements?

- A. A single Citrix ADM imported onto the same hypervisor as the Citrix ADC VPX.
- B. A pair of Citrix ADM virtual appliances configured for High Availability.
- C. A pair of Citrix ADM virtual appliances, each working independently.
- D. A single Citrix ADM with database replication to a secondary storage repository.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 63

Scenario: A Citrix Engineer has configured Application Firewall and enabled it in learning mode. However, the Application Firewall database is reaching full capacity due to excessive requests.

What can the engineer configure to mitigate this issue?

- A. Increase NetScaler hard drive capacity.
- B. Configure caching policies.
- C. Configure Trusted Learning Clients.
- D. Enable learning only on XML based profiles.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 64

Which type of Application Profile type can be configured to protect the application which supports both HTML and XML data?

- A. Advanced Profile
- B. Web Application Profile
- C. Web 2.0 Application Profile
- D. XML Application Profile

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 65

Which license must be present on the Citrix ADC for the Citrix Application Delivery Management (ADM) Service to generate HDX Insight reports that present one year's worth of data?

- A. Premium Plus
- B. Standard
- C. Advanced
- D. Premium

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 66

Scenario: A Citrix Engineer is trying to optimize a website that is load balanced on a NetScaler and is accessed by mobile users. The web application is complex and made up of hundreds of embedded images, scripts, and other objects per page. This limitation is creating a significant bottleneck, resulting in excessive load times.

Which NetScaler feature can the engineer use to optimize the web application?

- A. Domain Sharding
- B. SPDY (Speedy)
- C. Multipath TCP
- D. Minification

Answer: ([SHOW ANSWER](#))

The leading capability in this category is domain sharding. By default, browsers restrict the number of parallel connections that can be open to any one domain. Typically, fewer than ten are allowed. For complex web applications with hundreds of embedded images, scripts and other objects per page, this limitation can create a significant bottleneck resulting in excessive load times. With domain sharding, NetScalerMobileStream modifies administrator-selected URLs by breaking them into sub-domains to allow client web browsers to open multiple groups of parallel connections. As a result, object-heavy pages are downloaded and can be rendered up to 10 times faster. Also included in this category is cache extension, a capability that leverages advanced browser settings and NetScalerAppCache functionality to further improve performance by maximizing the practice of locally caching static content.

NEW QUESTION: 67

Which two protections ensure that the correct data is returned by the client? (Choose two.)

- A. Form Field Consistency.
- B. Field Formats
- C. HTML Cross-Site Scripting (XSS)
- D. Cross-Site Request Forgeries (CSRF)

Answer: A,D (LEAVE A REPLY)

<https://docs.citrix.com/en-us/citrix-adc/citrix-adc-secure-deployment/secure-deployment-guide.html>

NEW QUESTION: 68

Statistics for which three types of violations are presented on the App Security Dashboard? (Choose three.)

- A. Web App Firewall protection
- B. IP Reputation
- C. SSL Enterprise Policy
- D. Signature
- E. AAA

Answer: A,B,D (LEAVE A REPLY)

<https://docs.citrix.com/en-us/citrix-application-delivery-management-service/analytics/security/security-violations.html>

NEW QUESTION: 69

A Citrix Engineer is reviewing the log files for a sensitive web application and notices that someone accessed the application using the engineer's credentials while the engineer was out of the office for an extended period of time.

Which production can the engineer implement to protect against this vulnerability?

- A. Buffer Overflow
- B. Cookie Consistency
- C. Deny URL
- D. Form Field Consistency

Answer: D (LEAVE A REPLY)

NEW QUESTION: 70

A manager for a hospital billing system wants to display the last four digits of a credit card number when printing invoices.

Which credit card security action does this?

- A. Transform
- B. X-Out
- C. Block
- D. Log

Answer: B (LEAVE A REPLY)

NEW QUESTION: 71

A Citrix Engineer needs to configure an Application Firewall policy. According to company policies, the engineer needs to ensure that all the requests made to the website are originating from North America.

Which policy expressions will help the engineer accomplish the requirement?

- A. CLIENT.IP.SRC.MATCHES_LOCATION ("North America.US.*.*.*")
- B. CLIENT.IP.SRC.MATCHES_LOCATION ("North America.US.*.*.*"). NOT
- C. CLIENT.IP.DST.MATCHES ("North America.US.*.*.*")
- D. CLIENT.IP.SRC.MATCHES ("North America.US.*.*.*")

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

The NetScaler logging client server can be installed and configured to store the log for _____.

(Choose the correct option to complete the sentence.)

- A. status of all the HTTP and HTTPS backend web servers
- B. HTTP and HTTPS active connections on the NetScaler
- C. HTTP and HTTPS requests processed by the NetScaler
- D. statistics of the HTTP and HTTPS web sites load balanced on NetScaler

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 73

Which build-in TCP profile can a Citrix Engineer assign to a virtual server to improve performance for users who access an application from a secondary campus building over a fiber optic connection?

- A. nstcp_default_tcp_lfp
- B. nstcp_default_tcp_lan
- C. nstcp_default_tcp_lnp
- D. nstcp_default_tcp_interactive_stream

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 74

Scenario: A Citrix Engineer notices that a web page takes a long time to display. Upon further investigation, the engineer determines that the requested page consists of a table of high-resolution pictures which are being displayed in table cells measuring 320 by 180 pixels. Which Front End Optimization technique can the engineer enable on the Citrix ADC to improve time to display?

- A. Shrink to Attributes
- B. Make Inline
- C. Extend Page Cache

D. Minify

Answer: D (LEAVE A REPLY)

<https://docs.citrix.com/en-us/netscaler/11-1/optimization/front-end-optimization.html>

NEW QUESTION: 75

Scenario: A Citrix Engineer notices that a web page takes a long time to display. Upon further investigation, the engineer determines that the requested page consists of a table of high-resolution pictures which are being displayed in table cells measuring 320 by 180 pixels. Which Front End Optimization technique can the engineer enable on the Citrix ADC to improve time to display?

- A. Shrink to Attributes
- B. Make Inline
- C. Extend Page Cache
- D. Minify

Answer: D (LEAVE A REPLY)

Explanation/Reference: <https://docs.citrix.com/en-us/netscaler/11-1/optimization/front-end-optimization.html>

NEW QUESTION: 76

When the NetScaler marks a client connection as "non-trackable", the default behavior of the NetScaler without making any change to the HTTP Profile is to _____. (Choose the correct option to complete the sentence.)

- A. drop the connection.
- B. track the connection.
- C. proxy the connection to the client.
- D. proxy the connection to the target.

Answer: A (LEAVE A REPLY)

Valid 1Y0-341 Dumps shared by TrainingQuiz.com for Helping Passing 1Y0-341 Exam! TrainingQuiz.com now offer the **newest 1Y0-341 exam dumps**, the TrainingQuiz.com 1Y0-341 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Y0-341 dumps with Test Engine here: <https://www.trainingquiz.com/1Y0-341-practice-quiz.html> (230 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

Which Front End Optimization technique causes the Citrix ADC to resize images before sending them to the client?

- A. Minify

- B. Shrink to Attributes
- C. Compression
- D. Inlining

Answer: B (LEAVE A REPLY)

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-adc/current-release/optimization/front-end-optimization.html>

NEW QUESTION: 78

Statistics for which three types of violations are presented on the App Security Dashboard?
(Choose three.)

- A. Web App Firewall protection
- B. IP Reputation
- C. SSL Enterprise Policy
- D. Signature
- E. AAA

Answer: A,B,D (LEAVE A REPLY)

Explanation/Reference: <https://docs.citrix.com/en-us/citrix-application-delivery-management-service/analytics/security/security-violations.html>

NEW QUESTION: 79

Scenario: A Citrix Engineer is setting up Citrix Application Delivery Management (ADM) in High Availability (HA) mode. The engineer creates both nodes and connects them to the same subnet. Which IP address must the engineer configure on the Citrix ADM HA pair to allow instances to reconnect to Citrix ADM after a failover?

- A. Floating
- B. Virtual
- C. Subnet
- D. Cluster

Answer: A (LEAVE A REPLY)

NEW QUESTION: 80

A Citrix Engineer wants to delegate management of Citrix Application Delivery Management (ADM) to a junior team member.

Which assigned role will limit the team member to view all application-related data?

- A. readonly
- B. appReadonly
- C. admin
- D. appAdmin

Answer: B (LEAVE A REPLY)

<https://docs.citrix.com/en-us/citrix-application-delivery-management-service/setting-up/configuring-role-based-access-control.html>

NEW QUESTION: 81

A Citrix Engineer has defined an HTTP Callout, `hc_authorized_location`, to return the value "Authorized" if client's IP address is on a list of authorized external locations.

Which advanced expression should the engineer use in a policy for testing this condition?

- A. `SYS.HTTP_CALLOUT(hc_authorized_location).EQUALS_ANY("Authorized")`
- B. `SYS.HTTP_CALLOUT(hc_authorized_location).IS_VALID`
- C. `SYS.HTTP_CALLOUT(hc_authorized_location).IS_TRUE`
- D. `SYS.HTTP_CALLOUT(hc_authorized_location).EQ("Authorized")`

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 82

Scenario: A Citrix Engineer needs to block requests from a list of IP addresses in a database maintained by the Security team. The Security team has built a web application that will send a response of either "Blocked" or "Allowed," based on whether the given IP address is on the list.

Which expression should the engineer use to extract the status for policy processing?

- A. `HTTP.RES.STATUS`
- B. `HTTP.RES.BODY(1000)`
- C. `HTTP.RES.CONTENT_LENGTH.GT(0)`
- D. `HTTP.RES.HEADER(Connection)`

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 83

Which variable will display the client's source IP address when added to an HTML Error Object page?

- A. `#{CUENT.IPSRC}`
- B. `#[CLIENT.IP.SRC]`
- C. `$<CUENTIP.SRC>`
- D. `$(CLIENT.1P.SRC)`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 84

Scenario: A Citrix Engineer used Learning to establish the HTML SQL Injection relaxations for a critical web application. The engineer now wishes to begin working on the protections for a different web application. The name of the Web App Profile is `appfw_prof_customercare`.

Which CLI command can the engineer use to empty the Learn database?

- A. `set appfw learningsettings appfw_prof_customercare -SQLInjectionMinThreshold 0`
- B. `set appfw learningsettings appfw_prof_customercare -startURLMinThreshold 0`
- C. `reset appfw learningdata`
- D. `export appfw learningdata appfw_prof_customercare`

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 85

A Citrix Engineer has deployed Front-end Optimization on NetScaler. The following are the snippets of the content before and after optimization.

Before Optimization:

```
<!DOCTYPE html>
<html>
<head>
<link rel= "stylesheet" type= "text/css" href= "sheet/abc.css">
<link rel= "stylesheet" type= "text/css" href="sheet/xyz.css">
</head>
<body>
  <div class= "abc">
    I am from style abc
  </div>
  < div class= "xyz">
    I am from style xyz
  </div>
</body>
</html>
```

After Optimization:

```
<!DOCTYPE html>
<html>
<head>
<link rel= "stylesheet" type= "text/css" href= "sheet/abcxyz.css">
</head>
<body>
  <div class= "abc">
    I am from style abc
  < /div >
  < div class= "xyz" >
    I am from style xyz
  < /div>
</body>
</html>
```

Which optimization technique has been applied to the content?

- A. Inline CSS
- B. Combine CSS
- C. Linked JavaScript to inline JavaScript
- D. Minify CSS

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 86

Scenario: During application troubleshooting, a Citrix Engineer notices that response traffic received from a protected web application is NOT matching what the web server is sending out. The engineer is concerned that someone is trying to disrupt caching behavior.

Which action is the Citrix Web App Firewall performing that would trigger this false positive?

- A. Inserting a hidden form field
- B. Removing the Accept-Encoding header
- C. Modifying and adding cookies in the response
- D. Removing the Last-Modified header

Answer: B (LEAVE A REPLY)

NEW QUESTION: 87

Which setting should be enabled to convert the content-length form submission requests to chunked requests, when HTML SQL Injection protection is enabled?

- A. Enable form tagging
- B. Streaming
- C. Percentage Recursive Decoding
- D. Optimize Partial Requests

Answer: B (LEAVE A REPLY)

NEW QUESTION: 88

A Citrix Engineer needs to ensure that infrastructure is PCI DSS compliant. Which two are prerequisite actions for PCI DSS compliance? (Choose two.)

- A. Ensure that cardholder data is sent unencrypted over public networks.
- B. Track and monitor every transaction of the cardholder.
- C. Regularly test security systems and processes.
- D. Assign a unique ID to each person with computer access.
- E. Use only vendor-supplied defaults for system passwords and other security parameters.

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 89

A Web Application Engineer is reviewing log files and finds that a large number of bad HTTP requests are being sent to the web application servers.

What can the Citrix ADC Engineer do to prevent bad HTTP requests from getting to the web application?

- A. Create an HTTP profile and select 'Drop invalid HTTP requests'.
Assign the HTTP profile to the Web App Firewall policy.
- B. Modify the default HTTP profile and select 'Drop invalid HTTP requests'.
Bind the default HTTP profile globally.
- C. Create an HTTP profile and select 'Drop invalid HTTP requests'.
Assign the HTTP profile to the virtual server.
- D. Select 'Change HTTP Parameters' under System > Settings.

Select 'Drop invalid HTTP requests'.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 90

What criteria must be met in order to create a certificate bundle by linking multiple certificates in NetScaler Management and Analytics System (NMAS)?

- A. The certificates must be created on the NetScaler.
- B. The issuer of the first certificate must NOT have issued the second certificate.
- C. The issuer of the first certificate must match the domain of the second certificate.
- D. The certificates must be issued by an external Certificate Authority.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 91

A Citrix Engineer is reviewing the log files for a sensitive web application and notices that someone accessed the application using the engineer's credentials while the engineer was out of the office for an extended period of time.

Which production can the engineer implement to protect against this vulnerability?

- A. Form Field Consistency
- B. Deny URL
- C. Buffer Overflow
- D. Cookie Consistency

Answer: D (LEAVE A REPLY)

Valid 1Y0-341 Dumps shared by TrainingQuiz.com for Helping Passing 1Y0-341 Exam! TrainingQuiz.com now offer the **newest 1Y0-341 exam dumps**, the TrainingQuiz.com 1Y0-341 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Y0-341 dumps with Test Engine here:
<https://www.trainingquiz.com/1Y0-341-practice-quiz.html> (230 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 92

A Citrix Engineer needs to set up access to an internal application for external partners.

Which two entities must the engineer configure on the Citrix ADC to support this? (Choose two.)

- A. SAML IdP Profile
- B. SAML Policy
- C. SAML IdP Policy
- D. SAML Action

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 93

Scenario: A Citrix Engineer is trying to optimize a website that is load balanced on a NetScaler and is accessed by mobile users. The web application is complex and made up of hundreds of embedded images, scripts, and other objects per page. This limitation is creating a significant bottleneck, resulting in excessive load times.

Which NetScaler feature can the engineer use to optimize the web application?

- A. Domain Sharding
- B. SPDY (Speedy)
- C. Multipath TCP
- D. Minification

Answer: A (LEAVE A REPLY)

Explanation/Reference:

The leading capability in this category is domain sharding. By default, browsers restrict the number of parallel connections that can be open to any one domain. Typically, fewer than ten are allowed. For complex web applications with hundreds of embedded images, scripts and other objects per page, this limitation can create a significant bottleneck resulting in excessive load times. With domain sharding, NetScalerMobileStream modifies administrator-selected URLs by breaking them into sub-domains to allow client web browsers to open multiple groups of parallel connections. As a result, object-heavy pages are downloaded and can be rendered up to 10 times faster. Also included in this category is cache extension, a capability that leverages advanced browser settings and NetScalerAppCache functionality to further improve performance by maximizing the practice of locally caching static content.

NEW QUESTION: 94

A Citrix Engineer executed the below commands on the NetScaler command-line interface (CLI):

```
add stream selector cacheStreamSelector http.req.url
add ns limitidentifiercacheRateLimitIdentifier threshold 5 timeSlice 2000 -
selectorNamecacheStreamSelector add cache policy cacheRateLimitPolicy rule
"http.req.method.eq(get) &&sys.check_limit (\
"cacheRateLimitIdentifier\)" action cache
bind cache global cacheRateLimitPolicy- priority 10
```

What will be the effect of executing these commands?

- A. NetScaler will cache a request if the request URL rate exceeds 5 per 2000 seconds.
- B. NetScaler will cache a response if the request URL rate exceeds 5 per 2000 seconds.
- C. NetScaler will cache a response if the request URL rate exceeds 5 per 2000 milliseconds.
- D. NetScaler will NOT cache a request if the request URL rate exceeds 5 per 2000 milliseconds.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 95

A Citrix Engineer needs to configure an AppQoE action to deliver content from an alternate service. Which three parameters should the engineer configure to meet this requirement?

(Choose three.)

- A. Maximum Connections
- B. TCP Profile
- C. Header Name
- D. Action Type
- E. Alternate Content Path

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 96

Which is a single-digit rating system that indicates the criticalness of attacks on the application, regardless of whether or NOT the application is protected by a NetScaler appliance?

- A. App Store
- B. Transactions
- C. Threat Index
- D. Safety Index

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 97

The NetScaler Management and Analytics System (NMAS) needs to communicate with NetScaler instances on the Microsoft Azure and Amazon Web Services (AWS) clouds. Which configuration must a Citrix Engineer make to meet this requirement?

- A. Layer 2 tunnel between NetScaler MAS and the NetScaler VPX instances.
- B. Layer 2 Tunneling Protocol (L2TP) connection to the NetScaler VPX instances.
- C. NetScaler MAS in the cloud.
- D. Layer 3 tunnel between NetScaler MAS and the NetScaler VPX instances.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 98

A Citrix Engineer needs to implement a rate limiting policy to permit an average of one request in 40 ms using NetScaler.

Which Limit Identifier will meet this requirement?

- A. add ns limitIdentifierlimit_req threshold 1 mode CONNECTION
- B. set limitIdentifierlimit_req mode request_rate timeslice 2000 Threshold 50 limitTypeBursty
- C. adds ns limitIdentifierlimit_req-threshold 40 mode CONNECTION
- D. set limitIdentifierlimit_req mode request_rate timeslice 2000 Threshold 50 limitType smooth

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 99

A Citrix Engineer needs to ensure that all traffic to the virtual server is blocked if NONE of the bound Application Firewall policies are matched.

Which setting can the engineer configure to meet this requirement?

- A. set appfw settings defaultProfile APPFW_BLOCK
- B. set ns httpProfilershttp_default_profile-dropInvalReqs DISABLED
- C. set ns httpProfilershttp_default_profile dropInvalReqs ENABLED
- D. set appfw settings undefAction APPFW_BLOCK

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 100

Scenario: A Citrix Engineer has established protections for web applications using Citrix Web App Firewall. One of the application owners is concerned that some negative traffic is passing through to the application servers. The owner wants confirmation that Citrix Web App Firewall is blocking negative traffic. Which CLI command can the engineer use to display statistics on a per-protection basis for the enabled protections?

- A. stat appfw profile <profile_name>
- B. stat appfw signature <signature_object>
- C. stat appfw policy <policy_name>
- D. stat appfw policyjabel <policy_label_name>

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 101

Statistics for which three types of violations are presented on the App Security Dashboard? (Choose three.)

- A. AAA
- B. Web App Firewall protection
- C. SSL Enterprise Policy
- D. Signature
- E. IP Reputation

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 102

Which three options can be used to specify the destination of an HTTP Callout? (Choose three.)

- A. Global server load balancing Virtual server
- B. Cache redirection Virtual server
- C. Load balancing Virtual server
- D. Content switching Virtual server
- E. Citrix ADC Gateway Virtual server

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 103

Scenario: A Citrix Engineer configured signature protections for Citrix Web App Firewall. Signature Auto- Update has been enabled. Upon reviewing the log files, the engineer notices that the auto update process has an error. In the settings for Signature Auto Update the engineer notices that the URL is blank.

Which URL should the engineer enter to restore the update process?

- A. <https://download.citrix.com/NSAppFwSignatures/SignaturesMapping.xml>
- B. <https://www.citrix.com/NSAppFwSignatures/SignaturesMapping.xml>
- C. <https://s3.amazonaws.com/NSAppFwSignatures/SignaturesMapping.xml>
- D. <https://citrix.azure.com/NSAppFwSignatures/SignaturesMapping.xml>

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 104

A Citrix Engineer enabled Credit Card Security check in the Application Firewall Profile. Which response header will be dropped by Application Firewall after this check is enabled?

- A. Content-Location
- B. Content-Type
- C. Content-Encoding
- D. Content-Length

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 105

A Citrix Engineer observes that the servers hosting a critical application are crashing on a regular basis. Which protection could the engineer implement on a Citrix Web App Firewall in front of the application?

- A. HTML SQL Injection
- B. HTML Cross-Site Scripting (XSS)
- C. Buffer Overflow Check
- D. Start URL

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 106

Which protection ensures that links to sensitive pages can only be reached from within an application?

- A. Form Field Consistency Check
- B. Buffer Overflow Check
- C. URL Closure
- D. Deny URL

Answer: D ([LEAVE A REPLY](#))

<https://docs.citrix.com/en-us/citrix-adc/current-release/application-firewall/url-protections/denyurl-check.html>

Valid 1Y0-341 Dumps shared by TrainingQuiz.com for Helping Passing 1Y0-341 Exam! TrainingQuiz.com now offer the **newest 1Y0-341 exam dumps**, the TrainingQuiz.com 1Y0-341 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Y0-341 dumps with Test Engine here:
<https://www.trainingquiz.com/1Y0-341-practice-quiz.html> (230 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 107

A Citrix Engineer is reviewing the log files for a sensitive web application and notices that someone accessed the application using the engineer's credentials while the engineer was out of the office for an extended period of time.

Which production can the engineer implement to protect against this vulnerability?

- A. Deny URL
- B. Buffer Overflow
- C. Form Field Consistency
- D. Cookie Consistency

Answer: (SHOW ANSWER)

Explanation/Reference:

NEW QUESTION: 108

Scenario: A Citrix Engineer has a pair of Citrix ADC VPX appliances configured as a High-Availability (HA) pair and hosted on a Citrix Hypervisor. The engineer wants to use Citrix Application Delivery Management (ADM) to monitor and manage the 35 web applications on the appliances. The engineer has imported Citrix ADM virtual appliance to Citrix Hypervisor. The engineer has also configured the management IP address settings and has added the 35 instances. However, some of the instances are NOT reporting any data.

Which two areas can the engineer check to determine the cause of the issue? (Choose two.)

- A. A Premium platform license must be configured on each instance.
- B. An SSL certificate must be installed on the Citrix ADM appliance.
- C. The Citrix ADM license must be installed.
- D. AppFlow must be enabled on each instance.

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 109

The NetScaler processes HTTP/2 web client connections to the backend web servers by _____.

(Choose the correct option to complete the sentence.)

- A. Converting the HTTP/2 headers to HTTP/1.1 headers and forwarding them to the web servers.
- B. Dropping HTTP/2 requests as it is NOT supported by web servers.

- C. Converting HTTP/2 to HTTP 0.9 and forwarding the packets to the web servers.
- D. Passing- through all HTTP/2 traffic to the web servers.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 110

Scenario: A Citrix Engineer wants to configure the Citrix ADC for OAuth authentication. The engineer uploads the required certificates, configure the actions, and creates all the necessary policies. After binding the authentication policy to the application, the engineer is unable to authenticate.

What is the most likely cause of this failure?

- A. The log files are full.
- B. The policy bindings were assigned incorrect priorities.
- C. The certificates have expired.
- D. The Redirect URL is incorrect.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 111

What is required for Implementing to the Citrix Application Delivery Management (ADM) Service?

- A. Citrix Cloud subscription
- B. Citrix Hypervisor
- C. Citrix ADC Instances
- D. Citrix Virtual Apps and Desktops

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 112

What can a Citrix Engineer implement to protect against the accidental disclosure of personally identifiable information (PII)?

- A. HTML Cross-Site Scripting
- B. Form Field Consistency
- C. Safe Object
- D. Cookie Consistency

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 113

A Citrix Engineer has received the following message after setting up Application Firewall in Learning mode.

```
August 28 6 03:14:27 <local0.info>XXX.0.0.2.08/28/2017:03:14:27 GMT VPXExtProd01 0-PPE-0:
default GUI CMD_EXECUTED 1670370 0: User CitrixAdmin- Remote_ip XXX.19.XXX.XXX-
Command "show appfwlearningdata WebPub_vs_af_1 startURL"- Status "ERROR:
Communication error with aslearn"
```

What can the engineer perform to resolve the issue?

- A. Reboot the NetScaler appliance.
- B. Disable the Application Firewall feature.
- C. Reinstall the Application Firewall license.
- D. Delete the Profile database and restart the aslearn process.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 114

Scenario: A Citrix Engineer is asked to implement multi-factor authentication for Citrix Gateway. The engineer creates the authentication policies and binds the policies to the appropriate bind points. The engineer creates a custom form using Notepad++ to format the page which will capture the user's credentials.

What is the first step the engineer must perform to assign this form to the authentication process?

- A. Create a login schema profile and select the uploaded file.
- B. Create a login schema policy and bind it to the authentication virtual server.
- C. Create an authentication policy label and bind it to an authentication policy.
- D. Bind the authentication policy to the primary authentication bank of the Citrix Gateway

Answer: C ([LEAVE A REPLY](#))

Valid 1Y0-341 Dumps shared by TrainingQuiz.com for Helping Passing 1Y0-341 Exam!

TrainingQuiz.com now offer the **newest 1Y0-341 exam dumps**, the TrainingQuiz.com 1Y0-341 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Y0-341 dumps with Test Engine here:

<https://www.trainingquiz.com/1Y0-341-practice-quiz.html> (230 Q&As Dumps, **40%OFF Special**

Discount: Exam-Tests)