

Juniper.JN0-103.v2022-04-25.q109

Exam Code:	JN0-103
Exam Name:	Junos, Associate (JNCIA-Junos)
Certification Provider:	Juniper
Free Question Number:	109
Version:	v2022-04-25
# of views:	1290
# of Questions views:	1090
https://www.dumpsdb.com/dumps/Juniper/JN0-103/Juniper.JN0-103.v2022-04-25.q109	

NEW QUESTION: 1

Referring to the Exhibit,

```
user@router> show route protocol static
```

```
inet.0: 7 destinations, 8 routes (7 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both
192.168.47.0/24 * [Static/5] 02:02:03
    > to 172.16.1.2 via ge-1/2/0.0
    [Static/25] 01:58:21
    > to 192.168.2.2 via fe-1/2/1.2
```

What information is provided about the route to 192.168.47.0/24?

Choose Two

- A. There is a single next-hop available to 192.168.47.0/24
- B. There is a single active route to 192.168.47.0/24
- C. There are two next-hops available to 192.168.47.0/24
- D. There are two active route to 192.168.47.0/24

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Referring to the exhibit,

```

[edit firewall family inet]
user@router# show
filter protect-RE-1 {
  term 1 {
    from {
      protocol icmp;
    }
    then accept;
  }
}
filter protect-RE-2 {
  term 1 {
    from {
      protocol icmp;
    }
    then reject;
  }
}

[edit interfaces lo0]
user@router# show
unit 0 {
  family inet {
    filter {
      input-list [protect- RE-1 protect-RE-2];
    }
    address 192.169.2.1/32;
  }
}

[edit interfaces ge-0/0/0]
user@router# show
description "Management Interface";
unit 0 {

```

what happens when ping packets are sent to management interface address of the local router?

- A. The Ping packets are accepted
- B. An ICMP redirect message is returned
- C. The ping packets are silently discarded
- D. An ICMP unreachable message is returned

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 3

Which two interfaces are considered physical interface? Choose TWO

- A. Et-7/1/4:0
- B. Xe-10/2/1
- C. Et-3/0/0:0.501
- D. Ge-0/0/0

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4


Which two statements are true about the default behavior of Junos routing policies? (Choose two.)

- A. Routing policies can export active and inactive routes.
- B. Routing policies control the flow of routing information going to and from the routing table.
- C. Routing policies control the flow of routing information going to and from the forwarding table.
- D. Routing policies can export only active routes.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 5

Click the Exhibit button.



A user attempts to log in to a Junos device, but the RADIUS server is unreachable. Referring to the exhibit, what is the default action of a Junos device in this scenario?

- A. The Junos device retries every 30 seconds until the connection is restored.
- B. The Junos device prompts for a cached RADIUS password.
- C. The Junos device displays a RADIUS connection error.
- D. The Junos device uses the local authentication database.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 6

You are connected to your Junos device using an SSH connection to the fxp0 interface. No other interfaces are currently configured beyond their default settings. You commit a configuration that makes the fxp0 interface unreachable from your management network.

In this scenario, how would you re-establish communication with the device?

- A. Connect to the console of the device.
- B. Establish an SSH connection to the loopback interface.
- C. Power off and power on the device.
- D. Unplug the network cable and plug it back in.

Answer: (SHOW ANSWER)

Explanation

NEW QUESTION: 7

What is the default location of the syslog file on Junos devices?

- A. /var/db/
- B. /var/home/
- C. /var/tmp/
- D. /var/log/

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 8

You have entered the command "show log messages | match "error | kernel | panic" which statement is correct regarding the keywords error, kernel and panic in the output?

- A. the output messages will contain all messages from the file that contains at least one of the three defined keywords
- B. the output messages will contain all messages from the file except the ones that contains at least one of the three defined keywords
- C. the output messages will contain all messages from the file except the ones that contain all three defined keywords.
- D. the output messages will contain all messages from the file that contains all three defined keywords

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 9

Which parameter would you use to prohibit the redistribution of a static route used for management traffic?

- A. passive
- B. discard
- C. no-readvertise
- D. reject

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 10

Refer to Exhibit:

```
user@router> monitor traffic interface et-0/0/1.0 matching arp count 10
```

Which parameter at the end of the command would provide information for troubleshooting purposes?

- A. Print-ascii
- B. No-timestamp
- C. Extensive
- D. No-resolve

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

You are connected to your Junos device using an SSH connection to the fxp0 interface. No other interfaces are currently configured beyond their default settings. You commit a configuration that makes the fxp0 interface unreachable from your management network.

In this scenario, how would you re-establish communication with the device?

- A. Unplug the network cable and plug it back in.

- B. Establish an SSH connection to the loopback interface.
- C. Connect to the console of the device.
- D. Power off and power on the device.

Answer: ([SHOW ANSWER](#))


NEW QUESTION: 12

Click the Exhibit button.

```

junos@router> show route forwarding-table
Routing table: default.inet
Internet:
Enabled protocols: Bridging,
Destination      Type  RtRef  Next hop      Type  Index  NhRef  Netif
default          perm   0      0.0.0.0       rjct   36     1
0.0.0.0/32       perm   0      0.0.0.0       dscd   34     1
10.5.0.0/16      user   0      10.102.70.254 ucst   355    18  fxp0.0
10.10.0.0/16     user   0      10.102.70.254 ucst   355    18  fxp0.0
10.12.14.0/24    intf   0      10.12.14.0    rslv   589    1  ge-2/0/0.0
10.12.14.0/32    dest   0      10.12.14.0    recv   587    1  ge-2/0/0.0
10.12.14.254/32 intf   0      10.12.14.254 locl   588    2
10.12.14.254/32 dest   0      10.12.14.254 locl   588    2
10.12.14.255/32 dest   0      10.12.14.255 bcst   586    1  ge-2/0/0.0
10.13.10.0/23   user   0      10.102.70.254 ucst   355    18  fxp0.0
10.84.0.0/16    user   0      10.102.70.254 ucst   355    18  fxp0.0
10.102.70.0/24  intf   0      10.102.70.0   rslv   354    1  fxp0.0
224.0.0.0/4     perm   0      224.0.0.0     mdsc   35     1
224.0.0.1/32    perm   0      224.0.0.1     mcst   31     2
224.0.0.5/32    user   0      224.0.0.5     mcst   31     2
255.255.255.255/32 perm   0      255.255.255.255 bcst   32     1

```



Referring to the exhibit, what happens to a packet that has a destination address of 172.17.0.1?

- A. The packet is forwarded to the next hop defined in the default route.
- B. The packet is silently discarded.
- C. The packet is forwarded to the next hop of the management network.
- D. The packet is rejected and an ICMP network unreachable message is sent to the source address.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 13

While working on a Junos device, you receive the message shown in the exhibit.

Exhibit is Missing

In this scenario, what should you do to stop the shutdown process?

- A. Issue the clear system commit command
- B. Issue the request system halt in 0 command
- C. Issue the clear system reboot command
- D. Issue the request system power-off in 0 command

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

Exhibit:

```
user@router>
*** System shutdown message from user@router ***

System going down at 08:28

The system will be powered down in 10 minutes for maintenance.

user@router>
```

While working on a Junos Device, you receive the message shown.

In this scenario, what would you do to stop the shutdown process?

- A. Issue the request system halt in command
- B. Issue the request system power-off in command
- C. Issue the clear system reboot command
- D. Issue the clear system commit command

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

Which two statements describe a routing policy? (Choose two.)

- A. Attribute changes applied to export policies always affect the local routing table.
- B. Routing policies are used to choose which routes are sent to neighbors using dynamic routing protocols.
- C. A routing policy allows you to control the flow of information into the routing table.
- D. Active and inactive routes are available for export from the routing table.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

You are troubleshooting an issue and want to monitor syslog in real time. Which operational command accomplish this task?

- A. Show log message
- B. Monitor traffic interface fxp0.0
- C. Show log message | refresh i
- D. Monitor start message

Answer: A ([LEAVE A REPLY](#))

Valid JN0-103 Dumps shared by TrainingQuiz.com for Helping Passing JN0-103 Exam! TrainingQuiz.com now offer the **newest JN0-103 exam dumps**, the TrainingQuiz.com JN0-103 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com JN0-103 dumps with Test Engine here:

NEW QUESTION: 17

Click the Exhibit button.

Exhibit is Missing

Referring to the exhibit, which type of route does the configuration create?

- A. an indirect next hop
- B. a non-advertised route
- C. a generated route
- D. a default gateway

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 18

Referring to the exhibit,

Specific System Log Message Information	
Name	CHASSISD_TERM_SIGNAL
Message	Received SIGTERM request, shutting down
Help	chassisd received termination signal
Desc	The chassis process (chassisd) received the SIGTERM signal, indicating that it should terminate. It began the procedure for clean shutdown and exit, but possibly restarted automatically after existing.
Type	Event: This message reports an event, not an error
Sev	Info
Facility	LOG_DAEMON
Platforms Supported	Common Junos

which command will cause this event message?

- A. request system logout
- B. request system commit
- C. request system halt
- D. request system recover

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 19

A packet enters a Junos device. No matching destination entry exists in the forwarding table.

How will the device respond?

- A. The RE responds to the destination with a source unreachable notification message.
- B. The RE responds to the source with a destination unreachable notification message.
- C. The PFE responds to the destination with a source unreachable notification message.
- D. The PFE responds to the source with a destination unreachable notification message.

Answer: B ([LEAVE A REPLY](#))

Explanation

NEW QUESTION: 20

Exhibit:

```
... Hit [Enter] to boot immediately, or space bar for command prompt. <user presses Spacebar> Type '?' for a
list of commands, 'help' for more detailed help. loader> boot -s
... Enter full pathname of shell or 'recovery' for root password recovery or RETURN for / bin/sh: recovery
```

Refer to exhibit, What will be the result?

- A. The device will boot in a multi-user mode at the shell prompt
- B. The device will boot in a Single-user mode at the shell prompt
- C. The device will boot in a multi-user mode at the configuration prompt
- D. The device will boot in a Single-user mode at the operational prompt

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 21

Which command is used to load the rescue configuration?

- A. load replace rescue
- B. load merge rescue
- C. rollback rescue
- D. rollback 0

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 22

You issue the request system zeroizecommand.

Which statement is correct in this scenario?

- A. All data files are deleted and the configuration settings remain unchanged.
- B. All data files are deleted and all configuration settings are returned to factory defaults.
- C. All data files remain unchanged but all configuration settings are returned to factory defaults.
- D. Disk space is freed by rotating log files and a proposed list of files to delete is presented.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

What is the default route preference for OSPF internal?

- A. 10
- B. 100
- C. 150
- D. 5

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 24

Which command displays the output shown in the exhibit?

Exhibit is Missing

- A. show chassis environment
- B. show chassis temperature-thresholds

- C. show chassis alarms
- D. show chassis hardware

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 25

Which command allows you to verify the syntax and consistency of your configuration without actually activating your configuration?

- A. User Interfaces
- B. commit check
- C. check commit
- D. commit no-activate
- E. commit verify

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 26

Exhibit:

```
[edit routing-options]
user@router# show
rib inet6.0 {
  static {
    route 0::/0 next-hop 3001::1,
  }
}
```

Which type of route does the configuration create?

- A. an indirect next hop
- B. a non-advertised route
- C. a generated route
- D. a default gateway

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

Click the Exhibit button.

Item	Version	Part number	Serial number	Description
Chassis			EBE7ABF9EA61	VSRX
Midplane	REV 08	750-058562	4229D770	VSRX
Pseudo CB 0				
Routing Engine 0		BUILTIN	BUILTIN	VSRX-S
FPC 0	REV 07	611-049549	RL3714040884	FPC
PFC 0		BUILTIN	BUILTIN	VSRX DPDK GE

Referring to the exhibit, which command was issued to generate the output?

- A. show chassis environment
- B. show chassis hardware
- C. show chassis routing-engine
- D. show chassis fpc

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 28

When multiple users are editing the configuration on a Junos device, what is the default behavior when a user issues a commit command?

- A. The user will receive an error message disallowing a commit of the configuration.
- B. All valid configuration changes made by all users will take effect.
- C. The user's configuration changes are committed; other users' configuration changes are still pending.
- D. The user's configuration changes are committed; other users will be exited from configuration mode.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

Which two conditions must exist in a Junos device for traffic to transit the device to a specific destination?

Choose Two

- A. A routing table entry for that destination must exist
- B. A routing policy must be in place on the device
- C. A forwarding table entry for that destination must exist
- D. A firewall filter must exist to allow traffic to reach that destination

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 30

Click the Exhibit button.



```
root@router> show route protocol static
Inst. 0: 3 destinations, 8 routes (7 active, 0 holddown, 0 hidden)
* = Active Route, - = Last Active, * = Both

192.168.47.0/24    * [Static/5] 02:02:03
                  > to 172.16.1.2 via ge-1/2/0.0
                  [Static/25] 01:58:21
                  > to 192.168.2.2 via fe-1/2/1.2
```

Referring to the exhibit,

what information is provided about the route to 192.168.47.0/24?

(Choose two.)

- A. There is a single active route to 192.168.47.0/24.

- B. There is a single next hop available to 192.168.47.0/24.
- C. There are two next hops available to 192.168.47.0/24.
- D. There are two active routes to 192.168.47.0/24.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 31

```

Routing Engine status:
  Temperature           0 degrees C / 32 degrees F
  CPU temperature       0 degrees C / 32 degrees F
  Total memory          931 MB Max 270 MB used ( 29 percent)
  Memory utilization    28 percent
  5 sec CPU utilization:
    User                1 percent
    Background          0 percent
    Kernel              1 percent
    Interrupt           0 percent
    Idle                98 percent
  1 min CPU utilization:
    User                0 percent
    Background          0 percent
    Kernel              1 percent
    Interrupt           0 percent
    Idle                99 percent
  5 min CPU utilization:
    User                0 percent
    Background          0 percent
    Kernel              1 percent
    Interrupt           0 percent
    Idle                99 percent
  15 min CPU utilization:
    User                0 percent
    Background          0 percent
    Kernel              1 percent
    Interrupt           0 percent
    Idle                99 percent
  Model                 VSRX-S
  Serial ID             BUILTIN
  Start time            2020-01-16 15:21:32 UTC
  Uptime                12 days, 4 hours, 33 minutes, 7 seconds
  Last reboot reason    0x4000:VJUNOS reboot
  Load averages:       1 minute  5 minute  15 minute

```

Referring to the exhibit, which two statements are correct? (Choose two.)

- A. The 15 minute CPU load average is 99%.
- B. The CPU kernel utilization is 1%.
- C. The memory utilization is 28%.
- D. The memory utilization is 72%.

Answer: B,C ([LEAVE A REPLY](#))

JN0-103 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com JN0-103 dumps with Test Engine here:
<https://www.trainingquiz.com/JN0-103-practice-quiz.html> (141 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

```
user@router> show route protocol static

inet.0: 7 destinations, 8 routes (7 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both

192.168.47.0/24    *[Static/5] 02:02:03
                  > to 172.16.1.2 via ge-1/2/0.0
                  [Static/25] 01:58:21
                  > to 192.168.2.2 via fe-1/2/1.2
```

Referring to the exhibit, what information is provided about the route to 192.168.47.0/24?
(Choose two.)

- A. There are two next hops available to 192.168.47.0/24.
- B. There is a single next hop available to 192.168.47.0/24.
- C. There are two active routes to 192.168.47.0/24.
- D. There is a single active route to 192.168.47.0/24.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 33

Which protocol family is required prior to assigning an IP address to an interface?

- A. ip
- B. inet
- C. inet4
- D. ip6

Answer: (SHOW ANSWER)

NEW QUESTION: 34

What does the output of the show route forwarding-table command display?

- A. The Packet Forwarding Engine routing table
- B. The inactive entries in the Routing Engine's routing table
- C. The Routing Engine's forwarding table
- D. The routing protocol databases in the Routing Engine

Answer: A (LEAVE A REPLY)

NEW QUESTION: 35

Exhibit:

```
edit snmp]
user@router# show
community my-community {
  authorization read-only;
  clients {
    10.21.15.16/32;
  }
}

trap-group my-first-trap-group {
  version v2;
  categories {
    JUNIPER
  }
  targets {
    10.21.15.180;
  }
}

trap-group my-second-trap-group {
  targets {
    10.21.15.181;
  }
}
```

Which statement is true?

- A. Traps are allowed from 10.21.15.180
- B. Traps are allowed from 10.21.15.16
- C. Traps are sent to 10.21.15.180
- D. Traps are sent to 10.21.15.16

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

When you first log in to a router, how does the router indicate that factory defaults are being used? Junos Configuration Basics

- A. The router's host name is Amnesiac.
- B. The router allows you to enter configuration mode without logging in.
- C. The router immediately enters configuration mode after you log in.
- D. The password you used to log in is junos.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 37

Which key could you use to auto-complete a command in the Junos CLI?

- A. Delete
- B. Spacebar
- C. Ctrl+Z
- D. Right Arrow

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 38

What are two benefits realized by the disaggregated Junos? (Choose two.)

- A. The Junos VM becomes hardware-independent and can be deployed on any hypervisor without modification.
- B. The platform drivers and forwarding engine are removed from the control plane to increase performance.
- C. The architecture facilitates programmability through provisioning the control plane, the data path, and the platform API's.
- D. There is increased flexibility to use different control plane versions.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

What are two services performed by the Packet Forwarding Engine? (Choose two.)

- A. to process transit traffic
- B. to maintain the routing tables
- C. to handle processes that control the device's Interfaces
- D. to implement stateless firewall filtering

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

```
user@router> show route forwarding-table
routing table: inet
internet:
Destination Type RtRef next hop Type Index NhRef Netif
default user 0 0:32.51.07.89.2 ucst 520 ge-0/0/0.0
default perm 0 rjct 36 1
0.0.0.0/32 perm 0 dscd 34 1
10.21.0.0/16 user 0 192.168.10.100 ucast 535 3 ge-0/0/2.0
10.21.14.0/24 user 0 192.168.11.100 ucast 528 3 ge-0/0/1.0
10.21.14.10/30 user 0 192.168.12.100 ucast 530 3 ge-0/0/3.0
```

Which next-hop interface will be used to reach the 10.21.14.16 destination as shown in the exhibit?

- A. ge-0/0/0.0
- B. ge-0/0/3.0
- C. ge-0/0/2.0
- D. ge-0/0/1.0

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

Exhibit:

```
[edit firewall family inet]
user@router# show
filter input-filter {
  term count-packets {
    from {
      source-address {
        10.10.10.0/24;
      }
    }
    then count building-1;
  }
  term reject-others {
    then {
      reject;
    }
  }
}
```

Which statement is correct when traffic is received from 10.10.10.4?

- A. The traffic is only rejected
- B. The traffic is counted and rejected
- C. The traffic is only accepted
- D. The traffic is counted and accepted

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 42

```

[edit snmp]
user@router# show
community my-community {
  authorization read-only;
  clients {
    10.21.15.16/32;
  }
}
trap-group my-first-trap-group {
  version v2;
  categories {
    chassis;
    link;
  }
  targets {
    10.21.15.180;
  }
}
trap-group my-second-trap-group {
  targets {
    10.21.15.181;
  }
}

```

Referring to the exhibit, which statement is true?

- A. Traps are sent to 10.21.15.16.
- B. Traps are allowed from 10.21.15.180.
- C. Traps are allowed from 10.21.15.16.
- D. Traps are sent to 10.21.15.180.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 43

Which configuration parameter on a Junos device modifies the default next-hop resolution behavior of a static route?

- A. preference
- B. passive
- C. no-readvertise
- D. resolve

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 44

In which directory the traceoption files stored by default?

- A. /var/db/
- B. /var/tmp/
- C. /var/log/
- D. /var/home/

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 45

Which parameter would you use to prohibit the redistribution of a static route used for management traffic?

- A. discard
- B. passive
- C. reject
- D. no-readvertise

Answer: D ([LEAVE A REPLY](#))

Explanation/Reference:

NEW QUESTION: 46

What are two services performed by the Packet Forwarding Engine? (Choose two.)

- A. to maintain the routing tables
- B. to process transit traffic
- C. to handle processes that control the device's Interfaces
- D. to implement stateless firewall filtering

Answer: A,C ([LEAVE A REPLY](#))

Valid JN0-103 Dumps shared by TrainingQuiz.com for Helping Passing JN0-103 Exam! TrainingQuiz.com now offer the **newest JN0-103 exam dumps**, the TrainingQuiz.com JN0-103 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com JN0-103 dumps with Test Engine here:
<https://www.trainingquiz.com/JN0-103-practice-quiz.html> (141 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

Exhibit:

```
{master:0}[edit routing-instances]
root@switch# top set interfaces xe-0/0/39.0 family ethernet-switching
```

Which statement is true about the command shown in the exhibit?

- A. There needs to be a ; after top for the command to be accepted as a valid command.
- B. Only top should be used, no other options are allowed on the same line.
- C. The command shown in the exhibit would be accepted as a valid command.
- D. If you replace top with up command, it becomes valid.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 48

Click the Exhibit button.

```

user@router> show interfaces terse | match ge-
ge-0/0/0          up          up
ge-0/0/1          up          up
ge-0/0/1.0        up          up    inet    172.26.133.105/24
ge-0/0/2          up          up
ge-0/0/2.0        down       up    inet    172.40.1.2/24

```

Referring to the exhibit, which logical interface is able to forward IP traffic?

- A. ge-0/0/1.0
- B. ge-0/0/2.0
- C. ge-0/0/2
- D. ge-0/0/0

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 49

Referring to the Exhibit,



What information is provided about the route to 192.168.47.0/24? Choose Two

- A. There is a single active route to 192.168.47.0/24
- B. There are two next-hops available to 192.168.47.0/24
- C. There are two active route to 192.168.47.0/24
- D. There is a single next-hop available to 192.168.47.0/24

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 50

Referring to the exhibit, what is the expected behavior for login attempts from users that receive a reject form from both the RADIUS and TACACS+ servers?

- A. Users are prompted for the root authentication password.
- B. Users are prompted for a local authentication password.
- C. Users are granted limited access to the device using a guest account.
- D. Users are not prompted for a local authentication password.

Answer: (SHOW ANSWER)

NEW QUESTION: 51

Click the Exhibit button.

Item	Version	Part number	Serial number	Description
Chassis			EBE7ABF9EA61RKS	VSRX
Midplane	REV 08	750-058562	4229D770	VSRX
Pseudo CB 0				
Routing Engine 0		BUILTIN	BUILTIN	VSRX-S
FPC 0	REV 07	611-049549	RL3714040884	FPC
PIC 0		BUILTIN	BUILTIN	VSRX DPK GE

Referring to the exhibit, which command was issued to generate the output?

- A. show chassis fpc
- B. show chassis routing-engine
- C. show chassis environment
- D. show chassis hardware

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

While working on a Junos device, you receive the message shown in the exhibit.

In this scenario, what should you do to stop the shutdown process?

In this scenario, what should you do to stop the shutdown process?

- A. Issue the request system halt in 0 command
- B. Issue the clear system reboot command
- C. Issue the request system power-off in 0 command
- D. Issue the clear system commit command

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 53

At which hierarchy would you configure a static MAC address for interface ge-0/0/0?

- A. [edit interfaces ge-0/0/0 unit 0 family inet address 172.25.11.2/24]
- B. [edit interfaces ge-0/0/0 unit 0 family inet]
- C. [edit interfaces ge-0/0/0]
- D. [edit interfaces ge-0/0/0 unit 0]

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

A user attempts to log in to a Junos device, but the RADIUS server is unreachable.

```
[edit]
user@router# show system authentication-order
authentication-order [ radius password ];
```

Referring to the exhibit, what is the default action of a Junos device in this scenario?

- A. The Junos device displays a RADIUS connection error
- B. The Junos device uses the local authentication database
- C. The Junos device retries every 30 seconds until the connection is restored
- D. The Junos device prompts for a cached RADIUS password

Answer: B ([LEAVE A REPLY](#))

Explanation/Reference: https://www.juniper.net/documentation/en_US/junos/topics/topic-map/junos-os-authentication-order.html

NEW QUESTION: 55

Click the Exhibit button.

```
[edit system ntp]
user@router# show
server 172.25.11.254;
```

Referring to the exhibit, which action would synchronize the local router's clock with the NTP server?

- A. Configure the correct NTP trusted key using the net trusted-key <key-value> configuration command under the [edit system ntp] hierarchy.
- B. Reboot the router.
- C. Issue the set date ntp operational command.
- D. Configure the NTP server using the set boot-server 172.25.11.254 configuration command under the [edit system ntp] hierarchy.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

Which routing table is used for multicast forwarding cache?

- A. inet.0
- B. inet.3
- C. inet.1
- D. inet.2

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 57

Referring to the Exhibit,

Exhibit is Missing

Which statement is true?

- A. Traps are allowed from 10.21.15.180
- B. Traps are sent to 10.21.15.16
- C. Traps are sent to 10.21.15.180
- D. Traps are allowed from 10.21.15.16

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 58

Click the Exhibit button.

```

[edit policy-options]
user@router# show
policy-statement Policy-One {
  term term-One{
    from {
      route-filter 172.35.0.0/16 orlonger;
    }
    then accept;
  }
}

```

You configured the route filter shown in the exhibit.

In this scenario, which IP addresses would term-One accept?

- A. IP addresses that are part of the 172.35.0.0/16 network, but not IP addresses that are part of the 172.35.0.0/16 network itself.
- B. IP addresses that are part of the 172.35.0.0/16 network and IP addresses that are in the subnets of 172.35.0.0/16 network.
- C. IP addresses that are part of the 172.35.0.0/16 network and IP addresses that are in the 172.35.0.0/16 and 172.36.0.0/16 subnets.
- D. IP addresses that are part of the 172.35.0.0/16 network only.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 59

Click the Exhibit Button.

```

[edit]
user@router# show firewall policer policer1
if-exceeding [
  bandwidth-limit 1g;
  burst-size-limit 100k;
]
then discard;

```

You are asked to limit traffic on interface xe-0/0/3 to 1G using the policer shown in the exhibit.

Which configuration would accomplish this task?

A)

```

[edit]
user@router# show interfaces xe-0/0/3
unit 0 {
  bandwidth 1g;
  family inet {
    address 1.1.1.2/24;
  }
}

```

B)

```
Q (edit)
user@router# show interfaces et-0/0/1
unit 0 {
  family inet {
    policy {
      input policy {
        address 1.1.1.1/24
      }
    }
  }
}
```

C)

```
Q (edit)
user@router# show interfaces et-0/0/3
unit 0 {
  accounting-profile policy {
    family inet {
      address 1.1.1.1/24
    }
  }
}
```

A. Option

B. Option

C. Option

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 60

How does the PFE determine how to forward transit traffic?

A. The PFE uses the following table provided by the RE.

B. The PFE determines network destinations itself based on the RE's routing table.

C. The PFE performs a destination lookup based on its own routing table.

D. The PFE uses the routing table provided by the RE.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 61

Refer to Exhibit:

```
user@router> monitor traffic interface et-0/0/1.0 matching arp count 10
```

Which parameter at the end of the command would provide information for troubleshooting purposes?

- A. Print-ascii
- B. Extensive
- C. No-resolve
- D. No-timestamp

Answer: B (LEAVE A REPLY)

Valid JN0-103 Dumps shared by TrainingQuiz.com for Helping Passing JN0-103 Exam! TrainingQuiz.com now offer the **newest JN0-103 exam dumps**, the TrainingQuiz.com JN0-103 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com JN0-103 dumps with Test Engine here:
<https://www.trainingquiz.com/JN0-103-practice-quiz.html> (**141** Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 62

```

user@router> show chassis routing-engine
Routing Engine status:
  Temperature          0 degrees C / 32 degrees F
  CPU temperature      0 degrees C / 32 degrees F
  Total memory         931 MB Max 270 MB used ( 29 percent)
  Memory utilization   28 percent
  5 sec CPU utilization:
    User               1 percent
    Background         0 percent
    Kernel             1 percent
    Interrupt          0 percent
    Idle               98 percent
  1 min CPU utilization:
    User               0 percent
    Background         0 percent
    Kernel             1 percent
    Interrupt          0 percent
    Idle               99 percent
  5 min CPU utilization:
    User               0 percent
    Background         0 percent
    Kernel             1 percent
    Interrupt          0 percent
    Idle               99 percent
  15 min CPU utilization:
    User               0 percent
    Background         0 percent
    Kernel             1 percent
    Interrupt          0 percent
    Idle               99 percent
  Model                VSRX-S
  Serial ID            BUILTIN
  Start time           2020-01-16 15:21:32 UTC
  Uptime               12 days, 4 hours, 33 minutes, 7 seconds
  Last reboot reason   0x4000:VJUNOS reboot

```

Referring to the exhibit, which two statements are correct? (Choose two.)

- A. The memory utilization is 28%.
- B. The CPU kernel utilization is 1%.
- C. The memory utilization is 72%.
- D. The 15 minute CPU load average is 99%.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 63

A Junos device is in a factory-default configuration and no host name is set. What is used in place of a host name in this scenario?

- A. router
- B. Junos
- C. user
- D. amnesiac

Answer: D (LEAVE A REPLY)

NEW QUESTION: 64

What statement is true about the longer route-filter match type?

- A. All routes within the specified prefix that are longer or equal to the given prefix are considered a match
- B. All routes within the specified prefix that are longer or equal to the given prefix up to a defined acceptable prefix length are considered a match
- C. All routes within the specified prefix that are longer than the given prefix up to a defined acceptable prefix length are considered a match
- D. All routes within the specified prefix that are longer than the given prefix are considered a match

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 65


What does the output of the show route forwarding-table command display?

- A. The Packet Forwarding Engine routing table
- B. The routing protocol databases in the Routing Engine
- C. The inactive entries in the Routing Engine's routing table
- D. The Routing Engine's forwarding table

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 66

Click the Exhibit button.



```
root@router> show route protocol static
Route 0: 1 destinations, 8 routes (7 active, 0 holddown, 0 hidden)
* = Active Route, - = Last Active, * = Both
192.168.47.0/24 * [static/25] 01:58:21
    192.168.1.2 via ge-1/2/0.0
    [static/25] 01:58:21
    > to 192.168.2.2 via fe-1/2/1.2
```

Referring to the exhibit,

what information is provided about the route to 192.168.47.0/24?

(Choose two.)

- A. There are two next hops available to 192.168.47.0/24.
- B. There is a single next hop available to 192.168.47.0/24.
- C. There is a single active route to 192.168.47.0/24.
- D. There are two active routes to 192.168.47.0/24.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 67

By default, which character indicates the UNIX shell prompt?

- A. >
- B. #
- C. %
- D. \$

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 68

You are attempting to upgrade the Junos OS on your device, but there is not enough space to complete the upgrade. Which parameter, added to the request system software add command, would solve the problem?

- A. force
- B. validate
- C. no-validate
- D. no-copy

Answer: (SHOW ANSWER)

NEW QUESTION: 69

Referring to the exhibit,

Specific System Log Message Information	
Name	CHASSISD_TERM_SIGNAL
Message	Received SIGTERM request, shutting down
Help	chassisd received termination signal
Desc	The chassis process (chassisd) received the SIGTERM signal, indicating that it should terminate. It began the procedure for clean shutdown and exit, but possibly restarted automatically after existing.
Type	Event: This message reports an event, not an error
Sev	Info
Facility	LOG_DAEMON
Platforms Supported	Common Junos

which command will cause this event message?

- A. request system halt
- B. request system commit
- C. request system logout
- D. request system recover

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 70

Which command displays all IPv4 routes in the default routing instance?

- A. show route table inet.0
- B. show route table inet.1

- C. show route table inet.2
- D. show route table inet6.0

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71

You have the policy configuration shown in the exhibit applied to a BGP peering. You determine that customer routes coming from the 10.1.1.0/24 network are being rejected Which action should be used to correct the problem?

Exhibit is Missing

- A. [edit policy-options policy-statement my-policy]
user@router# insert term 2 before term 1
- B. [edit policy-options policy-statement my-policy]
user@router# copy term 2 to term 0
- C. [edit policy-options policy-statement my-policy]
user@router# rename term 1 to term 3
- D. [edit policy-options policy-statement my-policy]
user@router# copy term 2 to term 1

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 72

Which command will show files stored in the /var/home/lab directory?

- A. lab@router# rollback ?
lab@router> ls
- B. lab@router> file show
- C. lab@router> file list
- D. [edit]

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 73

Click the Exhibit button.

```
[edit system ntp]
user@router# show
server 172.25.11.254;
```

Referring to the exhibit, which action would synchronize the local router's clock with the NTP server?

- A. Configure the NTP server using the set boot-server 172.25.11.254 configuration command under the [edit system ntp] hierarchy.
- B. Reboot the router.
- C. Issue the set date ntp operational command.
- D. Configure the correct NTP trusted key using the net trusted-key <key-value> configuration command under the [edit system ntp] hierarchy.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 74

Exhibit is Missing

Which command produced the output shown in the exhibit?

- A. Show interfaces filters
- B. Show interfaces terse
- C. Show interfaces summary
- D. Show interfaces extensive

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 75

You are considering to upgrade from 19.1R1 and want to ensure that only bug fixes are included. Which two software versions should you use in the current situation? Choose Two

- A. 19.3R1-S1
- B. 19.1R1-S2
- C. 19.3R2
- D. 19.1R3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 76

Which two commands would you use to reset the candidate configuration to the active configuration? (Choose two.)

- A. rollback 1
- B. rollback 0
- C. rollback
- D. rollback 2

Answer: ([SHOW ANSWER](#))

Valid JN0-103 Dumps shared by TrainingQuiz.com for Helping Passing JN0-103 Exam! TrainingQuiz.com now offer the **newest JN0-103 exam dumps**, the TrainingQuiz.com JN0-103 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com JN0-103 dumps with Test Engine here:
<https://www.trainingquiz.com/JN0-103-practice-quiz.html> (141 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

What is the initial prompt displayed when logging in as the root user?

- A. root@router#

- B. root@router*
- C. root@router>
- D. root@router%

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 78

Which type of route does the configuration create?

- A. a non-advertised route
- B. a default gateway
- C. an indirect next hop
- D. a generated route

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 79

You are considering to upgrade from 19.1R1 and want to ensure that only bug fixes are included. Which two software versions should you use in the current situation? Choose Two

- A. 19.3R2
- B. 19.1R3
- C. 19.1R1-S2
- D. 19.3R1-S1

Answer: B,C ([LEAVE A REPLY](#))

R release : Maintenance and introduce bug fixes

19.1R1 ==> 19.1R2 introduces only bug fixes 19.1R1 ==> 19.2R2 Introduces new features

NEW QUESTION: 80

While working on a Junos device, you receive the message shown in the exhibit.

In this scenario, what should you do to stop the shutdown process?

In this scenario, what should you do to stop the shutdown process?

- A. Issue the request system halt in 0 command
- B. Issue the request system power-off in 0 command
- C. Issue the clear system reboot command
- D. Issue the clear system commit command

Answer: ([SHOW ANSWER](#))

https://www.juniper.net/documentation/en_US/junos/topics/reference/command-summary/clear-system-reboot.html

NEW QUESTION: 81

What would you use as a network tool to open a secure terminal connection from a device running Junos OS to another device?

- A. RDP
- B. SSH

C. HTTPS

D. telnet

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 82

Referring to the Exhibit,

```
user@router> show route protocol static

inet.0: 7 destinations, 8 routes (7 active, 0 holddown, 0 hidden)
+ = Active Route, - = Last Active, * = Both

192.168.47.0/24    *[Static/5] 02:02:03
                  > to 172.16.1.2 via ge-1/2/0.0
                  [Static/25] 01:58:21
                  > to 192.168.2.2 via fe-1/2/1.2
```

What information is provided about the route to 192.168.47.0/24?

Choose Two

- A. There is a single active route to 192.168.47.0/24
- B. There are two next-hops available to 192.168.47.0/24
- C. There is a single next-hop available to 192.168.47.0/24
- D. There are two active route to 192.168.47.0/24

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 83

```
[edit]
user@router# show system authentication-order
authentication-order [ radius tacplus ];
```

Referring to the exhibit, what is the expected behavior for login attempts from users that receive a reject form from both the RADIUS and TACACS+ servers?

- A. Users are prompted for a local authentication password.
- B. Users are not prompted for a local authentication password.
- C. Users are prompted for the root authentication password.
- D. Users are granted limited access to the device using a guest account.

Answer: B ([LEAVE A REPLY](#))

Explanation

Local Auth is not included in the authentication-order. It will only consult the local auth if it doesn't received any reply from the RADIUS and TACAS from a certain time. In this case the RADIUS and TACAS rejects the Authentication therefore no need to consult the local auth.

NEW QUESTION: 84

When a system process encounters an error, how does the Junos OS protect the other processes from being impacted?

- A. Each process operates in its own shared memory space.
- B. The Junos OS executes multiple processes simultaneously.
- C. The Junos OS executes only one process at a time.
- D. Each routing protocol runs as an individual process.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 85

What is the purpose of the load merge command?

- A. to completely overwrite the current configuration with the configuration you load.
- B. to combine the current configuration with the configuration you load.
- C. to add or delete variables from the configuration based on the contents of a specified path file.
- D. to look for a replace tag in the configuration you load.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 86

You are troubleshooting an issue and want to monitor syslog in real time. Which operational command accomplishes this task?

- A. monitor start messages
- B. monitor traffic interface fxp0.0
- C. show log messages
- D. show log messages | refresh 1

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 87

Exhibit:

```

[edit firewall family inet]
user@router# show
filter input-filter {
  term count-packets {
    from {
      source-address {
        10.10.10.0/24;
      }
    }
    then count building-1;
  }
  term reject-others {
    then {
      reject;
    }
  }
}

```

JUNIPER

Which statement is correct when traffic is received from 10.10.10.4?

- A. The traffic is counted and rejected
- B. The traffic is counted and accepted
- C. The traffic is only accepted
- D. The traffic is only rejected

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 88

What configuration parameter on a Junos device modifies the default next-hop resolution behavior of a static route?

- A. Resolve
- B. Passive
- C. No-readvertise
- D. Preference

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 89

A packet enters a Junos device. No matching destination entry exists in the forwarding table. How will the device respond?

- A. The PFE responds to the source with a destination unreachable notification message
- B. The RE responds to the destination with a source unreachable notification message
- C. The RE responds to the source with a destination unreachable notification message

D. The PFE responds to the destination with a source unreachable notification message

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 90

Which two statements are true about static routes in the Junos OS (Choose Two)

- A. Static routes are defined at the [edit routing-instance] hierarchy
- B. Static routes are learned by neighboring devices and added to their routing tables
- C. Static routes remain in the routing table until you remove them or until they become inactive
- D. Static routes must have next hop defined

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 91

Referring to the exhibit,

```
[edit firewall family inet]
user@router# show
filter protect-RE-1 {
  term 1 {
    from {
      protocol icmp;
    }
    then accept;
  }
}
filter protect-RE-2 {
  term 1 {
    from {
      protocol icmp;
    }
    then reject;
  }
}

[edit interfaces lo0]
user@router# show
unit 0 {
  family inet {
    filter {
      input-list [protect- RE-1 protect-RE-2];
    }
    address 192.168.2.1/32;
  }
}

[edit interfaces ge-0/0/0]
user@router# show
description "Management Interface";
unit 0 {
```

what happens when ping packets are sent to management interface address of the local router?

- A. The Ping packets are accepted
- B. An ICMP redirect message is returned
- C. The ping packets are silently discarded

D. An ICMP unreachable message is returned

Answer: A ([LEAVE A REPLY](#))

Valid JN0-103 Dumps shared by TrainingQuiz.com for Helping Passing JN0-103 Exam! TrainingQuiz.com now offer the **newest JN0-103 exam dumps**, the TrainingQuiz.com JN0-103 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com JN0-103 dumps with Test Engine here:

<https://www.trainingquiz.com/JN0-103-practice-quiz.html> (141 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 92

Referring to the Exhibit,



```
show route
show 0/ 1422 destinations, 1525 routes (1122 active, 4 hold-down, 0 hidden)
+ = Active Route, - = Last Active, * = Both

0.0.0.0/0      *{Static/5} 1w2d 22:59:01
               > to 10.10.10.1 via fxp0.0
10.10.10.0/25 *{Direct/0} 1w2d 22:59:01
               > via fxp0.0
               {Direct/0} 1w2d 22:58:57
               > via fxp0.0
10.10.10.7/32 *{Local/0} 1w2d 22:59:01
               Local via fxp0.0
10.10.10.9/32 *{Local/0} 1w2d 22:58:57
               Local via fxp0.0
10.200.200.0/23 *{Direct/0} 1w2d 22:30:24
                 > via xe-0/0/3.100
```

what does the number inside the square bracket represent?

- A. protocol reference number
- B. local preference
- C. metric
- D. router preference

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 93

What are two benefits realized by the disaggregated Junos OS? (Choose two.)

- A. The platform drivers and forwarding engine are removed from the control plane to increase performance.
- B. The architecture facilitates programmability through provisioning the control plane, the data path, and the platform APIs.
- C. The Junos VM becomes hardware-independent and can be deployed on any hypervisor without modification.
- D. There is increased flexibility to use different control plane versions.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 94

What are two modes of unicast reverse path forwarding? (Choose two.)

- A. Loose
- B. Strict
- C. High
- D. Low

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 95

```
[edit]
user@router# show interfaces
ge-0/0/2 {
  unit 0 {
    family inet {
      address 172.16.10.1/24;
    }
  }
}
```

Referring to the exhibit, which command will change the 172.16.10.1/24 IP address to 172.16.100.1/24 IP address?

copy interfaces ge-0/0/2 unit 0 family inet address 172.16.10.1/24 to address

- A. address 172.16.100.1/24
- B. address 172.16.100.1/24
- set interfaces ge-0/0/2 unit 0 family inet address 172.16.100.1/24
- C. insert interfaces ge-0/0/2 unit 0 family inet address 172.16.10.1/24 before
- D. 172.16.100.1/24

rename interfaces ge-0/0/2 unit 0 family inet address 172.16.10.1/24 to

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 96

Click the Exhibit button.

Exhibit is Missing

Referring to the exhibit, what does the number inside the square brackets represent?

- A. metric
- B. protocol reference number
- C. local preference
- D. route preference

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 97

Click the Exhibit button.

```
{edit policy-options}
user@router# show
policy-statement Policy-One {
  term term-One{
    from {
      route-filter 172.35.0.0/16 orlonger;
    }
    then accept;
  }
}
```

You configured the route filter shown in the exhibit.

In this scenario, which IP addresses would term-One accept?

- A. IP addresses that are part of the 172.35.0.0/16 network and IP addresses that are in the 172.35.0.0/16 and 172.36.0.0/16 subnets.
- B. IP addresses that are part of the 172.35.0.0/16 network, but not IP addresses that are part of the 172.35.0.0/16 network itself.
- C. IP addresses that are part of the 172.35.0.0/16 network and IP addresses that are in the subnets of 172.35.0.0/16 network.
- D. IP addresses that are part of the 172.35.0.0/16 network only.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 98

Which two keystrokes are used to auto-complete commands? (Choose two.)

- A. Spacebar
- B. End
- C. Esc
- D. Tab

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 99

Click the Exhibit button.

```
{edit policy-options}
user@router# show
policy-statement Policy-One {
    term term-One{
        from {
            route-filter 172.35.0.0/16 orlonger;
        }
        then accept;
    }
}
```

You configured the route filter shown in the exhibit.

In this scenario, which IP addresses would term-One accept?

- A. IP addresses that are part of the 172.35.0.0/16 network and IP addresses that are in the subnets of 172.35.0.0/16 network.
- B. IP addresses that are part of the 172.35.0.0/16 network and IP addresses that are in the 172.35.0.0/16 and 172.36.0.0/16 subnets.
- C. IP addresses that are part of the 172.35.0.0/16 network, but not IP addresses that are part of the 172.35.0.0/16 network itself.
- D. IP addresses that are part of the 172.35.0.0/16 network only.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 100

You notice that the terms in your firewall filter are not in the correct order.

What would solve this problem?

- A. Use the insert command to reorder the terms within the filter.
- B. Use the count parameter to ensure that the terms are evaluated correctly.
- C. Use the next term action to force an evaluation of the next term.
- D. Use the reject action to change the action of the filter.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 101

Referring to the exhibit,

```

[edit firewall family inet]
user@router# show
filter protect-RE-1 {
  term 1 {
    from {
      protocol icmp;
    }
    then accept;
  }
}
filter protect-RE-2 {
  term 1 {
    from {
      protocol icmp;
    }
    then reject;
  }
}

[edit interfaces lo0]
user@router# show
unit 0 {
  family inet {
    filter {
      input-list [protect- RE-1 protect-RE-2];
    }
    address 192.168.2.1/32;
  }
}

[edit interfaces ge-0/0/0]
user@router# show
description "Management Interface";
unit 0 {

```

what happens when ping packets are sent to management interface address of the local router?

- A. An ICMP redirect message is returned
- B. The ping packets are silently discarded
- C. The Ping packets are accepted
- D. An ICMP unreachable message is returned

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 102

Referring to the exhibit,

Specific System Log Message Information	
Name	CHASSISD_TERM_SIGNAL
Message	Received SIGTERM request, shutting down
Help	chassisd received termination signal
Desc	The chassis process (chassisd) received the SIGTERM signal, indicating that it should terminate. It began the procedure for clean shutdown and exit, but possibly restarted automatically after existing.
Type	Event: This message reports an event, not an error
Sev	Info
Facility	LOG_DAEMON
Platforms Supported	Common Junos

which command will cause this event message?

- A. request system logout
- B. request system recover
- C. request system commit
- D. request system halt

Answer: A (LEAVE A REPLY)

NEW QUESTION: 103

When a system process encounters an error, how does the Junos OS protect the other processes from being impacted?

- A. Each routing protocol runs as an individual process.
- B. Each process operates in its own shared memory space.
- C. The Junos OS executes only one process at a time.
- D. The Junos OS executes multiple processes simultaneously.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 104

You are connected to your Junos device using an SSH connection to the txp0 interface. No other interfaces are currently configured and unreachable from your management network. How would you reestablish communication with the device?

- A. Connect to the console of the device
- B. Power off and power on the device
- C. Unplug the network cable and plug it back in
- D. Establish a SSH connection to the loopback interface

Answer: A (LEAVE A REPLY)

NEW QUESTION: 105

What will be the result?

- A. The device will boot into single-user mode at the shell prompt.
- B. The device will boot into multi-user mode at the shell prompt.
- C. The device will boot in multi-user mode at the configuration prompt.

D. The device will boot in single-user mode at the operational prompt.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 106

Click the Exhibit button.

```
{edit policy-options}
user@router# show
policy-statement Policy-One {
  term term-One{
    from {
      route-filter 172.35.0.0/16 orlonger;
    }
    then accept;
  }
}
```

You configured the route filter shown in the exhibit.

In this scenario, which IP addresses would term-One accept?

- A. IP addresses that are part of the 172.35.0.0/16 network and IP addresses that are in the 172.35.0.0/16 and 172.36.0.0/16 subnets.
- B. IP addresses that are part of the 172.35.0.0/16 network only.
- C. IP addresses that are part of the 172.35.0.0/16 network and IP addresses that are in the subnets of 172.35.0.0/16 network.
- D. IP addresses that are part of the 172.35.0.0/16 network, but not IP addresses that are part of the 172.35.0.0/16 network itself.

Answer: B ([LEAVE A REPLY](#))

Valid JN0-103 Dumps shared by TrainingQuiz.com for Helping Passing JN0-103 Exam! TrainingQuiz.com now offer the **newest JN0-103 exam dumps**, the TrainingQuiz.com JN0-103 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com JN0-103 dumps with Test Engine here: <https://www.trainingquiz.com/JN0-103-practice-quiz.html> (141 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 107

Which statement is correct when traffic is received from 10.10.10.4?

- A. The traffic is counted and accepted
- B. The traffic is only rejected
- C. The traffic is counted and rejected
- D. The traffic is only accepted

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 108

Which routing table is used for multicasting forwarding cache?

- A. Inet.2
- B. Inet.3
- C. Inet.1
- D. Inet.0

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 109

Exhibit:

Exhibit is Missing

Which statement is true?

- A. Traps are allowed from 10.21.15.180
- B. Traps are allowed from 10.21.15.16
- C. Traps are sent to 10.21.15.16
- D. Traps are sent to 10.21.15.180

Answer: B ([LEAVE A REPLY](#))

Valid JN0-103 Dumps shared by TrainingQuiz.com for Helping Passing JN0-103 Exam!

TrainingQuiz.com now offer the **newest JN0-103 exam dumps**, the TrainingQuiz.com JN0-103 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com JN0-103 dumps with Test Engine here:

<https://www.trainingquiz.com/JN0-103-practice-quiz.html> (141 Q&As Dumps, **40%OFF** Special

Discount: **Exam-Tests**)