NetworkAppliance.NS0-164.v2026-10-31.q110

Exam Code:	NS0-164
Exam Name:	NetApp Data Administrator ONTAP Professional Exam
Certification Provider:	Network Appliance
Free Question Number:	110
Version:	v2026-10-31
# of views:	138
# of Questions views:	1100
https://www.dumpsdb.com/dumps/NetworkAppliance/NS0-164/NetworkAppliance.NS0-164.v2026-10-31.q110	

NEW QUESTION: 1
Which ONTAP feature allows the most efficient use of disk space for provisioning root aggregates?
A. ADP
B. DDP
C. XCP
D. XDP
Answer: A (LEAVE A REPLY)

NEW QUESTION: 2
Which two protocols provide NAS access for home directories on an S VM? (Choose two.)
A. NFS
B. FC
C. NVMe/TCP
D. iSCSI
E. SMB
Answer: (SHOW ANSWER)

NEW QUESTION: 3
You have quiesced a volume to stabilize the contents of a destination just prior to a snapshot. What is the next logical command that you would issue after the snapshot is complete?
A. snapmirror quiesce-q
B. snapmirror restart
C. snapmirror resume
D. options snapmirror.log enable off

Answer: C (LEAVE A REPLY)

NEW QUESTION: 4
You want to create an automated test environment that performs a single file SnapRestore. Every time you run the procedure, however, SnapRestore prompts you to confirm your decision to revert the file.
How can you automate this step?
A. Use the -f option with the snap restore command.
B. Enter the priv set advanced mode on the storage appliance and the prompt will not appear.
C. Enable the options snaprestore_noprompts enable=on option.
D. These prompts are for data protection and auditing and cannot be overridden.
Answer: A (LEAVE A REPLY)

NEW QUESTION: 5
Before enabling an active/active configuration, you should verify and compare the configuration of the nodes.
Which tool can perform this task?
A. cf-config-check.cgi script
B. clustercheck script
C. Release Comparison Tool
D. cf status command on both nodes
Answer: A (LEAVE A REPLY)

NEW QUESTION: 6
A mirrored volume has a failed disk, but there are no available spares in the pool from which the degraded plex was built. Data ONTAP will:
A. "Halt" after 24 hours if spare disks are not added to the proper pool
B. Stop all applications that are running
C. Choose spare disks to reconstruct from the opposite pool
D. Warn you that there are no available spares from the proper pool
Answer: D (LEAVE A REPLY)

NEW QUESTION: 7
Which is the most preferred path-selection policy to use all the direct paths?
A. least queue depth.
B. round robin.
C. least blocks.
D. weighted paths.
Answer: (SHOW ANSWER)

NEW QUESTION: 8
Which two Interfaces can an administrator use to disable unused Ethernet ports on an ONTAP cluster? (Choose two.)

A. Command line Interface
B. Active IQ Conflg Advisor
C. System Manager
D. Active IQ Unified Manager
Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 9
A SnapVault secondary volume can contain up to _____ Snapshot copies for data protection.
A. 251
B. 255
C. 125
D. Depends on capacity and number of disk drives
Answer: (SHOW ANSWER)

NEW QUESTION: 10
Exhibit:



To remove a cluster setup, you must perform the steps displayed in the exhibit.
A. True
B. False
Answer: (SHOW ANSWER)

NEW QUESTION: 11
Client data that is passed between cluster nodes travels over which links?
A. management network.
B. data network.
C. cluster interconnect.
D. HA interconnect.
Answer: (SHOW ANSWER)

NEW QUESTION: 12
SnapMirror will automatically tiy to restart a transfer after_____.
A. A manual update is interrupted
B. A transfer interrupted by reboot
C. Ail initial transfer is interrupted
D. A scheduled incremental update is interrupted

Answer: D (LEAVE A REPLY)

NEW QUESTION: 13
When creating an S3 bucket using System Manager, ONTAP uses which default performance service level for an AFF?
A. Custom
B. Performance
C. Value
D. Extreme
Answer: D (LEAVE A REPLY)

NEW QUESTION: 14
Which MetroCluster configuration procedure is recommended for re-establishing a mirrored volume that was in a level-0 re synchronization state when it failed?
A. Turn on power to the cluster node at the disaster site.
B. Rejoin the two volumes.
C. Determine which volumes are at the remote and disaster sites.
D. Re-create the synchronous mirror
Answer: (SHOW ANSWER)

NEW QUESTION: 15
Which OSSV package would you use to perform an OSSV unattended installation?
A. svunattendossv
B. svconfigpackager
C. unattendpackager
D. None of the above
Answer: B (LEAVE A REPLY)

NEW QUESTION: 16
Which one of the following commands would you use to rejoin the "mil" volume with the "mir(l)" volume?
A. vol mirror mir -v mir
B. vol minor mil -n mir(l)
C. vol mirror mil -v mir(l)
D. vol mirror mir -c mir(l)
Answer: (SHOW ANSWER)

Valid NS0-164 Dumps shared by TrainingQuiz.com for Helping Passing NS0-164 Exam! TrainingQuiz.com now offer the **newest NS0-164 exam dumps**, the TrainingQuiz.com NS0-164 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NS0-164 dumps with Test

Engine here: https://www.trainingquiz.com/NS0-164-practice-quiz.html (**263** Q&As Dumps, **40%OFF**
Special Discount: Exam-Tests)

NEW QUESTION: 17
Which capacity and parity savings feature is configured at the factory with all AFF systems?
A. RAID4
B. ADP root-data
C. RAID-TEC
D. ADP root-data-data
Answer: D (LEAVE A REPLY)

NEW QUESTION: 18
Refer to the exhibit.

```
Object: resource_headroom_cpu
Instance: CPU_sti2520-213
Start-time: 2/9/2023 16:06:27
End-time: 2/9/2023 16:06:27
Scope: sti2520-213

Counter                          Value
-------------------------------- --------------------------------
ewma_hourly
current_ops                      4376
current_latency                  37719
current_utilization              86
optimal_point_ops                2573
optimal_point_latency            3589
optimal_point_utilization        72
optimal_point_confidence_factor  1
```

Based on the CPU headroom statistics provided for one node in the cluster, what is the available performance capacity?
A. 14
B. -14
C. 72
D. 86
Answer: B (LEAVE A REPLY)

NEW QUESTION: 19
Exhibit:

1. Type cf disable.
2. Unlicense cluster.
3. Remove partner entries for network interfaces from the /etc/rc file.
4. Halt and make sure the partner-sysid is blank.
5. Power down and remove the cluster interconnect card.
6. Perform steps 1-5 above on the partner node.

To remove a cluster setup, you must perform the steps displayed in the exhibit.
A. True
B. False
Answer: A (LEAVE A REPLY)

NEW QUESTION: 20
Which two protocols does Fpolicy support? (Choose two.)
A. FCP
B. iSCSI
C. SMB
D. NFS
Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 21
Which bandwidth does NVMe/TCP support?
A. 50GbE to 1000GbE.
B. 10GbE to 100GbE.
C. 10GbE to 1000GbE.
D. 50GbE to 100GbE.
Answer: B (LEAVE A REPLY)

NEW QUESTION: 22
Which command disables client access to Snapshot copies on a volume called flexvol1?
A. vol options flexvol1 nosnapdir on
B. vol options flexvol1 snapdir off
C. cifs shares-change flexvol1 -nosnap
D. snap access flexvol1 off
E. vol options flexvol1 snapdir on
Answer: (SHOW ANSWER)

NEW QUESTION: 23
When using MetroCluster, identify two methods for restricting access to the disaster site node. (Choose 2)
A. Use the cf forcetakeover-d command.
B. Use manual fencing
C. Turn off power to the disaster site node.
D. Use the cfgiveback-f command.
Answer: (SHOW ANSWER)

NEW QUESTION: 24
Identify the two SnapMirror commands that are entered on the source storage appliance.
A. options snapmirror.access on
B. snapmirror status
C. snapmirror initialize
D. snapmirror resync
Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 25
The snapvault update command is only available on the secondary system.
A. False
B. True
Answer: B (LEAVE A REPLY)

NEW QUESTION: 26
Which part of the NVMe/TCP protocol data unit structure is required in all of the protocol data units (PDUs)?
A. protocol data unit header (HDR).
B. protocol data unit header digest (HDGST).
C. protocol data unit data field (DATA).
D. protocol data unit padding field (PAD).
Answer: (SHOW ANSWER)

NEW QUESTION: 27
Match each management tool to the correct placeholder. (Infrastructure, Automation, Control Plane, Application)
A. Infrastructure: SnapCenter. Automation: BlueXP. Control Plane: REST API. Application: System Manager.
B. Infrastructure: BlueXP. Automation: SnapCenter. Control Plane: System Manager. Application: REST API.
C. Infrastructure: System Manager. Automation: REST API. Control Plane: BlueXP. Application: SnapCenter.
D. Infrastructure: REST API. Automation: BlueXP. Control Plane: SnapCenter. Application: System Manager.
Answer: C (LEAVE A REPLY)

NEW QUESTION: 28
Which ONTAP feature will report real-time inactive data on NAS volumes?
A. Quality of Service
B. FabrlcPool
C. File System Analytics
D. Foreign LUN Import
Answer: C (LEAVE A REPLY)

NEW QUESTION: 29
How does the WAFL file system minimize storage space and performance overhead?
A. records only file changes since the latest Snapshot copy.
B. relocates old blocks to optimize storage space.
C. compresses Snapshot copies to reduce storage overhead.
D. creates separate volumes for storing Snapshot copies.
Answer: A (LEAVE A REPLY)

NEW QUESTION: 30

Fill in the blank for the following statement: To manage a SnapVault backup through a commercial NDMP application, you must specify a_____authorized through that application.
A. volume and qtree
B. user and password
C. SnapVault license
D. directory path
Answer: B (LEAVE A REPLY)

NEW QUESTION: 31
How can you "throttle" Snap Vault updates and baseline transfers so that the primary or secondary is not transmitting data as fast as it can?
A. None of the above
B. Use the -k option in the snapvault start command.
C. SnapVault doesnt support throttling of network throughput
D. Use the snapvault throttle command.
Answer: B (LEAVE A REPLY)

Valid NS0-164 Dumps shared by TrainingQuiz.com for Helping Passing NS0-164 Exam! TrainingQuiz.com now offer the **newest NS0-164 exam dumps**, the TrainingQuiz.com NS0-164 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NS0-164 dumps with Test Engine here: https://www.trainingquiz.com/NS0-164-practice-quiz.html (**263** Q&As Dumps, **40%OFF** **Special Discount: Exam-Tests**)

NEW QUESTION: 32
When Data ONTAP creates a weekly, nightly, or hourly snapshot, the value of n (as shown by the UNIX ls command) is adjusted for all the weekly, nightly, or hourly snapshots. The higher the value of n. the_____the snapshot.
A. older
B. newer
C. more important
D. least important
Answer: (SHOW ANSWER)

NEW QUESTION: 33
Which three of the following configurations would increase data transfer rates for traditional volume SnapMirror?
A. The destination and source contain disks of the same size.
B. The destination and source storage appliances are no further than 30 meters apart.
C. The destination and source contain RAID groups of the same size.

D. The destination and source contain the same number of RAID groups.
Answer: A,C,D (LEAVE A REPLY)

NEW QUESTION: 34
What is the format for snapvault schedule?
A. cnt[@day_Hst][@hour_list]
B. List of dates in ISO Date format
C. crontab format
D. YYYY-MM-DD
Answer: A (LEAVE A REPLY)

NEW QUESTION: 35
What two actions occur automatically if the system detects ransomware activity when Autonomous Ransomware Protection is enabled? (Choose two.)
A. Offline the suspicious volume
B. Block user access
C. Email the administrators
D. Create a new snapshot
Answer: (SHOW ANSWER)

NEW QUESTION: 36
Which two networking components must be configured to failover LIFs across subnets? (Choose two.)
A. BGP
B. VLAN
C. LACP
D. VIP
Answer: (SHOW ANSWER)

NEW QUESTION: 37
SnapVaulr snapshots for SnapLock volumes are deleted automatically according to the retention count set in the SnapVault schedule?
A. False
B. True
Answer: A (LEAVE A REPLY)

NEW QUESTION: 38
Which system is recommended as a secondary system for SnapVault?
A. DataFort
B. NearStore VTL
C. FAS with NearStore license
D. IS1200

Answer: C (LEAVE A REPLY)

NEW QUESTION: 39
Which command allows yon to access the other nodes console after a takeover has occurred?
A. takeover
B. switch
C. toggle
D. partner
Answer: (SHOW ANSWER)

NEW QUESTION: 40
Which two configurations ensure end users are able to restore previous versions of files? (Choose two.)
A. Volume snapshot copy
B. Share previous versions enabled
C. Enable FlexClone operations
D. SVM previous versions enabled
Answer: (SHOW ANSWER)

NEW QUESTION: 41
Match each term with the term's function. (HA pair, local tier, SVM, LIF)
A. HA pair: Logical data server. Local tier: Two nodes for redundancy. SVM: Physical storage. LIF: Network entry point.
B. HA pair: Two nodes for redundancy. Local tier: Physical storage. SVM: Logical data server. LIF: Network entry point.
C. HA pair: Physical storage. Local tier: Network entry point. SVM: Two nodes for redundancy. LIF: Logical data server.
D. HA pair: Network entry point.Local tier: Logical data server.SVM: Two nodes for redundancy. LIF: Physical storage.
Answer: B (LEAVE A REPLY)

NEW QUESTION: 42
Refer to the exhibit.

```
Object: resource_headroom_cpu
Instance: CPU_sti2520-213
Start-time: 2/9/2023 16:06:27
End-time: 2/9/2023 16:06:27
Scope: sti2520-213

Counter                    Value
-------------------------- --------------------------------
ewma_hourly                -
current_ops                4376
current_latency            37719
current_utilization        86
optimal_point_ops          2573
optimal_point_latency      3589
optimal_point_utilization  72
optimal point confidence factor  1
```

DumpsDB dumpsdb.com

Based on the CPU headroom statistics provided for one node in the cluster, what is the available performance capacity?

A. -14

B. 14

C. 86

D. 72

Answer: A (LEAVE A REPLY)

NEW QUESTION: 43

When using SAN protocols, what is the maximum number of nodes that can be added to a four node cluster?

A. 12

B. 24

C. 4

D. 8

Answer: D (LEAVE A REPLY)

NEW QUESTION: 44

Which is true of the SnapVault backup of NetApp storage system?

A. The file is the basic unit for SnapVault backup destination.

B. The directory is the basic unit for SnapVault backup destination.

C. The volume is the basic unit of SnapVault backup destination.

D. The qtree is the basic unit for SnapVault backup destination

Answer: (SHOW ANSWER)

NEW QUESTION: 45

What should be done to non-distuptlvely correct capacity Imbalances in a FlexGroup?

A. Move the FlexGroup to a different aggregate

B. Perform a rebalance of the FlexGroup constituents

C. Move the constituent to a new aggregate

D. Convert the FlexGroup to a FlexVol

Answer: B (LEAVE A REPLY)

NEW QUESTION: 46
What console message is a good indication that the storage appliance is ready to reinstate the cluster from a previous takeover?
A. waiting for takeover
B. resume takeover
C. enter cf giveback
D. waiting for giveback
Answer: D (LEAVE A REPLY)

Valid NS0-164 Dumps shared by TrainingQuiz.com for Helping Passing NS0-164 Exam! TrainingQuiz.com now offer the **newest NS0-164 exam dumps**, the TrainingQuiz.com NS0-164 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NS0-164 dumps with Test Engine here: https://www.trainingquiz.com/NS0-164-practice-quiz.html (**263** Q&As Dumps, **40%OFF** **Special Discount: Exam-Tests**)

NEW QUESTION: 47
Which two tools can be used to actively monitor ONTAP cluster performance? (Choose two.)
A. Active IQ OneCollect
B. Cloud Sync
C. Cloud Insights
D. Active IQ Unified Manager
Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 48
Which two statements about SnapMirror Business Continuity are true? (Choose two.).
A. is hardware, network, and storage agnostic.
B. provides granular application protection.
C. provides complete cluster protection.
D. provides support for iSCSI and FC protocols.
Answer: (SHOW ANSWER)

NEW QUESTION: 49
To remove a cluster setup, you must perform the following steps.
1. Type cf disable.
2. Unlicense cluster.
3. Remove partner entries for network interfaces from the /etc/rc file.
4. Halt and make sine the partner-sysid is blank.

5. Power down and remove the cluster interconnect card.
6. Perform steps 1-5 above on the partner node.
A. False
B. True
Answer: B (LEAVE A REPLY)

NEW QUESTION: 50
Which NetApp technology enables third-party backup software to facilitate asynchronous Snapshot replication from ONTAP software to object storage endpoints?
A. SnapMirror Cloud.
B. MetroCluster.
C. SyncMirror.
D. SnapCenter.
Answer: A (LEAVE A REPLY)

NEW QUESTION: 51
Which one of the following statements is not true when using SnapRestore?
A. The volume to be reverted must not be a SnapMirror destination mirror.
B. The volume must be online.
C. SnapRestore must be licensed before you can use it.
D. The options snaprestore <vol_path_name> enable on option must be enabled.
Answer: D (LEAVE A REPLY)

NEW QUESTION: 52
Fill in the blanks for the following statement:
The qtree specified for_____must not exist on the secondary system before you run the_____command.
A. pri_qtree_path. snapvault enable
B. sec_qtree_path. snapvault enable
C. sec_qtree_path. snapvault start
D. pri_qtree_path. snapvault start
Answer: C (LEAVE A REPLY)

NEW QUESTION: 53
For a configuration change to be effective when using the OSSV configurator, the OSSV service must be restarted.
A. True
B. False
Answer: A (LEAVE A REPLY)

NEW QUESTION: 54

When using a Protection Manager policy to manage Open Systems SnapVault backups on a UNIX server, which three are valid objects to include in the data set? (Choose three.)

A. A qtree

B. a file

C. The entire client

D. A directory

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 55

Which statement about LIF failover policies is true?

A. Failover policies define how ports are selected during LIF failover.

B. Failover policies can be created to control LIF failover behavior.

C. Failover policies define how LIFs are assignated to failover groups.

D. Failover policies are assigned to failover groups.

Answer: (SHOW ANSWER)

NEW QUESTION: 56

Which Data ONTAP option would you enable to set system wide throttling for all transfers?

A. options transfer.throttle.enable

B. options replication.throttle.enable

C. options transfer.wide.enable

D. options replication.wide.enable

Answer: (SHOW ANSWER)

NEW QUESTION: 57

Which types of data compression are available in NetApp ONTAP software?

A. inline and preprocess.

B. inline and reclaimable.

C. inline and external.

D. inline and postprocess.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 58

Which two tools should an administrator use to monitor system performance in real time? (Choose two.)

A. ActiveIQ Unified Manager

B. ONTAP CU

C. ONTAP System Manager

D. AetivelQ Conflg Advisor

Answer: (SHOW ANSWER)

NEW QUESTION: 59

Which tool can be used to deploy Cloud Volumes ONTAP?

A. BlueXP

B. Active IQ

C. CloudCheckr

D. Conflg Advisor

Answer: A (LEAVE A REPLY)

NEW QUESTION: 60

Refer to the exhibit.



An administrator creates a new qtree and an associated export policy. When the client tries to connect, they are denied.

What should the administrator do?

A. Update the superuser entry lo "any" in the volume export-policy

B. Replace the IP with the client hostname in the qtree export policy

C. Add the new host IP with at least read access to the volume export-policy

D. Add a new rule in the qtree export policy in allow read-write access for the new host

Answer: (SHOW ANSWER)

NEW QUESTION: 61

Which statement is true?

A. When NetApp ONTAP writes changes to disk, the changed version of the block is overwritten.

B. Data can be written to a NetApp Snapshot copy.

C. SVM data mobility is a process of transferring data from a virtual machine to a physical machine.

D. Qtrees can be used to manage quotas and security styles.

Answer: D (LEAVE A REPLY)

Valid NS0-164 Dumps shared by TrainingQuiz.com for Helping Passing NS0-164 Exam! TrainingQuiz.com now offer the **newest NS0-164 exam dumps**, the TrainingQuiz.com NS0-164 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NS0-164 dumps with Test Engine here: https://www.trainingquiz.com/NS0-164-practice-quiz.html (**263** Q&As Dumps, **40%OFF** **Special Discount: Exam-Tests**)

NEW QUESTION: 62
Which ONTAP feature will allow WORM and non-WORM volumes in the same aggregate?
A. SnapLock Compliance
B. SnapLock Enterprise
C. Unified Aggregate
D. NetApp Aggregate Encryption
Answer: C (LEAVE A REPLY)

NEW QUESTION: 63
For DOT 7.3 and higher, which is true about SnapVault or Open Systems SnapVault and deduplication?
A. Deduplication is not supported with SnapVault/ Open Systems SnapVault.
B. Deduplication is recommended for SnapVault primary systems because it replicates data in a deduplicated state
C. A deduplication schedule can be enabled for SnapVault secondary systems.
D. When enabled on the secondary system, deduplication runs after each SnapVault / Open Systems SnapVault transfer.
Answer: D (LEAVE A REPLY)

NEW QUESTION: 64
Which two data compression method does NetApp ONTAP provide? (Choose two).
A. incremental.
B. external.
C. inline.
D. postprocess.
Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 65
An aggregate is composed of twelve 36-Gigabyte disks. A drive fails and only 72-Gigabyte spare disks are available Data ONTAP will then perform what action?
A. alerts you that there are no 36-Gigabyte disks and wait for one to be inserted
B. chooses a 72-Gigabyte disk and right-size it
C. chooses a 72-Gigabyte disk and use it as is
D. halts after 24 hours of running in degraded mode
Answer: B (LEAVE A REPLY)

NEW QUESTION: 66
In ONTAP 9.12, what allows an S3 permission to read existing NFS files as objects?
A. NFS export
B. Security certificate
C. User mapping
D. SMB share
Answer: C (LEAVE A REPLY)

NEW QUESTION: 67
In which two tools can an administrator identify security vulnerabilities and receive actionable intelligence? (Choose two.)
A. BlueXP Classification
B. ONTAP System Manager
C. NetApp Harvest 2.0
D. Active IQ Digital Advisor
Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 68
Which statement describes the results of the snapmirror resync command?
A. Resynchronization will cause the loss of all data written to the destination after the original base snapshot was made.
B. Resynchronization will update the snapshot on the destination filer.
C. Resynchronization will update the snapshot on the source filer
D. Resynchronization finds the newest common snapshot shared by the two volumes or qtrees, and removes all newer information on the storage appliance on which the command is run.
Answer: D (LEAVE A REPLY)

NEW QUESTION: 69
An administrator Is troubleshooting failover to an ONTAP SVM-DR destination cluster. The failover test works but stops replication. The administrator has a requirement to keep SnapMirror replication running while performing the failover test.
What ONTAP feature will accomplish this task?
A. SMS
B. SnapRestore
C. FlexClone
D. SM-BC
Answer: D (LEAVE A REPLY)

NEW QUESTION: 70
If an error message indicates that the cluster interconnect adapter itself is faulty, what is your corrective action?

A. Check the cabling of the Channel A disk shelf loop and reseat and tighten any loose cables.
B. Re-cable the cluster interconnect adapter or replace the adapter if needed.
C. Check the cabling of the Channel B disk shelf loop and reseat and tighten any loose cables.
D. Check for network activity.
Answer: B (LEAVE A REPLY)

NEW QUESTION: 71
A volume called svm1_vol2 is created on the aggr2 aggregated and mounted to the junction path /svm1/vol2. An administrator moves the volume to the aggr1 aggregate. After the move, what is the path to the volume?
A. /vol/svm1_vol2.
B. /svm1/vol2.
C. /aggr1/svm1_vol2.
D. /aggr1/svm1/svm1_vol2.
Answer: B (LEAVE A REPLY)

NEW QUESTION: 72
Which two upgrade types can group HA pairs that are upgrade together? (Choose two).
A. automated upgrade.
B. hardware upgrade.
C. batch upgrade.
D. rolling upgrade.
Answer: (SHOW ANSWER)

NEW QUESTION: 73
Which two of the following statements apply to the fs_size_fixed volume option?
A. This option is automatically set to be on when a volume becomes a Snap Mirrored volume
B. This option causes the file system to remain the same size and not grow or shrink when a Snap Mirrored volume relationship is broken
C. The option turns to off after the snapmirror break command is issued for the volume
D. The default setting is on
Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 74
What needs to be enabled on an ONTAP SMB share to increase data throughput and fault tolerance for Microsoft SQL Server databases?
A. Round-robin
B. Multipathing
C. Multi-channel
D. Initiator group
Answer: C (LEAVE A REPLY)

NEW QUESTION: 75
In a synchronous SnapMirror configuration, the source storage appliance exhibits high latency due to user traffic and rapid data change from SnapMirror transactions. Which one of the following tuning methods best resolves this performance behavior? Edit the /etc/snapmirror.conf file on the destination storage appliance and set:
A. outstanding=3s
B. src con=3
C. visibility_interval=3s
D. cksum=3s
Answer: A (LEAVE A REPLY)

NEW QUESTION: 76
Which one of the following SyncMirror commands would you use to mirror an existing unmirrored volume where Data ONTAP selects the disk drives?
A. vol mirror volY -d 12@144
B. vol minor volY -m 12@144
C. vol mirror volY
D. vol miiTor volY -m
Answer: C (LEAVE A REPLY)

Valid NS0-164 Dumps shared by TrainingQuiz.com for Helping Passing NS0-164 Exam! TrainingQuiz.com now offer the **newest NS0-164 exam dumps**, the TrainingQuiz.com NS0-164 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NS0-164 dumps with Test Engine here: https://www.trainingquiz.com/NS0-164-practice-quiz.html (**263** Q&As Dumps, **40%OFF** **Special Discount: Exam-Tests**)

NEW QUESTION: 77
Which SyncMirror command mirrors an existing unmirrored aggregate where Data ONTAP selects the disk drives?
A. aggr mirror aggrY-m 12@ 144
B. aggr mirror aggrY-d 12@ 144
C. aggr mirror aggrY-m
D. aggr mirror aggrY
Answer: D (LEAVE A REPLY)

NEW QUESTION: 78
After configuring an ONTAP duster for SAN access, the administrator is notified that the cluster nodes are connected to separate fc switches.
Given the following output:

```
 (network fcp adapter show)
ode            adapter switch-port
-------------  ------- ----------------
ode-01         1a      sw-SAN-A:0
ode-01         1b      -
ode-01         1c      -
ode-01         1d      sw-SAN-A:4
ode-02         1a      sw-SAN-B:4
ode-02         1b      -
ode-02         1c      -
ode-02         1d      sw-SAN-B:0
```

What action will correct the redundancy issue?

A. swap cable at node-01 / lb with cable at node-02 / lb

B. swap cable at node-01 / la with cable at node-01 / Id

C. swap cable at node-01 / lc with cable at node-02 / lc

D. swap cable at node-01 / Id with cable at node-02 / Id

Answer: D (LEAVE A REPLY)

NEW QUESTION: 79

How would you initiate a cluster takeover of filer2 from filer 1?

A. filer2> cf giveback

B. filerl> cf giveback

C. filer 1> cf takeover

D. filer2> cf takeover

Answer: C (LEAVE A REPLY)

NEW QUESTION: 80

The snapvault snap create volume snapname command can be executed on the_____.

A. primary system only

B. secondary system only

C. secondary or primary appliance systems

D. open systems

Answer: C (LEAVE A REPLY)

NEW QUESTION: 81

In a Fabric Attached MetroCluster, a "disaster" is described as a:

A. Failure of the Inter-Switch-Links (ISL)

B. Malfunction of the Fiber Channel adapter on the cluster node

C. Failure of the interconnect cable

D. Prolonged communication disruption

Answer: D (LEAVE A REPLY)

NEW QUESTION: 82

In a Fabric Attached Metro Cluster, disk ownership by a node is determined by_____.

A. the types of disks used in the cluster.
B. the ports on the FC HBA.
C. where the FC HBAs for disks connect into the switch, and by where the disks connect to the switch banks.
D. the slots in which the FC HBA is installed.
Answer: C (LEAVE A REPLY)

NEW QUESTION: 83
An administrator has an existing FlexVol accessed by Linux hosts over NFSv3. A CIFS share to the same FlexVol was created for SMB access. Windows users are unable to view the share. CIFS share permissions allow for read and write access for the Windows users.
What does the administrator need to modify to allow SMB access?
A. User mapping
B. Security style
C. Export policies
D. Junction paths
Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 84
Which method should an administrator use to make sure all data In a local tier cannot be read If the underlying device Is repurposed, returned, misplaced, or stolen?
A. SnapLock volumes
B. SMB encryption
C. Self-encrypting drives
D. Multi-admin authentication
Answer: (SHOW ANSWER)

NEW QUESTION: 85
You want to create an automated test environment that performs a single file SnapRestore. Every time you run the procedure, however, SnapRestore prompts you to confirm your decision to revert the file. How can you automate this step?
A. Enable the options snaprestore_noprompts enable=on option.
B. Use the -f option with the snap restore command.
C. These prompts are for data protection and auditing and cannot be overridden.
D. Enter the priv set advanced mode on the storage appliance and the prompt will not appear.
Answer: (SHOW ANSWER)

NEW QUESTION: 86
When adding an iSCSI initiator identifier to an initiator group, which identifier should you use?
A. software initiator iSCSI Qualified Name (IQN).
B. Target Portal Group (TPG) tag.
C. host bus adaptor (HBA) worldwide node name (WWNN).

D. host bus adapter (HBA) worldwide port name (WWPN).
Answer: A (LEAVE A REPLY)

NEW QUESTION: 87
Which command creates a new SyncMirror aggregate, letting Data ONTAP select the disk drives?
A. aggr mirror aggrX-n 12
B. aggr create aggrX-m 12
C. aggr create aggrX-d 12
D. aggr mirror aggrX-m 12
Answer: (SHOW ANSWER)

NEW QUESTION: 88
Which native ONTAP feature allows an administrator to block a Windows user from writing files with the.crypto extension?
A. Kerberos
B. IP-SEC
C. FPolicy
D. FIPS
Answer: C (LEAVE A REPLY)

NEW QUESTION: 89
What user-controllable security mechanism is built into OSSV?
A. Via/etc/hosts.equiv file
B. MD5 based authentication between SnapVault primary and secondary, with changeable password
C. Contents inside a file called access and located in OSSV <installdir>/snapvault/etc
D. QSM access list modifiable via svconfigurator
Answer: D (LEAVE A REPLY)

NEW QUESTION: 90
Which one of the following would you use to change the NDMP password on the Open System SnapVault agent?
A. svpasswd
B. svpassword <new_password>
C. password
D. password <new_password>
Answer: (SHOW ANSWER)

NEW QUESTION: 91
Which one of the following keywords alone can be used to convert an asynchronous mirror to be synchornous?
A. cksum
B. sync

C. outstanding
D. src_con
Answer: B (LEAVE A REPLY)

Valid NS0-164 Dumps shared by TrainingQuiz.com for Helping Passing NS0-164 Exam! TrainingQuiz.com now offer the **newest NS0-164 exam dumps**, the TrainingQuiz.com NS0-164 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NS0-164 dumps with Test Engine here: https://www.trainingquiz.com/NS0-164-practice-quiz.html (**263** Q&As Dumps, **40%OFF** **Special Discount: Exam-Tests**)

NEW QUESTION: 92
An administrator wants to scale out storage performance for real time read-intensive workloads across multiple controllers.
Which two NetApp ONTAP features accomplish this task? (Choose two.)
A. FlexClone
B. FlexVol
C. FlexCache
D. FlexGroup
Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 93
By which method does Cloud Volumes ONTAP contribute to business continuity and disaster recovery?
A. enabling a secondary disaster recovery site in the public cloud.
B. providing automatic failover capabilities.
C. maintaining multiple data centers.
D. ensuring real-time data analytics.
Answer: (SHOW ANSWER)

NEW QUESTION: 94
What is the definition of an interface group?
A. a type of software that aneblaes users to access and manage network resources from a centralized location.
B. a type of network protocol that is used to transfer data between devices on a LAN.
C. a security feature that allows access control to network resources based on user indentity.
D. a group of physical network interfaces that combine to create a single LIF with higher bandwidth and redundancy.
Answer: D (LEAVE A REPLY)

NEW QUESTION: 95
Which one of the following does SnapRestore revert?

A. Volume option settings
B. RAID group size
C. Snapshot schedules
D. File content
Answer: D (LEAVE A REPLY)

NEW QUESTION: 96
Which FC network feature must be enabled on a switch port to support FC LIFs?
A. Link Aggregation Control Protocol (LACP).
B. N _ Port ID virtualization (NPIV).
C. quality of service (QoS).
D. unified target adapter (UTA).
Answer: B (LEAVE A REPLY)

NEW QUESTION: 97
Which one of the following statements does not apply to the SnapMirror visibility-interval variable?
A. The smallest interval value supported is 30 seconds
B. By setting a value, you specify the amount of time before an automatic snapshot is created on the source volume that is synchronously mirrored
C. This variable controls the view of the data on the destination system
D. The default interval value is 5 minutes
Answer: (SHOW ANSWER)

NEW QUESTION: 98
One method of configuring an interface for takeover is to enter ifconfig interface partner address at the command line. To make tins configuration persistent across reboots, you must enter tins information in the_____file for each appliance.
A. /voL'volO/home
B. /etc/rc
C. /vol/volO/mount
D. /etc/hosts
Answer: (SHOW ANSWER)

NEW QUESTION: 99
You can unlicense the cluster feature only in mode with cluster
A. takeover, enabled
B. takeover, disabled
C. normal, disabled
D. normal, enabled
Answer: (SHOW ANSWER)

NEW QUESTION: 100
Which three are true when creating a SyncMirror volume? (Choose 3)
A. The disks selected for Plex 0 and Plex 1 must come from the same disk pools.
B. The number of disks selected for one plex must equal the number of disks selected from the other plex.
C. The number of disks added must be an even number and equally divided between the two plexes.
D. The disks are selected first on the basis of equivalent bytes per sector (bps) size, then on the basis of the size of the disk. If there is no equivalent-sized disk, Data ONTAP takes a larger capacity disk and downsizes it.
Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 101
When adding an FC initiator identifier to an initiator group, which identifier should you use?
A. Target Portal Group (TPG) tag.
B. host bus adapter (HBA) worldwide port name (WWPN).
C. host bus adaptor (HBA) worldwide node name (WWNN).
D. software initiator iSCSI Qualified Name (IQN).
Answer: B (LEAVE A REPLY)

NEW QUESTION: 102
The two copies of a SyncMirror volume are called_____. Each_____is a physical copy of the same file system and consists of one or more RAID groups.
A. qtrees. qtree
B. plexes. plex
C. snapshots, snapshot
D. volumes, volume
Answer: B (LEAVE A REPLY)

NEW QUESTION: 103
After an unexpected ONTAP node reboot, an administrator notices that the NAS data LIFs are not on their home port.
Which UF configuration would modify this behavior?
A. -failover-group
B. -auto-revert
C. -home-port
D. -service-policy
Answer: C (LEAVE A REPLY)

NEW QUESTION: 104
Which two supported methods would you use to restore data from a SnapVault for Net Backup Volume?
A. Use the Net Backup Administration Console
B. Use drag-and-drop technologies
C. Use the SnapRestore Data ONTAP service

D. Use the snapvault restore Data ONTAP command
Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 105
What command would you enter to restore the /vol/flexvol0/etc/rc file from a snapshot to the /vol/flexvol0/home directory?
A. snap restore -s /vol/flexvol0/home/rc /vol/flexvol0/etc/rc
B. snap restore -r vol /vol/flexvol0/home/rc /vol/flexvol0/etc/rc
C. snap restore -t /vol/flexvol0/home/rc /vol/flexvol0/etc/rc
D. snap restore -t file -r /vol/flexvol0/home/rc /vol/flexvol0/etc/rc
Answer: D (LEAVE A REPLY)

NEW QUESTION: 106
By which method does unified replication enhance data protection?
A. automating the disaster recovery process.
B. simplifying the retention process.
C. optimizing storage space for archived data.
D. combining mirror capabilities and vault capabilities.
Answer: D (LEAVE A REPLY)

Valid NS0-164 Dumps shared by TrainingQuiz.com for Helping Passing NS0-164 Exam! TrainingQuiz.com now offer the **newest NS0-164 exam dumps**, the TrainingQuiz.com NS0-164 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NS0-164 dumps with Test Engine here: https://www.trainingquiz.com/NS0-164-practice-quiz.html (**263** Q&As Dumps, **40%OFF** **Special Discount: Exam-Tests**)

NEW QUESTION: 107
For aggregates or traditional volume SyncMirror to work correctly, the configuration of each plex must be identical with regard to_____.
A. NVRAM.
B. Mirrored snapshots.
C. RAID groups and disk sizes.
D. NDMP and snapshots.
Answer: C (LEAVE A REPLY)

NEW QUESTION: 108
The required hardware to add SyncMirror to an existing Clustered Failover system consists of:
A. Disk shelves and cluster interconnect
B. Disk shelves and termination switches

C. Disk shelves, adapters and cabling
D. Disk shelves and cabling
Answer: (SHOW ANSWER)

NEW QUESTION: 109
Which one of the following statements is not true of SnapLock volumes?
A. SnapLock volumes support SnapMirror.
B. There are two types of SnapLock volumes.
C. SnapLock volumes are supported on the gFiler appliance.
D. SnapLock volumes support per-file retention periods.
Answer: C (LEAVE A REPLY)

NEW QUESTION: 110
What is the default FabricPool tiering policy for a newly created volume?
A. auto
B. snapshot-only
C. none
D. all
Answer: B (LEAVE A REPLY)

Valid NS0-164 Dumps shared by TrainingQuiz.com for Helping Passing NS0-164 Exam! TrainingQuiz.com now offer the **newest NS0-164 exam dumps**, the TrainingQuiz.com NS0-164 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NS0-164 dumps with Test Engine here: https://www.trainingquiz.com/NS0-164-practice-quiz.html (**263** Q&As Dumps, **40%OFF** **Special Discount: Exam-Tests**)