

NetworkAppliance.NS0-403.v2022-12-05.q47

Exam Code:	NS0-403
Exam Name:	NetApp Certified Hybrid Cloud - Implementation Engineer
Certification Provider:	Network Appliance
Free Question Number:	47
Version:	v2022-12-05
# of views:	1105
# of Questions views:	470
https://www.dumpsdb.com/dumps/NetworkAppliance/NS0-403/NetworkAppliance.NS0-403.v2022-12-05.q47	

NEW QUESTION: 1

You are using NetApp Cloud Sync to replicate NFS to S3 as shown in the exhibit.



Source

nfs://217.70.21.18



Target

s3://medium



On-Prem Data Bro...

on-prem1

Schedule [ON] | No Tags

Sync Completed

Initial Copy

A few seconds ago | Duration: < 1 min

Copied692 Files | 5.08 TB

Deleted0 Files

Failed4 Files | 241.28 MB

Which network connection is required for the replication service?

Response:

- A. The NFS server needs a VPN connection to the S3 endpoint.
- B. The NFS server must be on the same subnet as the S3 endpoint.
- C. The data broker needs an outbound Internet connection.
- D. The data broker needs an inbound Internet connection.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 2

You are creating a new meme generation application and are using containers for service chaining. The end user uploads the original image to one container, the image resolution modifier to another container, and the text overlay to a third container.

In this scenario, knowing that you have NetApp ONTAP storage available to you, which solution will allow each container to access the same data?

Response:

- A.** Presenting the same LUN to all of your nodes' underlying OS will make that storage available to the container as well.
- B.** Provision a persistent volume using Trident, and then have Kubernetes claim this volume, as necessary, to provide the same storage to each container.
- C.** Re-encode the binary data into MIME64, and pass it as a string when instantiating new containers.
- D.** Use the same container image for all three tasks and the data will exist because data in containers is persistent.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 3

A customer requires WORM storage in the cloud. In this scenario, which two combined NetApp technologies support this requirement? (Choose two.)

Response:

- A.** Cloud Volumes ONTAP
- B.** SnapLock Compliance
- C.** Cloud Volumes Service
- D.** SnapLock Enterprise

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which process refers to the automated release of new applications into production?

Response:

- A.** continuous improvement
- B.** continuous feedback
- C.** continuous integration
- D.** continuous deployment

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 5

You have a 4-node AFF A800 cluster that is serving file data. You are required to replicate copies of the data volumes directly to Amazon S3.

In this scenario, which two NetApp tools satisfy this requirement? (Choose two.)

- A.** XCP
- B.** Cloud Sync
- C.** SnapMirror Cloud
- D.** FabricPool

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 6

Your customer has problems scaling their on-premises compute infrastructure for their Apache Spark clusters; costs are growing rapidly.

The customer wants to move their Spark applications to the cloud but is concerned about the difficulty of provisioning and managing their Spark clusters in the cloud and the associated compute costs for hosting their workloads.

Which product would satisfy their requirements?

Response:

- A. Spot Wave by NetApp
- B. NetApp Cloud Volumes ONTAP
- C. NetApp Astra Control
- D. NetApp ONTAP AI

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 7

You want to add your NetApp StorageGRID embedded Prometheus instance as a data source to Grafana. What must be done to accomplish this task?

- A. Reboot the StorageGRID primary admin
- B. Deploy a gateway node in StorageGRID.
- C. Unblock port 9090 on the StorageGRID primary admin node.
- D. Create a dashboard for StorageGRID in Grafana.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

You have an application that runs once per month to provide analytics and report generation. You are asked to use cloud compute resources to run this application. However, your existing environment consists of a single AFF A300 HA pair.

In this scenario, which two actions would satisfy the requirements?

(Choose two.)

Response:

- A. Configure FabricPool on existing aggregates by using Amazon Simple Storage Service (Amazon S3).
- B. Use the NetApp Cloud Backup Service.
- C. Use the NetApp Cloud Sync service.
- D. Use the NetApp Cloud Volumes Service in AWS.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 9

Which three volume workflows are supported by Trident for Kubernetes?

(Choose three.)

Response:

- A. volume snapshots
- B. volume replication
- C. volume import
- D. volume clone
- E. LUN resize

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 10

A customer has deployed a NetApp HCI environment and has configured SnapMirror replication relationships to Cloud Volumes ONTAP in AWS. After migrating Cloud Manager from on-premises to AWS, the customer can no longer create new replication relationships between existing environments.

The Cloud Manager can access the Cloud Volumes ONTAP working environment and the current SnapMirror relationships continue to make successful transfers of data.

In this scenario, where would you locate the source of the problem?

Response:

- A.** The IAM role for Cloud Manager EC2 instance.
- B.** The routing table for the subnet where Cloud Volumes ONTAP resides.
- C.** The Security Group for the Cloud Volumes ONTAP EC2 instance.
- D.** The EC2 type of the Cloud Manager EC2 instance.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 11

Your company uses all four of NetApp's storage offerings: ONTAP, StorageGRID, Element, and E-Series.

You are asked to provide persistent storage to the OpenShift group by using NFS.

In this scenario, which of the available storage deployments would provide access?

- A.** ONTAP Select
- B.** StorageGRID
- C.** E-Series
- D.** Element

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 12

Your development team wants to create a separate workspace for staging within your NetApp Cloud Central account. Appropriate user rights for this workspace must be assigned to one developer on the team.

In this scenario, which role would you assign to this developer?

Response:

- A.** Workspace Admin
- B.** Account Manager
- C.** Group Admin
- D.** Account Admin

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 13

You are working with your development team to automate the deployment of Cloud Volumes ONTAP instances across various hyperscalers. The developers are asking you for specific RESTful API calls and other details to facilitate the automation.

In this scenario, which two links would you provide to them? (Choose two.)

- A.** the link to the API documentation on readthedocs.io

- B. the link to the API documentation on cloud.netapp.com
- C. the link to the Swagger interface found on the connector instance
- D. the link to the Swagger interface found on cloud.netapp.com

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 14

You are researching different automation frameworks. One of the main features that you are seeking is the ability to provide an end state of what a particular environment should look like versus needing to define each step that is required to get to the end state.


In this scenario, which keyword should you be looking for as you research various automation frameworks?

- A. imperative
- B. RESTful
- C. interrogative
- D. declarative

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

Click the Exhibit button.



You are using NetApp Cloud Manager to set up replication, as shown in the exhibit.

Which two replication policies are supported in this scenario? (Choose two.)

- A. Clone
- B. Backup
- C. Mirror
- D. Tier

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 16

An IT administrator needs to query image metadata of an OpenStack server using the REST API. Which REST API method would accomplish this task?

Response:

- A. DELETE
- B. POST
- C. PUT

D. GET

Answer: D ([LEAVE A REPLY](#))

Valid NS0-403 Dumps shared by TrainingQuiz.com for Helping Passing NS0-403 Exam! TrainingQuiz.com now offer the **newest NS0-403 exam dumps**, the TrainingQuiz.com NS0-403 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NS0-403 dumps with Test Engine here: <https://www.trainingquiz.com/NS0-403-practice-quiz.html> (128 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

You are performing a default deployment using Kubernetes. In this scenario, where is persistent data stored?

Response:

- A. on a random worker node
- B. on every worker node
- C. on the master node
- D. on the worker node with the pod

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 18

A customer wants their main data set to be stored in their primary location while providing a writable, persistent cache in another location closer to the consumer.

Which two solutions will satisfy the customer's requirements? (Choose two.)

- A. Deploy an FAS8300 with FlashCache in their primary location and export the share to the VPN IPspace.
- B. Deploy Cloud Volumes ONTAP in their primary location and Cloud Volumes ONTAP with FlexCache on a public cloud region nearest to the consumer.
- C. Deploy Cloud Volumes ONTAP in their primary location and ONTAP Select with FlexCache at the consumer site.
- D. Deploy Cloud Volumes ONTAP with FlexCache in their primary location and ONTAP Select at the consumer site.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 19

Your company asks you to deploy a new version control management system. In this scenario, which two tools would accomplish this task?

(Choose two.)

Response:

- A. GitHub
- B. SourceForge
- C. Confluence
- D. ALM

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

You have existing OnCommand Workflow Automation workflows. You are required to run these existing workflows in Ansible.

```
---
- hosts: localhost
  gather_facts: false
  name: wfa test
  vars:
    username: "admin"
    password: "Netapp123!"
    workflow_name: "Create a Cron Schedule"
  tasks:
    - name: get workflow
      uri:
        url:
          "https://<wfa_host>/rest/workflows?
name=
{{ workflow_name|urlencode }}"
        validate_certs: false
        user: "{{ username }}"
        password:
          "{{ password }}"
        method: GET
        headers:
          Accept:
            application/json
        register: get_response
    - debug:
        msg="{{ get_response.json
[0].uuid }}"
```

When you run the playbook that is shown in the exhibit, what is displayed?

Response:

- A. headers
- B. YAML
- C. UUID
- D. XML

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

You are asked to administer your NetApp Cloud Central account settings to manage users, service accounts, workspaces, connectors, and subscriptions.

In this scenario, which REST API would you access?

- A. Cloud Manager API
- B. Tenancy API
- C. AWS API
- D. ONTAP API

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 22

You have an AFF A400 system with NetApp ONTAP 9.8 installed. You want to configure the NetApp Cloud Tiering service to tier data to AWS object storage. The communication between your cluster and the AWS cloud needs to be encrypted. You have installed the FabricPool license, but your ONTAP cluster cannot reach the S3 bucket.

Which two configurations are causing the error? (Choose two.)

- A.** You have not configured a LIF with the intercluster role.
- B.** You have not configured your firewall to allow outbound traffic on port 443.
- C.** You have not configured a LIF with a public IP address.
- D.** You have not configured the TLS encryption.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 23

You are setting up a DevOps practice for your company. In this scenario, which three tools would you use?

(Choose three.)

Response:

- A.** ConfigAdvisor
- B.** Github
- C.** ConfigBuilder
- D.** Jenkins
- E.** Docker

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 24

You have FabricPool enabled for an on-premises AFF system. FabricPool is connected to Azure Blob storage. In this scenario, which configuration is required for high availability of data access in the hybrid aggregate?


Response:

- A.** Duplicate the Azure Managed disk to another Availability Zone.
- B.** Mirror the Blob storage container to another Azure region.
- C.** Create redundant VPN or Express Route connections.
- D.** Create multiple gateway subnets.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 25

Exhibit:



You deployed a Cloud Volumes ONTAP HA pair, and NetApp Cloud Manager automatically provisioned load balancers as shown in the exhibit. You are troubleshooting cross-region traffic and are asked to open a support ticket to enable global access on the load balancers. In this scenario, which public cloud provider would you call to open the ticket?

Response:

- A. AWS
- B. Azure
- C. Google Cloud
- D. IBM

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

Your customer is writing a curl command to test an API call to deploy Cloud Volumes ONTAP for AWS. They want to know what the content-Type parameter should be set to in the header of the HTTP request.

In this scenario, what would you tell the customer?

- A. Set the parameter to text/plain.
- B. Set the parameter to application/xml
- C. Set the parameter to text/html.
- D. Set the parameter to application/json

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 27

A team compiles a group of artifacts locally. The team decides to allow an automatic process to deploy the compiled artifacts to a production server.

In this scenario, which step was skipped in the DevOps process?

- A. continuous delivery

- B. continuous integration
- C. continuous deployment
- D. continuous builds

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 28

An organization is implementing infrastructure as code to deploy NetApp Cloud Volumes ONTAP instances. In this scenario, what are two ways in which this implementation improves operation efficiencies? (Choose two.)

- A. Defining the system as code makes it more secure.
- B. Deployment failures are automatically resolved by configuration management.
- C. System configurations can be version controlled.
- D. Best practices can be implemented directly into configurations.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 29

You are building a software program for a car dealer to manage their asset inventory.

```
{
  "cars": [
    { "brand": "Ford",
      "models": [ "Fiesta", "Focus",
        "Mustang" ] },
    { "brand": "BMW", "models":
      [ "320", "X3", "X5" ] },
    { "brand": "Fiat",
      "models": [ "500", "Panda" ] }
  ]
}
```

Referring to the exhibit, which statement is correct about the number and the array name in this JSON output?

Response:

- A. one array; cars
- B. three arrays; cars, brand, and models
- C. four arrays; cars and models
- D. two arrays; cars and models

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 30

You are automating the build process of several NetApp ONTAP Select instances. You want to automate the installation of license keys using the ONTAP REST API that is expecting an array as valid input.

Which automation process is correct in this scenario?

Response:

```
{
  "keys":
  ["KQSRRRRRYVHXC FABGAAAAAAAAAAAA, SOHOURRRYVHXC FABGAAAAAAAAAAAA,
  EJFDVRRRYVHXC FABGAAAAAAAAAAAA"]
}
```

A.

```
{
  keys:
  "KQSRRRRRYVHXC FABGAAAAAAAAAAAA, SOHOURRRYVHXC FABGAAAAAAAAAAAA,
  EJFDVRRRYVHXC FABGAAAAAAAAAAAA"
}
```

B.

```
{
  "keys": @ ("KQSRRRRRYVHXC FABGAAAAAAAAAAAA,
  SOHOURRRYVHXC FABGAAAAAAAAAAAA, EJFDVRRRYVHXC FABGAAAAAAAAAAAA")
}
```

C.

```
{
  "key1": KQSRRRRRYVHXC FABGAAAAAAAAAAAA
  "key2": SOHOURRRYVHXC FABGAAAAAAAAAAAA
  "key3": EJFDVRRRYVHXC FABGAAAAAAAAAAAA
}
```

D.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 31

You used a Terraform configuration to create a number of resources in Google Cloud for testing your applications. You have completed the tests and you no longer need the infrastructure. You want to delete all of the resources and save costs.

In this scenario, which command would you use to satisfy the requirements?

- A. terraform apply
- B. terraform destroy
- C. terraform force-unlock
- D. terraform untaint

Answer: B ([LEAVE A REPLY](#))

Valid NS0-403 Dumps shared by TrainingQuiz.com for Helping Passing NS0-403 Exam! TrainingQuiz.com now offer the **newest NS0-403 exam dumps**, the TrainingQuiz.com NS0-403 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NS0-403 dumps with Test Engine here: <https://www.trainingquiz.com/NS0-403-practice-quiz.html> (128 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

You are creating an Ansible playbook to deploy a NetApp ONTAP cluster. You want to take advantage of a loop to automate the creation of several volumes.

What would accomplish this task?

A)

```
- name: Volume Create
na_ontap_volume:
  state: absent
  name: "{{ item }}"
  vserver: "my_svm"
  aggregate_name: "aggr0"
  size: 10
  size_unit: gb
  policy: default
  junction_path: "/{{ item }}"
loop:
  - vol1
  - vol2
  - vol3
```

B)

```
- name: Volume Create
na_ontap_aggregate:
  state: present
  name: "{{ item }}"
  vserver: "my_svm"
  aggregate_name: "aggr0"
  size: 10
  size_unit: gb
  policy: default
  junction_path: "/{{ item }}"
loop:
  - vol1
  - vol2
  - vol3
```

C)

```
- name: Volume Create
na_ontap_volume:
  state: present
  name: "{{ vol1,vol2,vol3 }}"
  vserver: "my_svm"
  aggregate_name: "aggr0"
  size: 10
  size_unit: gb
  policy: default
  junction_path: "/{{ vol1,vol2,vol3 }}"
```

D)

```
- name: Volume
na_ontap_volume:
  state: present
  name: "{{ item }}"
  vserver: "my_svm"
  aggregate_name: "aggr0"
  size: 10
  size_unit: gb
  policy: default
  junction_path: "/"
loop:
  - vol1
  - vol2
  - vol3
```

A. Option D

B. Option C

C. Option A

D. Option B

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 33

Your customer wants a hierarchical view of their Kubernetes clusters, as well as the utilization of pod and namespace objects running inside of the clusters.

In addition, they want to be notified when certain health or performance metrics are affecting the objects in the cluster, as well as their storage.

In this scenario, which product would satisfy the requirements?

Response:

A. NetApp Cloud Insights

B. NetApp Cloud Manager

C. NetApp Trident

D. Spot Elastigroup by NetApp

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

While creating a Cloud Volumes ONTAP cluster in Amazon Web Service (AWS) in Cloud Manager, you receive the message shown in the exhibit.

The following resource(s)
failed to create:
[NodeMgmtNetwork,
ClusterMgmtDataNetwork]. API:
ec2:ModifyNetworkInterfaceAttribute
You are not authorized to
perform this operation. API:
ec2:ModifyNetworkInterfaceAttribute
You are not authorized to
perform this operation.

What is the root cause of this problem?

Response:

- A. The SSL certificate is self-signed and not trusted.
- B. Port 443 needs to be open on the corporate firewall.
- C. The user defined in Cloud Central does not have the proper permission set.
- D. The user defined in AWS IAM does not have the proper permission set.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 35

A customer made a mistake and deleted some important notes in their Jupyter notebooks. The customer wants to perform a near-instantaneous restore of a specific snapshot for a JupyterLab workspace.

Which command in the NetApp DataOps Toolkit will accomplish this task?

- A. ./ntap_dsutil.py restore snapshot
- B. ./ntap_dsutil_k8s.py restore jupyterlab-snapshot
- C. ./ntap_dsutil_k8s.py clone volume
- D. ./ntap_dsutil_k8s.py list jupyterlab-snapshot

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 36

Your organization is adopting DevOps techniques to accelerate the release times of your product. The organization wants to have more communication between teams, quick iterations, and a better method for training work in progress.

In this scenario, which three methodologies would you recommend? (Choose three.)

- A. scrum
- B. waterfall
- C. kanban
- D. agile
- E. iterative

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 37

Your customer wants to stream large amounts of real-time data from multiple sources at the application level into their Apache Spark platform for transformation before it goes into their machine learning platform.

In this scenario, which technology should be used for this task?

- A.** NetApp Global File Cache
- B.** NetApp Cloud Sync service
- C.** NetApp SnapMirror
- D.** Apache Kafka

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

A customer is experiencing an I/O bottleneck with one VMware hosted workload in their NetApp HCI cluster that is part of their hybrid cloud. The solution must be immediate and non-disruptive.

In this scenario, which corrective action should the customer perform?

Response:

- A.** Dynamically migrate the workload including storage to a nearby AWS region.
- B.** Dynamically migrate the workload to a different NetApp HCI ESXi host in the cluster.
- C.** Add additional memory and CPU to the ESXi host.
- D.** Modify the QoS on this particular workload to allow it to use the resources available.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 39

You are using REST APIs to deploy and manage storage that is provided by NetApp Cloud Volumes ONTAP in Microsoft Azure. You have written a Python script that contains a POST request to the following URL:
`http://localhost/occm/api/azure/vsa/working-environments`. However, you receive a 401 response failure message that indicates that the user is not authenticated.

In this scenario, which two steps must you perform to communicate with an endpoint? (Choose two.)

- A.** Acquire a refresh token from the OAuth token endpoint.
- B.** Call an API endpoint with the JWT access token.
- C.** Acquire a JWT access token from the OAuth token endpoint.
- D.** Call an API endpoint with the refresh token.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 40

You are asked to provision storage for a development team to make use of NetApp Trident in their Kubernetes environment. You are advised that the development environment will be frequently performing large numbers of deployments. You want to ensure you do not exhaust the storage volume system limits.

In this scenario, which backend would you recommend to satisfy the requirements?

- A. ontap-nas
- B. ontap-nas- flexgroup
- C. ontap-san
- D. ontap-nas-economy

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 41

You are developing microservices on a Kubernetes system. When developers push new code to a branch, you want to have your application deployed on Kubernetes using the CI/CD pipeline that automatically picks up new changes in the main branch-In this scenario, what are three steps to accomplish this deployment workflow? (Choose three.)

- A. Issue a pull request.
- B. Configure Git hooks.
- C. Merge code changes to the main branch.
- D. Commit changes to a Git branch
- E. Reset the Git branches.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

You have a hybrid storage environment with on-premises ONTAP 9.8 clusters and Cloud Volumes ONTAP for AWS 9-8 clusters. You have a requirement to automatically discover, map, and classify your data.

In this scenario, which NetApp service satisfies this requirement?

- A. Cloud Sync
- B. Cloud Data Sense
- C. Cloud Secure
- D. Cloud Volume Service

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 43

You want to manage your applications using NetApp Astra Control within your Azure account. Which two actions must be completed before accomplishing this task? (Choose two.)

- A. Delegate a subnet to Azure NetApp Files.
- B. Manually provision Azure Blob storage
- C. Set up a capacity pool.
- D. Export your Azure AD Administrator key and import it into Astra Control.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 44

Your manager has informed you that any new solutions that you deploy must support SnapMirror technology for replicating data back to your main data center, where a large ONTAP cluster provides data protection.

In this scenario, which two solutions satisfy this requirement?

(Choose two)

Response:

- A. Use E-Series disk arrays at your remote sites.
- B. Deploy a StorageGRID cluster across your three regional data centers.
- C. Use NetApp Cloud Volumes ONTAP in your public cloud provider footprints for storing data.
- D. Deploy NetApp HCI for compute and storage in your branch offices.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

You need to find the documentation for an Ansible module without access to the Internet. In this scenario, which command will show you the documentation for na_ontap_volume?

- A. ansible-doc netapp.ontap.na_ontap_volume
- B. ansible-help netapp.ontap.na_ontap_volume
- C. ansible-doc -lookup netapp.ontap.na_ontap_volume
- D. ansible -doc netapp.ontap.na_ontap_volume

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

You are writing a script to verify, update and display discrepancies of IT assets in the corporate content management database (CMDB). You must use the RESTful API to interface with the CMDB server. What are two common formats for the RESTful API responses? (Choose two.)

Response:

- A. JSON
- B. XML
- C. SGML
- D. Markdown

Answer: A,B ([LEAVE A REPLY](#))

Valid NS0-403 Dumps shared by TrainingQuiz.com for Helping Passing NS0-403 Exam! TrainingQuiz.com now offer the **newest NS0-403 exam dumps**, the TrainingQuiz.com NS0-403 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NS0-403 dumps with Test Engine here: <https://www.trainingquiz.com/NS0-403-practice-quiz.html> (128 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

Click the Exhibit button.

```
terraform {  
  required_providers {  
    netapp-cloudmanager = {  
      source = "NetApp/netapp-cloudmanager"  
      version = "21.6.0"  
    }  
  }  
}
```

Referring to the exhibit, what would happen if there is a newer version of netapp-cioudmanager available when you install the provider with the terraform init command?

- A. Only the exact version 21.6.0 is downloaded.
- B. Any version below version 21.6.0 is installed.
- C. The newer version will be downloaded.
- D. The newer version will be downloaded only when it is a patch release.

Answer: ([SHOW ANSWER](#))

Valid NS0-403 Dumps shared by TrainingQuiz.com for Helping Passing NS0-403 Exam! TrainingQuiz.com now offer the **newest NS0-403 exam dumps**, the TrainingQuiz.com NS0-403 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NS0-403 dumps with Test Engine here: <https://www.trainingquiz.com/NS0-403-practice-quiz.html> (128 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)