

## Nutanix.NCP-DS.v2022-08-22.q35

<b>Exam Code:</b>	NCP-DS
<b>Exam Name:</b>	Nutanix Certified Professional - Data Services
<b>Certification Provider:</b>	Nutanix
<b>Free Question Number:</b>	35
<b>Version:</b>	v2022-08-22
<b># of views:</b>	670
<b># of Questions views:</b>	350
<a href="https://www.dumpsdb.com/dumps/Nutanix/NCP-DS/Nutanix.NCP-DS.v2022-08-22.q35">https://www.dumpsdb.com/dumps/Nutanix/NCP-DS/Nutanix.NCP-DS.v2022-08-22.q35</a>	

### NEW QUESTION: 1

Which two network requirements must an administrator take into consideration when configuring and defining client and storage networks? (Choose two.)

- A. Ensure the client and storage networks use a tagged VLAN
- B. Ensure there is one IP address available for the storage network
- C. The Client and storage networks must have separate subnets.
- D. Ensure there is one IP address available for client network

**Answer: A,D (LEAVE A REPLY)**

### NEW QUESTION: 2

A database application that is already leveraging Volumes with a single vDisk is experiencing performance issues.

How should the administrator solve the problem without reconfiguring the Guest OS?

- A. Enable Jumbo Frames at CVM level.
- B. Add more Volume Groups with one vDisk each.
- C. Add more vDisks to the Volume Group
- D. Convert Volume Group to direct attach vDisk.

**Answer: (SHOW ANSWER)**

### NEW QUESTION: 3

An administrator needs to ensure maximum performance, throughput and redundancy for the company's Oracle RAC implementation, while using the native method for securing workloads.

Which configuration meets these requirements?

- A. Volumes with MPIO and a single vDisk
- B. Files with a distributed share and ABE
- C. Files with a general purpose share and File Blocking
- D. Volumes with CHAP and multiple Disks

**Answer: A (LEAVE A REPLY)**

#### **NEW QUESTION: 4**

An administrator has selected Files for the file server implementation in the company. The following key requirements for the environment have been specified:

- \* All files written on the shares need to be scanned for viruses
- \* Certain file types must never be created or copied to any of the shares
- \* End users must be able to restore previous file versions or deleted files on their own
- \* Each user should not be able to write more than 100 GB of data on any share Which configuration will meet the above requirements?

- A. File Blocking and Quota policies on the Files cluster, and ABE and ICAP integration on the shares
- B. File Blocking and ICAP on the Files cluster, and Quota policies SSR and ICAP integration on the shares
- C. File Blocking and Quota policies on the Files cluster, and SSR and ICAP integration on the shares
- D. File Blocking and ICAP on the shares, and Quota policies. ABE and ICAP integration on the Files cluster

**Answer: B (LEAVE A REPLY)**

#### **NEW QUESTION: 5**

What fields are included in Object Store alerts?

- A. Alert Time, Alert Type, Severity, Title, Message, UUID
- B. Title, Source, Impact, severity, resolved, Acknowledged and Create Time
- C. Name, Description, Severity, Created and Silenced
- D. Severity, Issues, Create Time, Last Occurred, Status, Entities, Documentation

**Answer: (SHOW ANSWER)**

Explanation

[https://support-portal.nutanix.com/page/documents/details?targetId=Objectsv3\\_1:v31-view-osalerts-t.html](https://support-portal.nutanix.com/page/documents/details?targetId=Objectsv3_1:v31-view-osalerts-t.html)

#### **NEW QUESTION: 6**

The CIO has informed the administrator that the CFO is unable to upload a presentation for the board of directors to their home directory After reviewing the users home directory, the administrator was able to determine that other presentations were previously uploaded without any issues What Files configuration is causing this issue?

- A. The presentation file format is on the Blocked File Types list on the share

- B. The Quota Policy has been configured with a Hard Limit and the presentation file size is larger than the available space
- C. The presentation file format is on the Blocked File Type list on the file server
- D. The Quota Policy has been configured with a Soft Limit and the presentation file size is larger than the available space

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 7**

What is the most likely cause of an Objects bucket that is shared with multiple users to approach its assigned capacity limit?

- A. Malware infections is causing the usage.
- B. Other users have written to the bucket.
- C. Some multi-part operations are pending.
- D. Objects store capacity includes snapshots.

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 8**

Which two statements are true about object counts in an object store?

- A. Upload Counts are not included in the object counts
- B. Each upload of a multipart upload is counted as a separate object
- C. Upload counts are included in the object counts
- D. Each upload of a multipart upload is counted as a separate object until the object is finalized.

**Answer: A,B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 9**

An administrator is tasked with creating an Objects store with the following settings ?

- \* Medium performance (around 10,000 requests per second)
- \* 10 TiB capacity
- \* Versioning disabled
- \* Hosted on an AHV cluster

Immediately after creation, the administrator is asked to change the name of Objects store.

How will the administrator achieve this request?

- A. Update the name of the Objects store by using a CORS XML file.
- B. Delete and recreate a new Objects store with the updated name.
- C. Enable versioning and then rename the Objects store, disable versioning.
- D. The Objects store can only be renamed if hosted on ESXi.

**Answer: B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 10**

An administrator's organization is migrating to Files. The administrator has been asked to provision the appropriate access for the Nutanix administrators and Help Desk.

Which two actions will ensure the required access? (Choose two.)

- A. Grant the Help Desk Backup Admin access.
- B. Grant the Nutanix administrator File Server Admin access
- C. Grant the Help Desk File Server Admin access.
- D. Grant the Nutanix administrator Backup Admin access.

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 11**

An administrator has been informed of a new project, which requires expanding the capacity of the project team's Volume Group without disrupting availability or affecting performance. Which steps should the administrator take to achieve this?

- A. Add new data to the Volume Group and expand the Volume Group online
- B. Create a new larger Volume Group and migrate the files
- C. Add new dishes to the Volume Group and wait for the Volume Group to auto-resize
- D. Clone the existing Volume Group to a larger instance and switch to the new Volume Group

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 12**

An administrator wants to replicate an Objects bucket between two clusters, managed by separate Prism Central instances.

Which step must the administrator take into account when planning to set up streaming replication?

- A. The clusters, managed by different Prism Central instances, do not allow replication of buckets
- B. The clusters must be defined on each Prism Central Instance in a Protection Domain.
- C. The clusters must be defined on each Prism Central instance in a Protection Policy
- D. The clusters must be defined on each Prism Central instance as an Availability Zone.

**Answer:** B ([LEAVE A REPLY](#))

#### **NEW QUESTION: 13**

Where can an administrator find the latency associated with a Files SMB Share?

- A. `ncli > fs get-file-servers-usage`
- B. File Analytics Health
- C. File Server Performance Tab
- D. FSVM performance

**Answer:** C ([LEAVE A REPLY](#))

#### **NEW QUESTION: 14**

An administrator must configure the storage environment to allow 40 physical and virtual clients to access the same storage simultaneously in a secured manner, while each client has an active connection and works with a portion of the data. The client should not be able to talk directly to the CVMs subset.

Which solution should the administrator implement to satisfy this requirement?

- A.** Implement Volumes with default number of virtual targets per VG, CHAP and network segmentation.
- B.** Implement Files with one network only and create a distributed share with ABE enabled and 40 folders in it.
- C.** Implement objects with RBAC access and 40 buckets and enable ISCSI network segmentation
- D.** Implement calm with a blueprint which deploys 40 windows file servers connected to AD on a separate subset.

**Answer: C (LEAVE A REPLY)**

#### **NEW QUESTION: 15**

An administrator installed a new Log Analyzer which collects data from physical endpoints. Data collected needs to be accessible and editable for three years after which the data must be deleted to optimize storage consumption. Which setting should the administrator apply to meet these requirements?

- A.** Create a Storage Container with a Lifecycle policy to expire the current version after three years
- B.** Create a bucket with a Lifecycle policy to expire the current objects after three years.
- C.** Create a Files share with a Lifecycle policy to expire the current files after three years
- D.** Create a WORM enabled bucket with Lifecycle policy to expire the current objects after three years

**Answer: D (LEAVE A REPLY)**

#### **NEW QUESTION: 16**

An administrator manages a vSphere-based Nutanix cluster and has enabled Flash Mode for extremely latency sensitive workloads. The administrator recently migrated several workloads from this cluster to another cluster with higher CFU and migration, users complained about the VM performance of the latency sensitive workloads. What must the administrator do to resolve this issue?

- A.** Manually enable Flash Mode on the migrated workloads
- B.** Flash Mode can only be enabled on the VM during the world
- C.** Manually fingerprint the migrated
- D.** Flash usage exceeds 20% of the new SSD capacity tier

**Answer: C (LEAVE A REPLY)**

**Valid NCP-DS Dumps** shared by TrainingQuiz.com for Helping Passing NCP-DS Exam! TrainingQuiz.com now offer the **newest NCP-DS exam dumps**, the TrainingQuiz.com NCP-DS exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NCP-DS dumps with Test Engine here: <https://www.trainingquiz.com/NCP-DS-practice-quiz.html> (100 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 17**

Which feature ensures that a host failure's impact on a Files cluster will be minimal?

- A. VM-VM affinity rules
- B. VM-VM anti-affinity rules
- C. VM-Host anti-affinity rules
- D. VM-Host affinity rules

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 18**

During a recent audit the auditors discovered several shares that were unencrypted. To remediate the audit item the administrator enabled Encrypt SMB3 Messages on the accounting, finance, and facilities shares. After encryption was enabled several users have reported that they are no longer able to access the shares What is causing this issue?

- A. The users are accessing the shares from Windows 7 and 8 desktops
- B. Advanced Encryption Standard 128 & 256 are disabled in Windows 7
- C. The users are accessing the shares from Linux or Mac OS.
- D. Advanced Encryption Standard 128 & 256 are disabled in Linux or Mac OS.

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 19**

An administrator has deployed a new Files cluster within a Windows environment. After some days, the Files environment is not able to synchronize users with the Active Directory server anymore. The administrator observes a large time difference between the Files environment and the Active Directory server that is responsible for the behavior. How should the administrator prevent the Files environment and the AD Server from having such a time difference in future?

- A. Use Opoolntp.org as the NTP Server for the AD Server
- B. Use the same NTP Servers for the Files environment and the AD Server
- C. Connect to every FSVM and edit the time manually
- D. Use 0.pool.ntp.org as the NTP Server for the Files environment

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 20**

An existing Objects bucket was created for backups with these parameters:

\* WORM policy of three years Versioning policy of two years Lifecycle policy of two years  
The customer reports that the cluster is nearly full due to backups created during a recent crypto locker attack. The customer would like to automatically delete backups older than one year to free up space in the cluster How should the administrator change settings within Objects?

- A. Create a new bucket with the lifecycle policy of one year.
- B. Modify the existing bucket lifecycle policy from two years to one year
- C. Create a new bucket with the WORM policy of two years.
- D. Modify the existing bucket WORM policy from three years to one year

**Answer: C ([LEAVE A REPLY](#))**

### **NEW QUESTION: 21**

The Compliance department would like the administrator to have the ability to revert documents to previous versions. How should the administrator facilitate this request?

- A. Configure Protection snapshots on the Share/Export
- B. Enable Self-Service Restore on the File Server
- C. Enable Self-Service Restore on the Share/Export
- D. Configure protection snapshots on the File Server

**Answer: ([SHOW ANSWER](#))**

### **NEW QUESTION: 22**

An administrator would like to convert an existing Volume Group with an attached external Windows client to use Volumes The administrator has taken these actions

. Disconnect any existing SCSI targets

Remove targets from the Favorite Targets tab

\* Remove targets from the Discovery tab

Which action must the administrator take next to complete this task?

- A. Connect with MPIO to the Cluster Virtual IP
- B. Connect with MPIO to the iSCSI Data Services IP
- C. Connect without MPIO to the iSCSI Data Services IP
- D. Connect without MPIO to the Cluster Virtual IP

**Answer: C ([LEAVE A REPLY](#))**

### **NEW QUESTION: 23**

An administrator needs to configure a Files share with these requirements:

Supports 100 virtual desktop users \* Share would host user data

Share is limited to 1 TB, evenly distributed across users Optimized for best I/O

performance within the current environment Which two configuration actions should the administrator take to meet these requirements?

(Choose two.)

- A. Add a quota policy to the share
- B. Configure a standard share
- C. Create a distributed share
- D. Enable ABE on the share

**Answer: C,D (LEAVE A REPLY)**

#### **NEW QUESTION: 24**

An administrator has been asked to create a new user account for an auditor during an audit event. The auditor will write data to a Files share. For confidentiality reasons the auditor's tasks should be not analyzed by the system. How should the administrator configure File Analytics to accomplish this task?

- A. Restrict Files access for the auditor
- B. Create a dedicated share for the auditor in Files
- C. Define a blacklisting rule in File Analytics
- D. Grant anonymous access to the share used by the auditor.

**Answer: C (LEAVE A REPLY)**

Explanation

[https://support-portal.nutanix.com/page/documents/details?targetId=File-Analyticsv3\\_0:anaanalytics-blacklisting](https://support-portal.nutanix.com/page/documents/details?targetId=File-Analyticsv3_0:anaanalytics-blacklisting)

#### **NEW QUESTION: 25**

A storage administrator has been given the task of migrating data from an old storage system to a Files scale-out system. While assessing the assigned task the administrator notes that 2000 home directories with VSS enabled need to be migrated How should the administrator satisfy this need?

- A. Create a Distributed share with ABE enabled
- B. Configure a Standard share with SSR and ABE enabled
- C. Configure a Standard share with ABE enabled
- D. Create a Distributed share with SSR and ABE enabled

**Answer: B (LEAVE A REPLY)**

#### **NEW QUESTION: 26**

A company's Marketing department requires the ability to recover files hosted in a Files share.

They also require the ability to restore files with a timeframe of 14 days.

Which two configurations are required to meet these requirements? ( Choose Two)

- A. Change Default settings in the protection configuration window
- B. Enable Self service restore at share level.
- C. Install Nutanix Guest Tools on clients who need to perform Self service Restore.
- D. Change the Protection domain settings to keep at least 14 days of snapshots.

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 27**

Which two configuration elements can an administrator find in the File Server -> FILE SERVER DETAILS tab? (choose two.)

- A. Quarantined Files.
- B. Total Number of Files.
- C. DNS Domain Name.
- D. Share/Export Count.

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 28**

An administrator has a new requirement to separate management and block storage network traffic for bare-metal workloads. What should the administrator do to satisfy this requirement?

- A. Configure Backplane LAN to isolate hypervisor traffic
- B. Configure Management LAN to segment internal communication.
- C. Add a second virtual NIC to CVMs, configure them in prism.
- D. Enable Volumes network segmentation

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 29**

An administrator has to enable both Linux and Windows machines to access the same share served by a Files cluster.

The parameters are as follows:

\* Most of the clients are Windows machines\* All users have Active Directory (AD) Accounts

\* All Linux clients are part of the same class 8 network, everyone else must be denied access over NFS

\* .mp3 files are not allowed on the share

How should the administrator configure the multi-protocol share to achieve these requirements?

- A. \* SMB as the primary protocol NFS with AD authentication as secondary
  - \* Enable Default Access (For All Clients) with CIDR notation values
  - \* Select the Blocked File Types checkbox
- B. \* SMB as the primary protocol NFS with AD authentication as secondary -
  - \* Enable Default Access (For All Clients) with Netgroups notation values
  - \* Configure the ICAP settings to deny mp3 files
- C. \* NFS as the primary protocol SMB with LDAP authentication as secondary
  - \* Enable Default Access (For All Clients) with CIDR notation values
  - \* Configure the ICAP settings to deny mp3 files
- D. \* NFS as the primary protocol SMB with LDAP authentication as secondary

- \* Enable Default Access (For All Clients) with Netgroups notation values
- \* Select the Blocked File Types checkbox

**Answer: B (LEAVE A REPLY)**

### NEW QUESTION: 30

While preparing for migrating data from a legacy storage environment to a new Files scaleout file server, the administrator make the following notes Requirements

- \* Number of home directories: 4000
- \* Number of Departmental shares: 1
- \* Everyone is permitted to accessing it
- \* All users use the same Departmental share

The administrator deploys Files using the following configuration:

- \* Number of FSVMS: 3
- \* VCPU & RAM/FSVM: 4vCPU,12GB
- \* One Distributed share & ABE enabled for
- \* One Standard share for the Departmental share

Does this configuration satisfy the project's requirements?

- A.** No, the project needs 4 FSVMS, 4 VCPU & 12GB RAM
- B.** No, the project needs two distributed shares, 4 FSVMS, 6 VCPU & 32GB RAM
- C.** No, the project needs two distributed shares, 4 FSVMs, 24 vCPU & 128GB RAM
- D.** Yes, the listed configuration elements satisfy the requirements the Home Directories

**Answer: D (LEAVE A REPLY)**

### NEW QUESTION: 31

An administrator wants to centralize the storage of CCTV data from all its branches in a remote datacenter. To meet compliance standards, the requirements for this solution are as follows:

- \* Data must be kept for a minimum of 10 years
- \* Data must be accessible for use at any time
- \* Data must be secure

How should the administrator satisfy these requirements?

- A.** Create a Volume Group and mount to a server
  - 2) Configure a LifeCycle policy for a 10year retention
  - 3) Enable encryption on the vDisks
- B.** 1) Create a Storage Container
  - 2) Configure WORM for a 10year retention
  - 3) Replace Prism Element's self-signed certificate with a CA-signed certificate
- C.** 1) Create an Objects bucket
  - 2) Configure WORM for a 10year retention
  - 3) Replace Objects's self-signed certificate with a CA-signed certificate
- D.** Create a Files share

- 2) Configure a Lifecycle policy for a 10 year retention
- 3) Enable encryption on SMB protocol

**Answer: A (LEAVE A REPLY)**

**Valid NCP-DS Dumps** shared by TrainingQuiz.com for Helping Passing NCP-DS Exam! TrainingQuiz.com now offer the **newest NCP-DS exam dumps**, the TrainingQuiz.com NCP-DS exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NCP-DS dumps with Test Engine here: <https://www.trainingquiz.com/NCP-DS-practice-quiz.html> (100 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

#### **NEW QUESTION: 32**

A company has distributed a new document bundle, entitled Health and Security Policies to all employees H has to verify if key users have opened the document How can an administrator support this request with File Analytics

- A. Use Audit Trails search for Users, View Audit and filter by file
- B. Select the file from the Top 5 Accessed list then filter by user
- C. Select the User from the Top 5 Active Users list the filter by file
- D. Use Audit Trails search for Files View Audit and filter by operations

**Answer: A (LEAVE A REPLY)**

#### **NEW QUESTION: 33**

An administrator is building a new application server and has decided to use post-process compression for the file server and inline compression for the database components. The current environment has these characteristics:

\* Two Volume Groups named VG1 and VG2. \* A Storage Container named SC1 with inlinecompression.\* A Storage Container named SC2 with post-process compression.

Which action should the administrator take to most efficiently satisfy this requirement?

- A. Within VG1, create one Disk in SC1 and one Disk in SC2
- B. Within SC1. create one vDisk in VG1 and one vDisk in VG2.
- C. Within SC1, create one Disk in VG1 and within SC2. create one Disk in VG2
- D. Within VG1, create one vDisk in SC1 and within VG2. create one Disk in SC2.

**Answer: D (LEAVE A REPLY)**

#### **NEW QUESTION: 34**

An administrator is upgrading Files and receives the following error message:  
Failed to reach FileServer

In which two ways should the administrator resolve this issue? (Choose two.)

- A. ssh into Minerva CVM Leader and execute command cluster start

- B. ssh into the FSVM and execute command minerva stop fsm
- C. ssh into Minerva CVM Leader and execute command esis stop minerva\_cvm
- D. ssh into the FSVM and execute command cluster restart

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 35**

Why should an administrator avoid allocating over half the RAM on a host to a FSVM?

- A. The FSVM would experience host swapping of memory
- B. The FSVM would cross NUMA node boundaries
- C. The FSVM has a set memory.configuration.
- D. The FSVM would be in a single NUMA node boundary

**Answer: (SHOW ANSWER)**

**Valid NCP-DS Dumps** shared by TrainingQuiz.com for Helping Passing NCP-DS Exam! TrainingQuiz.com now offer the **newest NCP-DS exam dumps**, the TrainingQuiz.com NCP-DS exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NCP-DS dumps with Test Engine here: <https://www.trainingquiz.com/NCP-DS-practice-quiz.html> (100 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)