

Nutanix.NCP-MCI-5.15.v2022-05-02.q74

Exam Code:	NCP-MCI-5.15
Exam Name:	Nutanix Certified Professional - Multi cloud Infrastructure (NCP-MCI)
Certification Provider:	Nutanix
Free Question Number:	74
Version:	v2022-05-02
# of views:	1039
# of Questions views:	740
https://www.dumpsdb.com/dumps/Nutanix/NCP-MCI-5.15/Nutanix.NCP-MCI-5.15.v2022-05-02.q74	

NEW QUESTION: 1

Which set of steps should be used to stop the cluster in Nutanix operations?

- A. 1. Log on to a running Controller VM in the cluster with SSH. 2. Shut down all other Controller VMs. 3. Stop the Nutanix clusters.
- B. 1. Shut down Nutanix CVMs and Guest VMs. 2. Log on to a running controller VM in the cluster with SSH. 3. Stop the Nutanix cluster.
- C. 1. Shut down all Guest VMs. 2. Log on to a running controller VM in the cluster with SSH. 3. Stop the Nutanix cluster.
- D. 1. Shut down Nutanix controller VMs. 2. Log on to a running controller VM in the cluster with SSH. 3. Stop the Nutanix cluster.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 2

what is included in, or enabled by, the nutanix NGT bundle? (Choose two)

- A. crash consistent snapshot
- B. mobility drivers
- C. mouse and keyboard emulation
- D. application consistent snapshot

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 3

When creating a VM on an AHV cluster, how is the initial placement of the VM determined?

- A. The administrator right clicks on the desired host and selects Power on VM from the dropdown menu
- B. Placement is determined by the host that holds the new_VM token at the time of VM creation
- C. AHV uses a round robin algorithm, placing new VMs onto hosts based on the numerical order of their UUID
- D. The Acropolis Dynamic Scheduler selects a host which provides adequate resources for the VMs configuration

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 4

An organization has a 3-node cluster, with utilization rates as follows:

- * 35% CPU
- * 40% RAM
- * 20% SSD
- * 35% HDD

A node in this cluster fails.

Which type of degradation will the client experience due to this node failure?

- A. The cluster will be online but will experience performance issues due to utilization.
- B. The entire cluster will be down until the node is repaired.
- C. VMs from the failed node will be offline until they restart on the remaining nodes.
- D. All VMs from that node will be offline until the node is repaired.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 5

what applies to prism central?

- A. created during foundation
- B. setup through prism as 1,2 or 3-VMs
- C. created bu user as 1 or 3-VM
- D. clusters and PC need to match hypervisor

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

An Administrator wants to present storage to an external non-Nutanix host via iSCSI.

Which construct should the administrator in configure to create the iSCSI volume?

- A. Protection Domain
- B. Volume Group
- C. Storage Pool
- D. Storage container

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which two features require the Nutanix Guest Tools package is installed (Choose Two)

- A. Image service
- B. Prism Central
- C. Self-Service Restore
- D. Network Visualization
- E. Volume Snapshot Services

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 8

An administrator needs to shut down an AHV cluster to relocate hardware. The administrator upgrades NCC and runs health checks.

Which steps should the administrator perform next?

Item instructions: For each procedure, indicate the order in which that procedure must take place to meet the item requirements.

Procedure

Step

Shut down CVMs

	▼
Step 1	
Step 2	
Step 3	
Step 4	

Shut down Nodes

	▼
Step 1	
Step 2	
Step 3	
Step 4	

Shut down Guest VMs

	▼
Step 1	
Step 2	
Step 3	
Step 4	

Stop the Cluster

	▼
Step 1	
Step 2	
Step 3	
Step 4	

Answer:

Procedure	Step
Shut down CVMs	<div style="border: 1px solid gray; padding: 2px;">▼</div> <div style="border: 1px solid gray; padding: 2px;">Step 1</div> <div style="border: 1px solid gray; padding: 2px;">Step 2</div> <div style="border: 1px solid gray; padding: 2px;">Step 3</div> <div style="border: 2px solid red; padding: 2px;">Step 4</div>
Shut down Nodes	<div style="border: 1px solid gray; padding: 2px;">▼</div> <div style="border: 1px solid gray; padding: 2px;">Step 1</div> <div style="border: 1px solid gray; padding: 2px;">Step 2</div> <div style="border: 2px solid red; padding: 2px;">Step 3</div> <div style="border: 1px solid gray; padding: 2px;">Step 4</div>
Shut down Guest VMs	<div style="border: 1px solid gray; padding: 2px;">▼</div> <div style="border: 2px solid red; padding: 2px;">Step 1</div> <div style="border: 1px solid gray; padding: 2px;">Step 2</div> <div style="border: 1px solid gray; padding: 2px;">Step 3</div> <div style="border: 1px solid gray; padding: 2px;">Step 4</div>
Stop the Cluster	<div style="border: 1px solid gray; padding: 2px;">▼</div> <div style="border: 1px solid gray; padding: 2px;">Step 1</div> <div style="border: 2px solid red; padding: 2px;">Step 2</div> <div style="border: 1px solid gray; padding: 2px;">Step 3</div> <div style="border: 1px solid gray; padding: 2px;">Step 4</div>

Reference:

<https://next.nutanix.com/how-it-works-22/scheduled-power-outage-relocating-cluster-hardware-if-you-need-to-shut-down-all-the-nodes-in-your-ahv-cluster-here-s-how-37326>

NEW QUESTION: 9

What command places a host in maintenance mode in AHV?

- A. ncli host maintenance host_id
- B. ncli maintenance_mode host=host_id
- C. acli maintenance_mode.host host_id
- D. acli host.enter_maintenance_mode host_id

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

How should an administrator correct an SSL error when connecting to a Nutanix cluster?

- A. Create a new SSL certificate for the cluster signed by an AD certificate authority

- B. Add the SSL certificate to the workstation's trusted people store
- C. Add the SSL certificate to an AD group policy applied to all computer objects
- D. Create a new self-signed certificate for the cluster with a 4096 bit key

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 11

An administrator needs to power down an AHV node in order to replace a failed DIMM?
Which step should the administrator take after placing the node into maintenance mode?

- A. Execute the command cluster status
- B. Power of the node
- C. Reboot the Nutanix CVM
- D. Shut Down the nutanix CVM

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

What is the default level of Verbosity used when enabling Nutanix Pulse?

- A. Basis
- B. Nothing
- C. Verbose
- D. Basis Coredump

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 13

Which SSL Files required for Importing Key and certificate (Choose 2)

- A. Private Certificate
- B. Public Certificate
- C. CA Certificate
- D. Private Key

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 14

How many Prism Central instances are required to deploy Leap:'

- A. One per physical site
- B. One per customer environment
- C. One per availability zone
- D. One per AHV cluster

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 15

Which expected operations during node addition when the new node has a different AOS version?

- A. The entire cluster is upgraded to the latest one-click release.
- B. The addition fails and forces the administrator to image using standalone Foundation.
- C. The node is added and a separate upgrade operation must be performed.
- D. The node is automatically re-imaged using the software currently running in the cluster.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

What is the expected operation during node addition when the new node has a different AOS version?

- A. The entire cluster is upgraded to the latest one-click release.
- B. The addition fails and forces the administrator to image using standalone Foundation.
- C. The node is automatically re-imaged using the software currently running in the cluster.
- D. The node is added and a separate upgrade operation must be performed.

Answer: C ([LEAVE A REPLY](#))

Valid NCP-MCI-5.15 Dumps shared by TrainingQuiz.com for Helping Passing NCP-MCI-5.15 Exam! TrainingQuiz.com now offer the **newest NCP-MCI-5.15 exam dumps**, the TrainingQuiz.com NCP-MCI-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NCP-MCI-5.15 dumps with Test Engine here: <https://www.trainingquiz.com/NCP-MCI-5.15-practice-quiz.html> (224 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

An administrator finds that guest VMs are offline and storage is unavailable. The administrator needs to know if any process within the CVMs on the nutanix cluster are experiencing crashes. Which log file should the administrator locate to determine if any processes have crashed?

- A. FATAL logs
- B. WARN logs
- C. ERROR logs
- D. INFO logs

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 18

An administrator needs to shut down an AHV cluster to relocate hardware. The administrator upgrades NCC and runs health checks.

Which steps should the administrator perform next?

Item instructions: For each procedure, indicate the order in which that procedure must take place to meet the item requirements.

Procedure

Step

Shut down CVMs

	▼
Step 1	
Step 2	
Step 3	
Step 4	

Shut down Nodes

	▼
Step 1	
Step 2	
Step 3	
Step 4	

Shut down Guest VMs

	▼
Step 1	
Step 2	
Step 3	
Step 4	

Stop the Cluster

	▼
Step 1	
Step 2	
Step 3	
Step 4	

Answer:

Procedure

Step

Shut down CVMs

	▼
Step 1	
Step 2	
Step 3	
Step 4	

Shut down Nodes

	▼
Step 1	
Step 2	
Step 3	
Step 4	

Shut down Guest VMs

	▼
Step 1	
Step 2	
Step 3	
Step 4	

Stop the Cluster

	▼
Step 1	
Step 2	
Step 3	
Step 4	

Reference:

<https://next.nutanix.com/how-it-works-22/scheduled-power-outage-relocating-cluster-hardware-if-you-need-to-shut-down-all-the-nodes-in-your-ahv-cluster-here-s-how-37326>

NEW QUESTION: 19

An administrator has observed that when an all- AHV host restarts unexpectedly one VM it hosts does not restart as expected.

Which cluster on VM configuration explains this behavior?

- A. No other all-flash nodes have capacity to host the VM
- B. VM high availability is not enabled
- C. Nutanix Guest Tools are not installed on the VM
- D. Affinity for the VM is set for only the host that rebooted

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 20

A configuration is single domain, single forest, and does not use SSL.

Which port number should be used to configure LDAP?

- A. 389
- B. 636
- C. 3268
- D. 3269

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 21

An administrator has a 4-node cluster that cannot experience any downtime. The cluster has 10 TB of total space. Approximately 5 TB of space is currently utilized.

How many nodes can the administrator take offline without impacting workloads on the cluster?

- A. 2
- B. 0
- C. 1
- D. 3

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 22

An Administrator is working on a one-node ROBO cluster configurations

Which statement is true for this configuration?

- A. Witness vm required to break cluster quoram
- B. Supported hardware is NX-1175-G5 and G6
- C. witness vm should be 8vcp and 20gb ram
- D. the minimum RPO 8 hours required

Answer: B ([LEAVE A REPLY](#))

Reference:

<https://www.nutanix.com/blog/unlocking-the-roboedge-it-landscape-with-the-launch-of-nutanix-1-node-cluster>

NEW QUESTION: 23

Which bond mode is the default mode on an AHV Nutanix cluster?

- A. Balanced SLB
- B. Active - Backup
- C. Link Aggregation
- D. Balance TCP

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Which two capabilities does IPAM provide in a Nutanix networking configuration? (Choose two.)

- A. Allows AHV to assign IP addresses automatically to VMs using DHCP
- B. Configures firewall rules to prevent or allow certain TCP/IP traffic
- C. Configures a VLAN with an IP subnet and assigns a group of IP addresses
- D. Allows proxy server settings to be set up for a defined network

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 25

An administrator notices that most of the VMs in the cluster are on one host. Users report that an application seems to respond slowly. The application server VM has significantly more memory assigned to it than other VMs.

How should the administrator fix this issue?

- A. Add more memory to the VM.
- B. Reduce the amount of memory assigned to the VM.
- C. Migrate the VM to a different host.
- D. Increase the memory on the CVM.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 26

What is the name of the internal bridge used by AHV nodes and CVMs?

- A. virbr0
- B. br1
- C. vnet0
- D. br0

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 27

When installing Nutanix Guest Tools (NGT) on an ESXi-hosted VM, which port should be enabled on the VM to allow communication with the NGT-Controller VM service?

- A. 8080
- B. 2000
- C. 2074
- D. 9943

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 28

An administrator must make sure that a business critical application experiences consistent I/O latency.

Which feature should the administrator enable to meet this requirement?

- A. VM flash Mode
- B. VM High Availability
- C. VM-Host Affinity
- D. VM-Host Anti-Affinity

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 29

An administrator has an existing Nutanix cluster that is configured to protect VMs using Time Stream. The administrator now needs to add support for protecting these VMs in AWs.

Which two changes must be made to the cluster to meet this requirement? (Choose two)

- A. Configure protection domains with a 15-minute schedule.
- B. Add the remote site to the existing protection domains.
- C. Configure a remote site.
- D. Deploy a remote site for another cluster.

Answer: B,D ([LEAVE A REPLY](#))

<https://portal.nutanix.com/page/documents/details/?targetId=Web-Console-Guide-Prism-v55:wc-dr-management-wc-c.html>

NEW QUESTION: 30

A cluster has RF2. The cluster loses two drives on different nodes in the same storage tier.

What is the effect on the replicas of the VMs?

- A. Some VM data may be lost
- B. No VMs lose data if the node has two or more SSDs
- C. Some VMs may reboot and gain access to data
- D. No VMs lose data because of RF2

Answer: A ([LEAVE A REPLY](#))

Reference:

<https://next.nutanix.com/how-it-works-22/disk-fault-tolerance-8822>

NEW QUESTION: 31

Which service performs snapshots in an AOS 5.15 implementations?

- A. Stargate
- B. Zookeeper
- C. Medusa
- D. Prism

Answer: ([SHOW ANSWER](#))

Valid NCP-MCI-5.15 Dumps shared by TrainingQuiz.com for Helping Passing NCP-MCI-5.15 Exam! TrainingQuiz.com now offer the **newest NCP-MCI-5.15 exam dumps**, the TrainingQuiz.com NCP-MCI-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NCP-MCI-5.15 dumps with Test Engine here: <https://www.trainingquiz.com/NCP-MCI-5.15-practice-quiz.html> (224 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

In Files, how many FSVMs are deployed by default?

- A. 3
- B. 5
- C. 2
- D. 1

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 33

How should an administrator configure a custom alert for a specific VM in Prism?

- A. Modify an existing alert to only alert on the specific VM.
- B. Modify VM settings to add the custom alert.
- C. Modify the alerts to add a new custom alert policy.
- D. Modify node settings to add the custom alert.

Answer: C ([LEAVE A REPLY](#))

<https://portal.nutanix.com/page/documents/details/?targetId=Prism-Central-Guide-Prism-v510:mul-alert-policies-user-defined-configure-pc-c.html>

NEW QUESTION: 34

A VM in a 12-node Nutanix cluster is hosting an application that has specific Physical GPU requirements. Only three nodes in the cluster meet this requirement.

The administrator wants to allow a general workload to be distributed across all nodes in the cluster and must make sure that the node hosting the VM meets its requirements.

How should the administrator perform this task?

- A. Over-Provision the application VM with additional virtual GPUs.
- B. Configure VM-Host affinity for the nodes that meet the application's GPU requirement.
- C. Configure anti-affinity rules between the application VM and the other VMs running on the cluster.
- D. Create a separate three-node cluster using the nodes that meet the requirement.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 35

An administrator is migrating workloads to a Nutanix cluster. While the Nutanix cluster is ingesting data from the migration, the utilization of the SSDs increases, periodically drops to approximately 75% utilization, then continues to increase.

Which Distributed Storage Fabric (DSF) concept is causing the behavior?

- A. Redundancy Factor 2 (RF2)
- B. Information Lifecycle Management (ILM)
- C. Data Path Resiliency
- D. Virtual Machine Snapshotting and cloning

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 36

AHV IPAM assigns an IP address from the address pool when creating a managed VM NIC.

At which two instances does the address release back to the pool? (Choose two)

- A. The IP address lease expires
- B. The VM NIC is deleted.
- C. The IP address is changed to static.
- D. The VM is deleted.

Answer: B,D ([LEAVE A REPLY](#))

https://portal.nutanix.com/page/documents/solutions/details/?targetId=BP-2029_AHV:BP-2029_AHV

Administrators can use Acropolis with IPAM to deliver a complete virtualization deployment, including network management, from the unified Prism interface. This capability radically simplifies the traditionally complex network management associated with provisioning VMs and assigning network addresses. To avoid address overlap, be sure to work with your network team to reserve a range of addresses for VMs before enabling the IPAM feature.

The Acropolis master assigns an IP address from the address pool when creating a managed VM NIC; the address releases back to the pool when the VM NIC or VM is deleted.

NEW QUESTION: 37

Which algorithm do snapshots and clones leverage to maximize efficiency and effectiveness?

- A. Redirect-On-Write
- B. Split-mirror
- C. Continuous Data Protection

D. Copy-on-Write

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 38

What is the function of the virbr0 bridge on AHV?

- A. To carry all traffic between the user VMs and the upstream network.
- B. To carry management and storage communication between user VMs and the CVM.
- C. To carry management and storage communication between user VMs and AHV host.
- D. To carry storage communication between the guest VMs and the CVM

Answer: ([SHOW ANSWER](#))

[http://www.vstellar.com/2019/01/10/ahv-networking-part-1-basics/#:~:text=AHV%20Network%20Architecture&text=virbr0%20is%20an%20internal%20switch,virbr0\)%20have%20IP%20address%20192.168.](http://www.vstellar.com/2019/01/10/ahv-networking-part-1-basics/#:~:text=AHV%20Network%20Architecture&text=virbr0%20is%20an%20internal%20switch,virbr0)%20have%20IP%20address%20192.168.)

NEW QUESTION: 39

The feature that enables you to back up and restore copies of virtual machines and files to and from an on-prem cluster and a Nutanix Controller VM on the Amazon Web Service (AWS) or Microsoft Azure cloud.

- A. XI-Leap
- B. Cloud Connect
- C. Acropolis Block Service

Answer: ([SHOW ANSWER](#))

<https://portal.nutanix.com/page/documents/details?targetId=Web-Console-Guide-Prism-v55%3Aawc-remote-site-configuration-c.html>

NEW QUESTION: 40

Which data savings technique utilizes stripes and parity calculation in a Nutanix cluster?

- A. Compression
- B. Erasure coding
- C. Parity strip
- D. Deduplication

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

An administrator needs to determine current CPU usage across multiple clusters Which method should the administrator use to get the information?

- A. Prism central home manage dashboards.
- B. prism central home +ad widgtes
- C. Prism central explore clusters
- D. Prism central home

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 42

An administrator needs to manage VMs from Prism when the cluster is running on ESXi. The VM management options in Prism are grayed out and unavailable.

Which procedure should the administrator complete to manage VMs from Prism when using the ESXi hypervisor?

- A. Prism does not support managing VMs on ESXi.
- B. Only Prism Central can manage VMs for ESXi Clusters.
- C. VCenter must be registered in Prism.
- D. Administrator must upgrade Prism license

Answer: C (LEAVE A REPLY)

NEW QUESTION: 43

Which three cluster operations require an administrator to reclaim licenses?(Choose three)

- A. Destroy a cluster.
- B. Upgrade a cluster
- C. Migrate a cluster
- D. Remove a Node from a cluster
- E. Move Nodes between clusters.

Answer: A,D,E (LEAVE A REPLY)

https://portal.nutanix.com/page/documents/details/?targetId=Web_Console_Guide-Prism_v4_7:lic_licensing_managing_c.html Reclaiming Licenses (Including License Renewal)

You can reclaim and optionally re-apply licenses for nodes in your clusters:

- * You must reclaim licenses when you plan to destroy a cluster. First reclaim the licenses, then destroy the cluster. You do not need to reclaim Starter licenses. These licenses are automatically applied whenever you create a cluster, including after you have destroyed a cluster.
- * Return licenses to your inventory when you remove one or more nodes from a cluster. Also, if you move nodes from one cluster to another, first reclaim the licenses, move the nodes, then re-apply the licenses.
- * You can reclaim licenses for nodes in your clusters in cases where you want to make modifications or downgrade licenses. For example, applying an Ultimate license to all nodes in a cluster where some nodes are currently licensed as Pro and some nodes are licensed as Ultimate. You might also want to transition nodes from Ultimate to Pro licensing.
- * You must reclaim licenses when you renew licenses. First reclaim the expired licenses, then apply new licenses.

NEW QUESTION: 44

An administrator is managing a highly active SQL workload that is writing I/Os in 2 MB chunks to a vDisk. The administrator wants to optimize capacity setting for the computer.

Which storage optimization technology should the administration select to meet these requirement?

- A. Erasure Coding
- B. Compression
- C. Cache Deduplication
- D. Capacity Deduplication

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 45

When configuring Prism Central, which two log modules are able to forward messages to an external syslog server? (Choose two.)

- A. API Audit
- B. NTP Synchronization
- C. DNS
- D. Flow

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 46

An administrator wants to configure key based SSH access for an AOS 5.5 Implementation. Which three components can be secured using this method? (Choose three)

- A. The hypervisor host***
- B. Guest virtual machine
- C. the CVM**
- D. prism element
- E. The cluster **

Answer: A,C,E ([LEAVE A REPLY](#))

Valid NCP-MCI-5.15 Dumps shared by TrainingQuiz.com for Helping Passing NCP-MCI-5.15 Exam! TrainingQuiz.com now offer the **newest NCP-MCI-5.15 exam dumps**, the TrainingQuiz.com NCP-MCI-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NCP-MCI-5.15 dumps with Test Engine here: <https://www.trainingquiz.com/NCP-MCI-5.15-practice-quiz.html> (224 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

In respective to 1 GbE and 10 GbE interfaces (physical host), which statements are true?

- A. If you want to use the 10 GbE interfaces for guest VM traffic, make sure that the guest VMs do not use the VLAN over which the Controller VM and hypervisor communicate.
- B. Do not include the 1 GbE interlaces in the same bond as the 10 GbE interlaces. Also, to avoid loops, do not add the 1 GbE interlaces to bridge brO, either individually or in a second bond. Use them on other bridges.

C. If you want to use the 1 GbE interfaces for guest VM connectivity, follow the hypervisor manufacturer's switch '- port and networking configuration guidelines.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

An administrator recently executed maintenance on their network. After they would like to verify that this maintenance window did not have any adverse effects on their Nutanix Cluster by running Nutanix Cluster Check (NCC) Which two interface can be used to run NCC? (Choose two)

- A. CLI
- B. PowerShell
- C. REST API
- D. IPMI
- E. Prism

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

In which two scenarios is Native Key Management Server supported? (Choose two)

- A. KVM and AHV mixed cluster.
- B. Hyper-V and AHV mixed cluster.
- C. XenServer and AHV mixed cluster.
- D. ESXi and AHV mixed cluster.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 50

An administrator has a 3-node cluster and needs to enable Erasure Coding on a container. Which action must the administrator take before enabling this feature?

- A. Stop workloads on the cluster
- B. Upgrade to Prism Pro Licenses
- C. Convert the cluster to AHV
- D. Add a 4th node to the cluster

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 51

Which CVM service is primary responsible for handling all metadata operation with a Nutanix cluster?

- A. Cassandra
- B. Zeus
- C. Genesis
- D. Stargate

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 52

How will an HDD failure affect VMs with data on the failed device?

- A. The VMs will crash, and will be restarted once the failed HDD has been replaced and the data has been restored.
- B. The VMs will remain operational on that host and continue to function normally with no noticeable impact
- C. An HA event will occur, causing the affected VMs to restart on a node that contains the replica data.
- D. A live migration will be initiated, moving the affected VMs to a host that contains the replica data.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 53

What is Prism Central primarily used for?

- A. Container creation
- B. Data reduction configuration
- C. Multi-cluster Single Sign On
- D. Multi-cluster network configuration

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 54

An administrator needs to configure Acropolis File Service (AFS). The administrator is setting up AFS for the first time on the Nutanix cluster.

How many file services VMs are created by default?

- A. 2
- B. 1
- C. 3
- D. 4

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 55

An administrator is installing license on a newly created cluster. The cluster is behind a DMZ with no connection to the internet.

Which two steps encompass the connect process to install licenses to the cluster? (Choose two)

- A. Enter the cluster summary file info on a system connected to the internet and download a license file.
- B. Copy the license file to a USB drive and upload to the cluster.
- C. Temporally connect the cluster to the internet and follow process in prism.
- D. Upload the license file downloaded to the cluster.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 56

When host affinity policies are enabled, how does this affect the AHV cluster?

- A. Micro segmentation rules will not be applied to VMs with affinity policies set on them.
- B. Metro Availability will no longer work as designed and will result in Split Brain.
- C. Host affinity rules do not affect any other aspects of the AHV cluster.
- D. The VM-host affinity cannot be applied on a cluster that has HA reservations configured.

Answer: C (LEAVE A REPLY)

https://portal.nutanix.com/page/documents/details/?targetId=Prism-Central-Guide-Prism-v5_17:mul-ahv-affinity-policies-pc-c.html

NEW QUESTION: 57

What is the proper sequence to perform a one-click upgrade to a Nutanix cluster?

Item instructions: For each procedure, indicate the order in which that procedure must take place to meet the item requirements. Not all procedures are valid. Identify any invalid procedures using the drop-down option.

Answer Area

Procedure

Select the Gear icon at top right of the page

Step

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

Select the component to upgrade

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

Once the download completes, select Upgrade

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

Log into Prism Central

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

Select the User login name at the top right of the page

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

On the left, select Upgrade Prism Central

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

Click Download

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

On the left under Settings, select Upgrade Software

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

Log in to Prism Element

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

Answer:

Answer Area

Procedure

Step

Select the Gear icon at top right of the page

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

Select the component to upgrade

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

Once the download completes, select Upgrade

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

Log into Prism Central

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

Select the User login name at the top right of the page

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

On the left, select Upgrade Prism Central

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

Click Download

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

On the left under Settings, select Upgrade Software

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

Log in to Prism Element

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

NEW QUESTION: 58

Which three upgrades should an administrator be able to perform using Lifecycle Management?

(Choose Three)

- A. AOS
- B. BMC
- C. BIOS
- D. Hypervisor
- E. HBA Firmware

Answer: A,B,E ([LEAVE A REPLY](#))

Reference:

<https://portal.nutanix.com/page/documents/kbs/details?targetId=kA00e000000LMgICAW>

NEW QUESTION: 59

to build the vm on the ahv cluster, after amigration, what "Add Disk" operation(s) can be used?

(Choose two)

- A. clone from storagepool
- B. clone from image service
- C. clone from ADSF file
- D. clone from vm list

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 60

Where are Leap Availability Zones configured?

- A. Cloud Connect
- B. Controller VM
- C. Prism Element
- D. Prism Central

Answer: D ([LEAVE A REPLY](#))

Terminology

* Availability Zone - it is represented by all resources (Nutanix Clusters) connected to Prism Central or Xi Leap Availability zone. Depends on the architecture, Availability zone can represent geographic territory, datacenter or server room in the datacenter. Protection policies - in protection policies you set up (RPO, Retention), rules to auto-apply policies to virtual machines

<https://vmwaremine.com/2019/02/08/nutanix-leap-runbooks-part-1/#sthash.VwrzSzhQ.dpbs>

NEW QUESTION: 61

What is the maximum RPO that can be configured for VMs using the Near Sync feature?

- A. 15
- B. 10
- C. 60 min

D. 1 min

Answer: ([SHOW ANSWER](#))

Valid NCP-MCI-5.15 Dumps shared by TrainingQuiz.com for Helping Passing NCP-MCI-5.15 Exam! TrainingQuiz.com now offer the **newest NCP-MCI-5.15 exam dumps**, the TrainingQuiz.com NCP-MCI-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NCP-MCI-5.15 dumps with Test Engine here: <https://www.trainingquiz.com/NCP-MCI-5.15-practice-quiz.html> (224 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

What is the maximum number of tested and supported vDisks (including snapshots) that is a Nutanix cluster can maintain?

- A. 250,000
- B. 800,000
- C. 500,000
- D. 600,000

Answer: D ([LEAVE A REPLY](#))

<https://portal.nutanix.com/page/documents/details/?targetId=Web-Console-Guide-Prism-v58:app-system-maximums-r.html>

NEW QUESTION: 63

In which two scenarios is Nutanix Key Management Server supported?

- A. XenServer and AHV mixed cluster
- B. Data-at-Rest Encryption
- C. Cluster's local KMS.
- D. KVM and AHV mixed cluster

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 64

An administrator wants to make sure that the health of a cluster is in a good state.

Which command the utility will provide information related to the health of the cluster?

- A. ncc
- B. generic status
- C. iostat
- D. top

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 65

Client needs a backup solution to allow the ability to replicate small data sets to public cloud. The RPO of this tertiary data must be 24 hrs or better.

Which solution should an engineer recommend to the client base on these requirement?

- A. XI Cloud service
- B. Cloud Connect
- C. Protection Domain
- D. NearSync

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 66

An administrator needs to shut down and relocate a Nutanix cluster.

Which step should the administrator take after shutting down all guest VMs on the cluster?

- A. Execute the command: cluster stop on a CVM
- B. Change the node and CVM IP addresses if necessary
- C. Put each host into maintenance mode
- D. Execute the command: cluster restart_genesis on a CVM

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 67

An administrator installs Nutanix-specific PowerShell cmdlets. The cmdlets fail to run.

Which two requirements should the administrator verify first? (Choose two)

- A. Windows 2016 r2 or later is installed
- B. The cmdlets have the proper permissions
- C. PowerShell 2.0 or later is installed
- D. Python 2.7 or greater is installed
- E. .Net Framework 4.0 is installed

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

A VM user permanently deletes a directory on a guest VM. The Nutanix administrator has enabled Self-Services for this VM.

Which three steps must the administrator perform to restore the directory? (Choose Three)

- A. Copy the directory from the snapshot disk to the original VM disk
- B. Select and mount the snapshot that contains the deleted directory
- C. Launch the Nutanix SSR utility on the VM
- D. Create a clone of the VM from a previous snapshot and replace the original VM
- E. Connect to the cloned VM and copy the directory to the source VM

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 69

What requires iSCSI initiator configuration in the guest OS to use Volumes?

- A. Oracle RAC
- B. SQL Server Always On Availability Group
- C. Exchange DAG
- D. Microsoft Windows Failover Cluster

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 70

An administrator has a 4-node Nutanix cluster running on AHV. The administrator creates a new storage container and makes that all available to all hosts.

Which storage protocol is used for Virtual Machines to access virtual disks on the storage container?

- A. iSCSI
- B. Fiber Channel
- C. SMB/CIFS
- D. NFS

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 71

Which two image types are stored by the Nutanix Image Service? (Choose two)

- A. Disk
- B. VMDK
- C. QCOW2
- D. ISO
- E. VHDX

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 72

An administrator needs to report on any alerts generated by a Nutanix cluster that affected the cluster's availability over the past 10 days.

Which method should be used to locate these events?

- A. On the Health dashboard, use the Log Collector to export data based on time stamp.
- B. Export the cluster event log to a CSV on the Alerts dashboard.
- C. On the Alerts dashboard, filter based on Impact Type and the desired Time Range.
- D. Configure an Alert Policy to generate an email with the data on the Health dashboard.

Answer: C ([LEAVE A REPLY](#))

Reference:

<https://portal.nutanix.com/page/documents/details?targetId=Prism-Central-Guide-Prism-v55:mulalerts-management-pc-c.html>

NEW QUESTION: 73

Which two targets are valid options when selecting a Remote Site in Prism? (Choose two)

- A. Network attached storage
- B. Physical Cluster
- C. Cloud
- D. XI Cloud Services
- E. Tape Library

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 74

what command initiated from a cvm, is used to view the pNICs on all AHV nodes?

- A. hostssh ovs-appctl bond/show
- B. allssh ovs-appctl bond/show
- C. hostssh ssh host@192.168.5.1 ovs-appctl bond/show
- D. allssh ssh root@192.168.5.2 ovs-appctl bond/show

Answer: A ([LEAVE A REPLY](#))

Valid NCP-MCI-5.15 Dumps shared by TrainingQuiz.com for Helping Passing NCP-MCI-5.15 Exam! TrainingQuiz.com now offer the **newest NCP-MCI-5.15 exam dumps**, the TrainingQuiz.com NCP-MCI-5.15 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com NCP-MCI-5.15 dumps with Test Engine here: <https://www.trainingquiz.com/NCP-MCI-5.15-practice-quiz.html> (224 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)