

Oracle.1Z0-1042-21.v2022-05-20.q45

Exam Code:	1Z0-1042-21
Exam Name:	Oracle Cloud Platform Application Integration 2021 Specialist
Certification Provider:	Oracle
Free Question Number:	45
Version:	v2022-05-20
# of views:	913
# of Questions views:	450
https://www.dumpsdb.com/dumps/Oracle/1Z0-1042-21/Oracle.1Z0-1042-21.v2022-05-20.q45	

NEW QUESTION: 1

What are two key benefits of Oracle Web Service Manager (OWSM) in the management and security of Web services across the organization?

- A. Security is controlled by the developer of the service and this gives greater control to the development of the service.
- B. OAuth services are used for REST based services.
- C. OWSM provide a framework that is externalized and declarative outside of the web service implementation.
- D. Developers no longer need to understand security specifications and security implementation details.

Answer: C,D (LEAVE A REPLY)

<https://docs.oracle.com/middleware/1212/owsm/OWSMC/owsm-intro.htm#OWSMC110>

NEW QUESTION: 2

Which three are valid Oracle Integration Cloud (OIC) Roles ?

- A. ServiceDeployer
- B. ServiceImplementor
- C. ServiceUser
- D. ServiceAdministrator

Answer: A,C,D (LEAVE A REPLY)

Oracle Integration Cloud Roles Oracle Integration Cloud predefined roles govern access to various Oracle Integration Cloud features: Integrations, Processes, Visual Builder, Integration Insight, and Stream Analytics . Oracle Integration Cloud predefined roles include ServiceAdministrator, ServiceDeveloper, ServiceMonitor, ServiceDeployer, and ServiceUser.

<https://docs.oracle.com/en/cloud/paas/integration-cloud-um/integration-cloud-user-um/administering-oracle-integration-cloud.pdf>

NEW QUESTION: 3

Which two are ways the Oracle Internet of Things (IoT) Cloud Service environment can be accessed?

- A. Using a desktop client
- B. using REST Interface
- C. using SOAP Interface
- D. using Web Browser

Answer: (SHOW ANSWER)

NEW QUESTION: 4

What policy is required to be in an API if that API is to be used under a Plan?

- A. Application Rate Limiting
- B. Key Validation
- C. Basic Auth
- D. Interface Filtering

Answer: B (LEAVE A REPLY)

NEW QUESTION: 5

Which four statements are correct regarding the differences between WSDL/SOAP and REST/JSON?

- A. REST is more easily used in developing UIs than WSDL. REST is also gaining popularity in application development.
- B. WSDL is a tight contract; REST is a loose contract.
- C. Unlike WSDL, REST is typically invoked with HTTP verbs.
- D. WSDL is a request for a service; REST is a request for a resource.
- E. WSDL is simpler; REST is richer.
- F. Modern API-first architectures prefer to use tried-and-true WSDL services over REST services because they are quicker and easier to implement.

Answer: (SHOW ANSWER)

NEW QUESTION: 6

When considering the configuration of APIs, Services, and Service Accounts in the API Platform Cloud Service, which two statements are valid?

- A. A Service Account is limited to using OAuth credentials only for defining security because Services can be configured to define Basic Authentication.
- B. A Service must include a Service Account reference to invoke a back-end service.
- C. An API references Services and Service Accounts through the policies defining the API.

D. An API Platform policy can be configured to reference another policy to override credentials information.

E. A Service Account defines the security credentials required to invoke a back-end service.

Answer: (SHOW ANSWER)

Understand the Relationship Between APIs, Services, and Service Accounts Service accounts and services are resources that you can manage and use in policies for APIs.

A service account defines the security credentials required to invoke a backend service. A service account can either define Basic Auth or OAuth credentials.

A service is used to represent a backend service. It defines the properties required to invoke a backend service. The main required property of the service is the URL at which a backend service can be invoked. A service can also reference a service account to configure the credentials required to invoke a backend service.

An API references services and service accounts through the policies defining the API. An API policy making outbound calls, such as Service Request and Service Callout, can configure the backend service inline by specifying the URL in the policy itself, or the policy can reference the service resource representing the backend service. The policy can also be configured to reference a service account to configure or override credentials information.

Services and service accounts make it easier to manage changes to the services or the required credentials. Update them in one place and all the policies that reference them update to the new values.

<https://docs.oracle.com/en/cloud/paas/api-platform-cloud/apfad/understand-relationship-apis-services-and-service-accounts.html>

NEW QUESTION: 7

Which two are execution modes supported by gateway node in Integration API Platform Cloud Service?

- A.** Production
- B.** Development
- C.** Stage
- D.** Test

Answer: (SHOW ANSWER)

<https://docs.oracle.com/en/cloud/paas/api-platform-cloud/apfad/installing-gateway-node.html#GUID-A02059C9-37B4-40F0-9FEA-C648804BB98F>

NEW QUESTION: 8

Which four are key features of Oracle Integration Cloud Enterprise (OIC)?

- A.** Data stream analytics
- B.** Application Integration
- C.** Web and Mobile application creation
- D.** Business process automation
- E.** Enterprise Service Bus (ESB)

F. Business to Business (B2B)

Answer: ([SHOW ANSWER](#))

<https://docs.oracle.com/en/cloud/paas/integration-cloud/user-stream-analytics/working-stream-analytics.html#>

https://cloud.oracle.com/en_US/OIC/features

NEW QUESTION: 9

Which is a required prerequisites for API Platform Cloud Services?

- A. Storage Cloud Service and Compute Cloud Service
- B. Integration Cloud Service
- C. Database Cloud Service (DBCS) and Storage Cloud Service
- D. Java Cloud Service (JCS) and Database Cloud Service (DBCS)

Answer: ([SHOW ANSWER](#))

<https://docs.oracle.com/en/cloud/paas/api-platform-cloud-um/apfad/you-begin-oracle-api-platform-cloud-service.html#GUID-3BB15D58-FE9C-4492-A3DD-676A25216CA7>

NEW QUESTION: 10

You are assigned to review the specifications of the SOA composite applications that have been deployed to your SOA Cloud Service instance. Part of this analysis requires you to catalog the Service Component Architecture (SCA) components that are implemented within each composite application.

Which is a valid SCA component in an Oracle SOA composite application?

- A. Split-Join
- B. Mediator
- C. MFT Adapter
- D. B2B Agreement
- E. BAM Adapter

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 11

You are implementing a synchronous OIC integration flow that is processing file records within a While loop action. At the end of each loop, you want to delay processing of the next record for a certain period of time.

Which is a valid consideration for the Wait action?

- A. The minimum wait time cannot be less than five seconds when configuring a Wait action in any integration flow.
- B. The Wait action cannot be used in a synchronous flow.
- C. The maximum wait time cannot exceed two minutes when configuring a Wait action in a synchronous flow.
- D. The Wait action can only be positioned as the last action in the loop.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

When a connection is in edit mode and the browser crashes, the connection becomes locked, which then prevents it from being edited. Which two users can unlock the connection?

- A. a user with the Designer Role
- B. the same user who has edited the connection
- C. any user
- D. a user with the Administrator Role

Answer: (SHOW ANSWER)

<https://docs.oracle.com/en/cloud/paas/integration-cloud-service/icsug/creating-connections.html#GUID-085410CC-9BBE-4F4C-BEB7-8EDD1A9C7A1A> Unlocking a Connection When a connection is in edit mode and the browser crashes, the connection becomes locked, which prevents it from being edited.

To unlock the connection:

1. Log in again as the same user who was editing the connection when the browser crashed, then log out.

For example, if you were logged in as icsdeveloper when the browser crashed, log in again as icsdeveloper, and log out. This action unlocks the connection.

or

1. Log in as a user with the Administrators role.
2. On the Oracle Integration Cloud Service home page, click the Connections diagram.
3. For the connection that is locked, click the menu at the far right, then select Unlock.

NEW QUESTION: 13

You are tasked with monitoring the SOA composite application and the underlying environment within a SOA Cloud Service instance.

- A. Manage File Transfer Console
- B. Weblogic Server Console
- C. Fusion Middleware Control
- D. Oracle Service Bus Console
- E. B2B Console
- F. Load Balancer Console

Answer: (SHOW ANSWER)

<https://docs.oracle.com/cloud/latest/soa121300/SOAAG/GUID-66597D45-E262-4D19-A64C-DA54AD633C98.htm#SOAAG97797>

NEW QUESTION: 14

Which four are types of links that can be created to read data and events from devices, access different data sources for reading and writing data, and to deliver the results of analytics processing?

- A. Device Message and Analyzed Message

- B. Oracle Storage Cloud Service
- C. Spark SQL and Oracle NoSQL
- D. Oracle Database as a Service
- E. Local File System

Answer: A,B,C,D (LEAVE A REPLY)

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/developing-applications-oracle-internet-things-cloud-service.pdf>

NEW QUESTION: 15

Which feature flag lifecycle stage includes OIC features that you can request from Oracle to be disabled within your OIC instance environment?

- A. Feature Controlled General Availability
- B. Internal Only
- C. Feature Controlled
- D. General Availability

Answer: C (LEAVE A REPLY)

NEW QUESTION: 16

Which two statements are true regarding mapper activity?

- A. You cannot drag and drop an XSLT flow control statement directly to a target node element.
- B. You can drag and drop a source data element to multiple target node elements
- C. You cannot drag and drop a source element to a target node element that is already mapped
- D. You cannot drag and drop an XPath function activity directly to a target node element.

Answer: B,C (LEAVE A REPLY)

Valid 1Z0-1042-21 Dumps shared by TrainingQuiz.com for Helping Passing 1Z0-1042-21 Exam! TrainingQuiz.com now offer the **newest 1Z0-1042-21 exam dumps**, the TrainingQuiz.com 1Z0-1042-21 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Z0-1042-21 dumps with Test Engine here: <https://www.trainingquiz.com/1Z0-1042-21-practice-quiz.html> (135 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

You need to create an OIC integration that will be processing many records individually that are contained within a large file. You have been advised to use an implementation approach that includes using the Download File operation of an FTP adapter in conjunction with the Stage File action Read File in Segments operation to mitigate issues with memory consumption.

When using this approach, which is a valid consideration regarding the use of the Read File in Segments operation?

- A. You must provide the actual filename because file references cannot be processed by the Read File in Segments operation.
- B. Segment sizes will default to 50 records but can be configured to any other segment size.
- C. The Read File in Segments operation allows for you to process the segments sequentially or in parallel.
- D. You will need to explicitly configure a Scope action for this operation if you want to add additional actions during the processing of each segment.

Answer: (SHOW ANSWER)

NEW QUESTION: 18

What Mapper function can you use to get the lookup value in Mapping Builder?

- A. FindLookupValue
- B. LookupValue
- C. SearchLookupValue
- D. GetLookupValue

Answer: B (LEAVE A REPLY)

NEW QUESTION: 19

What is the "Decision Table" in Business Rules in Process Cloud Service?

- A. a range value set in a spreadsheet-like format that defines a list of allowed value ranges for the input and output data objects of a decision
- B. a decision matrix that organizes if/then rules into a spreadsheet-like format, where rows represent conditions and actions, and columns match condition values to action alternatives
- C. an if/then rule that has one or more conditions (if statements) that together are true or false, and one or more actions (then statements) that are applied if the conditions are true
- D. a value set in a spreadsheet-like format that defines a list of allowed values for the input and output data objects of a decision

Answer: C (LEAVE A REPLY)

Reference:

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/creating-decision-table-business-rules.html#GUID-26D3DF2A-D6D8-404F-834D-EE512E787630> Creating a Decision Table in Business Rules A decision table organizes if/then rules into a spreadsheet-like format, in which rows represent conditions and actions, and columns match condition values to action alternatives.

NEW QUESTION: 20

What two grants allow an API Manager to use a service in their API?

- A. Manage Service
- B. View All Details

- C. Deploy Service
- D. Reference Service

Answer: B,C (LEAVE A REPLY)

<https://docs.oracle.com/en/cloud/paas/api-platform-cloud/apfad/managing-api-grants.html#GUID-18A50B0C-F14A-4FEE-BFEA-CA42265D35DA>

NEW QUESTION: 21

Which three are types of certificates that can be imported from Settings?

- A. Identity Certificate
- B. Message Protection Certificate
- C. Unified Communications Certificate
- D. Multi Domain SSL Certificate
- E. Trust Certificate

Answer: A,B,E (LEAVE A REPLY)

NEW QUESTION: 22

You have been tasked with monitoring the SOA composite applications and the underlying environment within a SOA Cloud Service instance.

Which SOA Cloud Service web application is best for viewing completed composite instances?

- A. WebLogic Service Console
- B. Service Bus Console
- C. SOA Cloud Service Console
- D. SOA Composer
- E. Fusion Middleware Control

Answer: (SHOW ANSWER)

NEW QUESTION: 23

Which three statements are true about business and data objects in OIC PROCESS?

- A. Data objects can be created based on a business object
- B. Enum objects are a special type of business object
- C. Business objects can be created from an XML schema or from JSON.
- D. Business objects can be created base on a data object
- E. Business objects cannot contain other business objects
- F. Business exceptions can use only the string data type.
- G. Business and data objects are auto-generated when creating web forms.

Answer: (SHOW ANSWER)

<https://docs.oracle.com/en/cloud/paas/integration-cloud/user-processes/define-data.html#GUID-ED75D7B0-B60B-4107-9F86-6C63AAEB1A62>

NEW QUESTION: 24

Which REST API can be used for registering a device as third party device?

- A. CREATE /iot/api/v2/private/partners
- B. POST /iot/api/v2/private/partners
- C. REGISTER /iot/api/v2/private/partners
- D. PUT /iot/api/v2/private/partners
- E. GET /iot/api/v2/private/partners

Answer: (SHOW ANSWER)

You can register all devices in Oracle IoT Cloud as third party partner devices by using this REST API: POST /iot/api/v2/private/partners.

<https://docs.oracle.com/en/cloud/paas/iot-cloud/develop/specifying-devices-third-party-partner-devices-oracle-iot-cloud-service.html>

NEW QUESTION: 25

You are tasked with creating an OIC orchestrated integration flow that supports a B2B document exchange. When configuring the B2B action (formerly known as the EDI Translate action), there are several capabilities as well as limitations.

Which statement is NOT true about OIC B2B capabilities?

- A. When defining the EDI message type, both the document version and document type must always be explicitly selected.
- B. A previously created Trading Partner Agreement is optional when configuring the inbound or outbound translation
- C. Performing validations on EDI document is required for inbound translations, but optional for output translations.
- D. You can customize standard EDI documents by adding new schema constructs or by editing existing constructs.

Answer: (SHOW ANSWER)

<https://docs.oracle.com/en/cloud/paas/integration-cloud/integration-b2b/generate-outbound-edi-application-message.html#GUID-243A1FAF-D556-4C72-8A70-2568B3F9F188>

NEW QUESTION: 26

Within the scope of an OIC process application, which two statements are valid concerning Decision Snapshots and Decision Models?

- A. Decision snapshots are read-only copies of a decision model.
- B. Decision Model can be activated on a Decision Model and Notation (DMN) server.
- C. Decision snapshots, once activated, cannot be used independently in multiple applications.
- D. A decision model snapshot cannot be deleted once it has been activated.
- E. Decision rules are expressed as rows with in a table and consist of only one input entry and only one corresponding output entry.

Answer: (SHOW ANSWER)

<https://docs.oracle.com/en/cloud/paas/integration-cloud/user-processes/work-decision-models.html>

NEW QUESTION: 27

Which two are NOT default start and end events in Process Cloud Service?

- A. Folder start and None end event
- B. SOAP start and SOAP end event
- C. None start and end event
- D. Task start and end event

Answer: B,D (LEAVE A REPLY)

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/defining-process-start-and-end.html#GUID-E3E20D7C-D135-419C-8750-F8D9147590D8>

NEW QUESTION: 28

Which type of certificate requires the uploading of a keystore(.jks) file in Oracle Integration Cloud to facilitate two-way SSL communication with external services?

- A. Unified Communication Certificate
- B. Message Protection Certificate
- C. Multi Domain Certificate
- D. Trust Certificate
- E. Identity Certificate

Answer: (SHOW ANSWER)

NEW QUESTION: 29

In Oracle Integration Cloud (OIC) Process web forms editor, which three background colors are displayed?

- A. Orange for unmatched binding names
- B. Blue for complex binding names (their children may contain valid binding names)
- C. Yellow for matched binding names
- D. Green for valid binding names
- E. Red for invalid binding names

Answer: (SHOW ANSWER)

The background colors displayed for the autocomplete options are:

Green for valid binding names

Red for invalid binding names

Blue for complex binding names (their children may contain valid binding names)

<https://docs.oracle.com/en/cloud/paas/integration-cloud/user-processes/bind-form-data-controls.html#GUID-CECD2F13-1E1A-457D-8BC8-8D605EEB213B>

NEW QUESTION: 30

Integration Insight in OIC provides a business friendly experience, allowing users to model, collect, and monitor metrics for their business processes.

Which statement is not true about Integration Insight models?

- A. The activity associated with an Integration Insight model is a model instance

B. A model must have both an initial milestone and terminal milestone created in order to be activated.

C. Integration Insight models can define milestone activities in either OIC integration OIC process business processes.

D. The model identifier value must be unique and is extracted only once for a model instance and cannot be changed

E. Model indicators are limited to only one of two types: Dimensions and Measures.

F. Each model instance is a unique occurrence based on the business process that is associated with the model

Answer: D (LEAVE A REPLY)

<https://docs.oracle.com/en/cloud/paas/integration-cloud/user-int-insight-oci/model-components.html#GUID-D6F22727-3B3A-41C7-987F-70D791586E95>

NEW QUESTION: 31

What are the two types of analytics processors in Oracle Internet of Things (IoT) Cloud Service?

A. Batch Analytics Processors

B. Natural Analytics Processors

C. Static Analytics Processors

D. streaming Analytics Processors

Answer: (SHOW ANSWER)

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/understanding-analytics-processors.html>
The type of analytics processor to use depends on the nature of your data:

Streaming Analytics Processors

Use streaming analytics processors to analyze high volumes of rapidly changing data streamed from your sensors and devices. Streaming analytics processors are continuously running from the moment you deploy them, waiting for your devices to stream data. See [Creating Streaming Analytics Processors](#).

Batch Analytics Processors

Batch Analytics Processors

Use batch analytics processors to analyze large volumes of batch data. Typically, batch analytics processors process data stored in the Oracle NoSQL or other data sources. Unlike streaming analytics processors they are not continuously running, they only run when you call them using the REST API they expose.

Valid 1Z0-1042-21 Dumps shared by TrainingQuiz.com for Helping Passing 1Z0-1042-21 Exam! TrainingQuiz.com now offer the **newest 1Z0-1042-21 exam dumps**, the TrainingQuiz.com 1Z0-1042-21 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Z0-1042-21 dumps with Test Engine

here: <https://www.trainingquiz.com/1Z0-1042-21-practice-quiz.html> (135 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

You provision an Oracle SOA Cloud Service instance and specify a compute shape so that the JVM heap size for WebLogic Server, and Load Balancer processes are determined automatically.

Which statement is correct after provisioning the instance in this scenario?

- A. You can change the heap size by using the Weblogic Server Administration Console.
- B. You can change the heap size to a maximum of 32GB.
- C. You can change the heap size by logging a Oracle Cloud Support Service Request.
- D. You cannot change the heap size once the Service Instance is provisioned.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 33

Which two are types of style patterns available while creating integration with Oracle Integration Cloud (OIC)?

- A. Notification
- B. Metadata
- C. Orchestration
- D. Map Data

Answer: C,D (LEAVE A REPLY)

<https://docs.oracle.com/en/cloud/paas/integration-cloud-service/icsug/creating-integrations.html#GUID-FC613C76-F566-4673-BC10-CC893958C8D6>

NEW QUESTION: 34

Which is NOT an activity that an Application Developer (API Consumer) can perform in the Developer Portal in Integration API Platform Cloud Service?

- A. Learn about APIs
- B. Subscribe to a plan
- C. Create an API
- D. Test an API
- E. Create Application
- F. Monitor performance

Answer: (SHOW ANSWER)

<https://docs.oracle.com/en/cloud/paas/api-platform-cloud/apfdv/typical-workflow-consuming-apis.html#GUID-0AC9919A-A1B6-49D5-B2B1-6E6CD227805A>

NEW QUESTION: 35

Which JNDI name value must be provided when configuring the properties of a new database adapter outbound connection pool to support dependent SOA composite applications?

- A. The corresponding XA enterprise resource adapter application deployed to the same WebLogic cluster.
- B. The defined XA database adapter connection factory configured for this WebLogic domain.
- C. The corresponding XA datasource configuration deployed to the same WebLogic cluster.
- D. The associated XA database adapter plan deployed with this database adapter outbound connection pool.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 36

You have a single synchronous integration flow updating systems with several external invocations within multiple loops. Several client applications are experiencing blocking timeouts waiting for confirmation of the complex processing logic.

Which is a legitimate strategy to mitigate this issue?

- A. Change to an asynchronous flow that provides a notification when processing is complete.
- B. Change the implementation logic to invoke multiple fine-grained external API calls within a single loop.
- C. Split into smaller integration flows that can be orchestrated sequentially from a master synchronous flow.
- D. Increase the blocking timeout within the OIC integration settings to allow for extended time.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

You can recover unsaved changes in an OIC integration that crashes during design time because of a browser crash, loss of network connectivity, or a server going down.

Which statement is NOT true about this unsaved changes feature in OIC?

- A. Only the person with the ServiceDeveloper role that made the changes or an admin with the Service Administrator role can recover the unsaved changes.
- B. Because a backup copy is created after each completed task, there is no time limit in which you need to log back in and recover your changes
- C. Changes made while editing a Connections page cannot be recovered.
- D. An OIC administrator with the ServiceAdministrator role can unlock an integration that has unsaved changes.
- E. Changes made while working inside the data mapper cannot be recovered.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 38

As a Process Cloud developer, you have been tasked with integrating Oracle Content and Experience Cloud with a process application. Since this is a document-centric process that will involve collaboration with process participants, it has been determined that the document and conversation functionality should be used.

Which task is NOT required?

- A. You must manually enable the document and conversation features for your process application.
- B. You will need to have the administrator configure the connection between Oracle Process Cloud and Oracle Content and Experience Cloud since developers do not have those permissions.
- C. You will need to assign conversation viewers to either an Oracle Content and Experience user role or Oracle Documents Cloud Service user role.
- D. You will need to create a new process application since conversation functionality cannot be enabled for pre-existing applications.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which two statements are true about rules in a decision table?

- A. Rules are expressed as columns within a decision table.
- B. When the input data matches the input entries of a rule, the result of the decision table contains the output entry of the rule.
- C. Every rule consists of one or more input entries and a corresponding output entry.
- D. A decision table can contain only one rule.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 40

In Oracle Integration Cloud (OIC) Process, you can configure a human task that enable you to model approval task interactions.

What are the available options when configuring the Escalation and Expiration tab of human task?

- A. Never Expire, Expire, Renew, Escalate
- B. Expire, Escalate, Skip, Reset
- C. Never Expire, Expire, Never Escalate, Escalate
- D. Expire, Reset, Escalate

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 41

Assuming that a particular user possesses the "Deploy to Gateway" grant, what grants on an API are required in order to deploy that API?

- A. Manage API or Deploy API
- B. View all Details and Deploy API
- C. Entitle API
- D. Manage API

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

Which three are scenarios where Managed File Transfer (MFT) is a valid approach?

- A.** In integration scenarios where it is important to use either compression and/or encryption in the transfer process.
- B.** File adapters remove the need to ever have to use MFT.
- C.** Many SaaS applications still use files as a means for sharing data, so MFT capabilities are still very important.
- D.** File Transfer is an old, outdated method of sharing information and should not be used.
- E.** Oracle MFT can be used in conjunction with Oracle Integration Cloud (OIC) to push files for processing by OIC.

Answer: A,C,E (LEAVE A REPLY)

NEW QUESTION: 43

Which three statements are true about SOAP and advantages it provides?

- A.** It uses XML based content to communicate between two client machines across any modem network.
- B.** Since its XML based, it is platform and programming language independent
- C.** It stands for Simple Object Application Protocol
- D.** RPC (Remote procedure calls) are sometimes blocked by firewalls and proxy servers - SOAP overcomes that.
- E.** It is able to act like a cleaning agent to remove excess data from the transmission protocol

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 44

Which schema is used for defining the field structure of an analytic object?

- A.** Apache Avro schema
- B.** XSD schema
- C.** Database schema
- D.** XSL Schema

Answer: A (LEAVE A REPLY)

Using Schemas to Define the Fields of Analytics Objects

You can import an Apache Avro schema file to define the field structure of your analytics object.

To import a schema file, your analytics object must not have any fields defined.

The namespace and object name in your schema file must match the name of the analytics object that you created.

After you create your analytics object, click Import Schema.

The file browser dialog box appears.

Select a valid Avro schema file from your computer and click Open.

For more information about Avro schemas, see Apache Avro.

The field structure defined in the schema file appears in the Fields section.

Click Save.

The field structure defined in your Avro schema file is imported to your analytics object.
<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/using-schemas-define-fields-analytics-objects.html>

NEW QUESTION: 45

Which two are types of Authentication that are supported for Services in Integration API Platform Cloud Service?

- A. Kerberos
- B. WSS Username Token
- C. OAuth2
- D. BasicAuth

Answer: C,D (LEAVE A REPLY)

https://cloud.oracle.com/opc/paas/datasheets/APIPCSDDataSheet_Jan2018.pdf

Valid 1Z0-1042-21 Dumps shared by TrainingQuiz.com for Helping Passing 1Z0-1042-21 Exam! TrainingQuiz.com now offer the **newest 1Z0-1042-21 exam dumps**, the TrainingQuiz.com 1Z0-1042-21 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Z0-1042-21 dumps with Test Engine here: <https://www.trainingquiz.com/1Z0-1042-21-practice-quiz.html> (135 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)