

Oracle.1z0-1104-21.v2022-04-12.q31

Exam Code:	1z0-1104-21
Exam Name:	Oracle Cloud Infrastructure Security 2021 Associate
Certification Provider:	Oracle
Free Question Number:	31
Version:	v2022-04-12
# of views:	744
# of Questions views:	310
https://www.dumpsdb.com/dumps/Oracle/1z0-1104-21/Oracle.1z0-1104-21.v2022-04-12.q31	

NEW QUESTION: 1

What does an audit log event include?

- A. Audit type
- B. Header
- C. Footer
- D. Type of input

Answer: ([SHOW ANSWER](#))

The HTTP header fields and values in the request.

<https://docs.oracle.com/en-us/iaas/Content/Audit/Reference/logeventreference.htm>

NEW QUESTION: 2

What must be configured for a load balancer to accept incoming traffic?

- A. Service Gateway
- B. SSL certificate
- C. Listener
- D. Route table entry pointing to the listener IP address

Answer: ([SHOW ANSWER](#))

A listener is an entity that checks for connection requests. The load balancer listener listens for ingress client traffic using the port you specify within the listener and the load balancer's public IP.

<https://docs.oracle.com/en-us/iaas/Content/GSG/Tasks/loadbalancing.htm>

To create a listener:

On your Load Balancer Details page, click Listeners.

Click Create Listener.

Enter the following:

Name: Enter a friendly name. Avoid entering confidential information.

Protocol: Select HTTP.

Port: Enter 80 as the port on which to listen for incoming traffic.

Backend Set: Select the backend set you created.

Click Create.

NEW QUESTION: 3

Which parameters customers need to configure while reading secrets by name using CL1 or API?

Select TWO correct answers.

- A. Certificates
- B. Secret Name
- C. ASCII Value
- D. Vault Id

Answer: B,D ([LEAVE A REPLY](#))

The image shows a screenshot of OCI CLI and REST API commands. The CLI section shows the command: `oci secrets secret-bundle get-secret-bundle-by-name --secret-name <target_secret_name> --vault-id <target_vault_id> --stage <target_secret_version_rotation_state>`. The REST API section shows a POST request to `/20190301/secretsbundles/actions/getByName?secretName=<secret_name>&vaultId=<vault_Ocid>` with headers for Host and authorization. A large watermark 'dumpsdb.com' is overlaid on the image, and the Oracle logo is visible in the bottom right corner.

NEW QUESTION: 4

How can you establish private connectivity over two VCN within same OCI region without traversing the traffic over public internet ?

- A. NAT Gateway
- B. Data Guard
- C. Remote VCN Peering
- D. Local VCN Peering

Answer: D ([LEAVE A REPLY](#))

- **Local VCN peering**

Virtual cloud networks (VCNs) within a region can be peered by using local peering gateways (LPG). The resources attached to such peered VCNs can communicate by using private IP addresses without routing the traffic over the public internet. The VCNs can be in the same tenancy or in different tenancies.

- **Remote VCN peering**

VCNs in different regions can communicate by using private IP addresses without routing the traffic over the public internet. You can set up peering between two VCNs in different regions by configuring a remote peering connection (RPC) on each of the dynamic routing gateways (DRG) attached to the VCNs in the peering relationship. Remote VCN peering is generally used to connect two VCNs across regions in the same tenancy. In certain scenarios, you might need to connect VCNs in two different tenancies across regions.

NEW QUESTION: 5

Which statements are CORRECT about Security Zone policy in OCI ? Select TWO correct answers

- A. Block volume can be moved from a security zone to a standard compartment
- B. Bucket can't be moved from a security zone to a standard compartment
- C. Resources in a security zone must be accessible from internet
- D. Resources in a security zone must be encrypted using customer-managed keys

Answer: ([SHOW ANSWER](#))

The following table describes the security zone policies that restrict resource movement.

Policy	Services	Description
deny_block_volume_in_security_zone_move_to_compartment_not_in_security_zone	Block Volume	You can't move a block volume from a security zone to a standard compartment.
deny_boot_volume_in_security_zone_move_to_compartment_not_in_security_zone	Block Volume	You can't move a boot volume from a security zone to a standard compartment.
deny_instance_in_security_zone_move_to_compartment_not_in_security_zone	Compute	You can't move a compute instance (Compute) from a security zone to a standard compartment.
deny_instance_not_in_security_zone_move_to_compartment_in_security_zone	Compute	You can't move a compute instance from a standard compartment to a compartment that is in a security zone.
deny_subnet_in_security_zone_move_to_compartment_not_in_security_zone	Networking	You can't move a subnet from a security zone to a standard compartment.
deny_bucket_in_security_zone_move_to_compartment_not_in_security_zone	Object Storage	You can't move a bucket from a security zone to a standard compartment.
deny_db_instance_move_to_compartment_not_in_security_zone	Database (all types)	You can't move a database from a security zone to a standard compartment.

NEW QUESTION: 6

Oracle Object Storage achieves data durability by which of the mechanisms ? Select TWO correct answers

- A. Service Gateway
- B. Redundant Storage across availability domains
- C. Redundant Array of Independent Disks
- D. Object Versioning

Answer: B,D (LEAVE A REPLY)

How durable is data stored in Oracle Cloud Infrastructure Object Storage?

Oracle Object Storage is designed to be highly durable, providing 99.999999999% (Eleven 9's) of annual durability. It achieves this by storing each object redundantly across three servers in different availability domains for regions with multiple availability domains, and in different fault domains in regions with a single availability domain. Existing objects can be accessed as long as one of the three copies is accessible, and new objects can be uploaded as long as two copies can be successfully written. Data integrity is actively monitored using checksums, and corrupt data is detected and automatically repaired. Any loss in data redundancy is detected and remedied, without customer intervention or impact.

NEW QUESTION: 7

As a security administrator, you want to create cloud resources that align with Oracle's security principles and best practices. Which security service should you use?

- A. Identity and Access Management
- B. Cloud Guard
- C. Security Advisor
- D. Web Application Firewall (WAF)

Answer: (SHOW ANSWER)



NEW QUESTION: 8

Where is sensitive configuration data (like certificates, and credentials) is stored by Kubernetes cluster control plane?

- A. Block Volume
- B. ETCD
- C. Oracle Functions
- D. Boot Volume

Answer: B (LEAVE A REPLY)



NEW QUESTION: 9

Which Cloud Guard component identifies issues with resources or user actions and alerts you when an issue is found?

- A. Problems
- B. Targets
- C. Detectors

D. Responders

Answer: ([SHOW ANSWER](#))

Detector

Performs checks to identify potential security problems based on activities or configurations.

Rules followed to identify problems are the same for all compartments in a target.

<https://docs.oracle.com/en-us/iaas/cloud-guard/using/part-start.htm>

NEW QUESTION: 10

what is the use case for Oracle cloud infrastructure logging analytics service?

A. monitors, aggregates, indexes and analyzes all log data from on-premises.

B. labels data packets that pass through the internet gateway

C. automatically create instances to collect logs analysis and send reports

D. automatically and manage any log based on a subscription model

Answer: ([SHOW ANSWER](#))

Oracle Cloud Infrastructure Logging Analytics is a machine learning-based cloud service that monitors, aggregates, indexes, and analyzes all log data from on-premises and multicloud environments. Enabling users to search, explore, and correlate this data to troubleshoot and resolve problems faster and derive insights to make better operational decisions.

<https://www.oracle.com/manageability/logging-analytics/>

NEW QUESTION: 11

Which tasks can you perform on a dedicated virtual machine host?

A. Manual scaling

B. Creating instance pools

C. Instance configurations

D. Capacity reservations

Answer: **A** ([LEAVE A REPLY](#))

Supported features: Most of the Compute features for VM instances are supported for instances running on dedicated virtual machine hosts. However, the following features are not supported:

Autoscaling

Capacity reservations

Instance configurations

Instance pools

Burstable instances

Reboot migration. You can use manual migration instead

[https://docs.oracle.com/en-](https://docs.oracle.com/en-us/iaas/Content/Compute/Concepts/dedicatedvmhosts.htm#Dedicated_Virtual_Machine_Hosts)

[us/iaas/Content/Compute/Concepts/dedicatedvmhosts.htm#Dedicated_Virtual_Machine_Hosts](https://docs.oracle.com/en-us/iaas/Content/Compute/Concepts/dedicatedvmhosts.htm#Dedicated_Virtual_Machine_Hosts)

NEW QUESTION: 12

Which components are a part of the OCI Identity and Access Management service?

A. Policies

- B. Regional subnets
- C. Compute instances
- D. VCN

Answer: A ([LEAVE A REPLY](#))

<https://docs.oracle.com/en-us/iaas/Content/Identity/Concepts/overview.htm>

NEW QUESTION: 13

which two responsibilities will be oracle when you move your it infrastructure to oracle cloud infrastructure?

- A. Strong Isolation
- B. Strong IAM Framework
- C. MAINTAINING CUSTOMER DATA
- D. ACCOUNT ACCESS MANAGEMENT
- E. PROVIDING STRONG SECURITY LIST

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which statement is true about origin management in WAF?

Statement A: Multiple origins can be defined.

Statement B: Only a single origin can be active for a WAF.

- A. Both the statements are true.
- B. Only statement A is true.
- C. Both the statements are false.
- D. Only statement B is true.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 15

Which statement is true about using custom BYOI instances in Windows Servers that are managed by OS Management Service?

- A. Windows Servers that does not have the minimum agent version does not require an agent update or installation.
- B. Windows Servers that already has the minimum agent version does not require an agent update or installation.
- C. Windows Servers that already has the minimum agent version requires an agent update or installation.
- D. Windows Servers that does not have the minimum agent version requires an agent update or installation.

Answer: (SHOW ANSWER)

https://docs.oracle.com/cd/E11857_01/install.111/e15311/agt_install_windows.htm

NEW QUESTION: 16

Which type of software do you use to centrally distribute and monitor the patch level of systems throughout the enterprise?

- A. Network Monitor software
- B. Web Application Firewall
- C. Patch Management software
- D. Recovery Manager software

Answer: ([SHOW ANSWER](#))

https://docs.oracle.com/cd/E11857_01/em.111/e18710/T531901T535649.htm

Valid 1z0-1104-21 Dumps shared by TrainingQuiz.com for Helping Passing 1z0-1104-21 Exam! TrainingQuiz.com now offer the **newest 1z0-1104-21 exam dumps**, the TrainingQuiz.com 1z0-1104-21 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1z0-1104-21 dumps with Test Engine here: <https://www.trainingquiz.com/1z0-1104-21-practice-quiz.html> (**96 Q&As Dumps, 40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

Which resources can be used to create and manage from Vault Service ? Select TWO correct answers

- A. Secret
- B. IAM
- C. Keys
- D. Cloud Guard

Answer: A,C ([LEAVE A REPLY](#))

Vault

You can use the **Vault service** to create and manage the following resources:

- **Vaults**
- **Keys**
- **Secrets**

A vault includes the encryption keys and secret credentials that you use to protect your data and connect to secured resources. As customer-managed resources, you have complete control over who has access to your vaults, keys, and secrets. You also control what authorized users and services can do with Vault resources. Levels of access might range from something as granular as whether an individual key can be used by a particular service to more broadly impactful lifecycle management activities, like whether a user can delete a key from a vault to prevent its use altogether.

Keys are stored on highly available and durable hardware security modules (HSM) that meet Federal Information Processing Standards (FIPS) 140-2 Security Level 3 security certification. Secrets and secret versions are base64-encoded and encrypted with master encryption keys, but do not reside within the HSM.

ORACLE

NEW QUESTION: 18

With regard to OCI Audit Log Service, which of the statement is INCORRECT?

- A. REST API calls can be recorded by Audit service
- B. Retention period for audit events cannot be modified
- C. Audit Events gets collected when modification within objects stored in an Object Storage bucket
- D. Events logged by the Audit service can be viewed by using the Console, API, or the SDK for Java

Answer: C (LEAVE A REPLY)

NEW QUESTION: 19

What is the configuration to avoid publishing messages during the specified time range known as?

- A. Trigger rule
- B. Statistic
- C. Resource group
- D. Suppression

Answer: D (LEAVE A REPLY)

suppression

A configuration to avoid publishing messages during the specified time range. Useful for suspending alarm notifications during system maintenance. Each suppression applies to a single alarm. In the Console, you can apply one definition of a suppression to multiple alarms. The result is an individual suppression for each alarm. For instructions on suppressing alarms, see [To suppress alarms](#).

NEW QUESTION: 20

Which statement is true about Oracle Cloud Infrastructure (OCI) Object Storage server-side encryption?

- A. Each object in a bucket is always encrypted with the same data encryption key.
- B. Encryption is not enabled by default.
- C. Customer-provided encryption keys are never stored in OCI Vault service.
- D. All the traffic to and from object storage is encrypted by using Transport Layer Security.

Answer: (SHOW ANSWER)

NEW QUESTION: 21

Which OCI service can index, enrich, aggregate, explore, search, analyze, correlate, visualize and monitor data?

- A. Data Guard
- B. Data Safe
- C. WAF
- D. Logging Analytics

Answer: (SHOW ANSWER)

About Logging Analytics

Oracle Cloud Logging Analytics is a cloud solution in Oracle Cloud Infrastructure that lets you index, enrich, aggregate, explore, search, analyze, correlate, visualize and monitor all log data from your applications and system infrastructure on cloud or on-premises.

NEW QUESTION: 22

Which of the following services are NOT Security Services in OCI ? Select TWO answers.

- A. Block Volume
- B. Cloud Guard
- C. Vault
- D. Data Guard

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 23

How can you convert a fixed load balancer to a flexible load balancer?

- A. Use Update Shape workflows.
- B. There is no way to convert the load balancer.
- C. Using the Edit Listener option.
- D. Delete the fixed load balancer and create a new one.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 24

You want to include all instances in any of two or more compartments, which syntax should you use for dynamic policy you want to create for "Prod" compartment and "SIT" compartment?

Prod OCID : 'JON.Prod'

SIT OCID : 'JON.SIT'

- A. Any { instance in compartment 'Prod' and Compartment 'SIT' }
- B. Any { instance.compartment.id = 'JON.Prod', instance.compartment.id = 'JON.SIT' }
- C. All { instance.compartment.id = 'JON.Prod', instance.compartment.id = 'JON.SIT' }
- D. All { instance in compartment 'Prod' and Compartment 'SIT' }

Answer: B ([LEAVE A REPLY](#))



NEW QUESTION: 25

Bot Management in OCI provides which of the features? Select TWO correct answers.

- A. Bad Bot Denylist
- B. CAPTCHA Challenge
- C. IP Prefix Steering
- D. Good Bot Allowlist

Answer: ([SHOW ANSWER](#))

Bot Management

Bot Management enables you to mitigate undesired bot traffic from your site using CAPTCHA and JavaScript detection tools while enabling known published bot providers to bypass these controls.

Non-human traffic makes up most of the traffic to sites. Bot Manager is designed to detect and block, or otherwise direct, non-human traffic that can interfere with site operations. The Bot Manager features mitigate bots that conduct content and price scraping, vulnerability scanning, comment spam, brute force attacks, and application-layer DDoS attacks. You can also manage the good bot whitelist.

⚠ Caution

When you enable Bot Management, you incur a higher rate on requests to the WAF.

See these topics for more information about Bot Management:

- [JavaScript Challenge](#)
- [Human Interaction Challenge](#)
- [Device Fingerprint Challenge](#)
- [CAPTCHA Challenge](#)
- [Good Bot Allowlist](#)

NEW QUESTION: 26

Where are logs stored?

- A. OCI Object Storage
- B. OCI File Storage
- C. OCI Block Storage
- D. Cloud Agent

Answer: A ([LEAVE A REPLY](#))

You can collect log data continuously from Oracle Cloud Infrastructure (OCI) Object Storage. To enable the log collection, create ObjectCollectionRule resource using REST API or CLI. After the successful creation of this resource and having the required IAM policies, the log collection will be initiated.

<https://docs.oracle.com/en-us/iaas/logging-analytics/doc/collect-logs-your-oci-object-storage-bucket.html>

NEW QUESTION: 27

Which type of firewalls are designed to protect against web application attacks, such as SQL injection and cross-site scripting?

- A. Stateful inspection firewall
- B. Web Application Firewall
- C. Incident firewall
- D. Packet filtering firewall

Answer: B (LEAVE A REPLY)

SQL injections. Cross-site scripting. Distributed denial of service (DDoS) attacks. Botnets. These are just some of the cyber-weapons increasingly being used by malicious actors to target web applications, cause data breaches, and expose sensitive business information.

Oracle WAF uses a multilayered approach to protect web applications from a host of cyberthreats including malicious bots, application layer (L7) DDoS attacks, cross-site scripting, SQL injection, and vulnerabilities defined by the Open Web Application Security Project (OWASP). When a threat is identified, Oracle WAF automatically blocks it and alerts security operations teams so they can investigate further.

<https://www.oracle.com/a/ocom/docs/security/oci-web-application-firewall.pdf>

NEW QUESTION: 28

Which statements are CORRECT about Multi-Factor Authentication in OCI ? Select TWO correct answers

- A. Members of the Administrators group can disable MFA for other users
- B. Users cannot enable MFA for themselves
- C. A user can register multiple devices to use for MFA.
- D. Members of the Administrators group cannot enable MFA for another user

Answer: A,D (LEAVE A REPLY)

Managing Multi-Factor Authentication

This topic describes how users can manage multi-factor authentication (MFA) in Oracle Cloud Infrastructure.

Required IAM Policy

Only the user can enable multi-factor authentication (MFA) for their own account. Users can also disable MFA for their own accounts. Members of the Administrators group can disable MFA for other users, but they cannot enable MFA for another user.

Working with MFA

Keep the following in mind when you enable MFA:

- You must install a supported authenticator app on the mobile device you intend to register for MFA.
- Each user must enable MFA for themselves using a device they will have access to every time they sign in. An administrator *cannot* enable MFA for another user.
- To enable MFA, you use your mobile device's authenticator app to scan a QR code that is generated by the IAM service and displayed in the Console. The QR code shares a secret key with the app to enable the app to generate TOTPs that can be verified by the IAM service.
- **A user can register only one device to use for MFA.**
- After you add your Oracle Cloud Infrastructure account to your authenticator app, the account name displays in the authenticator app as Oracle <tenancy_name> - <username>.

NEW QUESTION: 29

A company needs to have some buckets as public in the compartment. You want Cloud Guard to ignore the problem associated with public bucket. Select TWO correct answers

- A. Configure Conditional groups for the detector to fix base line
- B. First make the bucket private and after few days make the bucket public again
- C. Make the bucket private so that Cloud Guard won't detect it
- D. Dismiss the issues associated with these resources

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 30

What are the security recommendations and best practices for Oracle Functions?

- A. Grant privileges to UID and GID 1000, such that the functions running within a container acquire the default root capabilities.
- B. Add applications to network security groups for fine-grained ingress/egress rules.
- C. Define a policy statement that enables access to functions for requests coming from multiple IP addresses.
- D. Ensure that functions in a VCN have restricted access to resources and services.

Answer: B (LEAVE A REPLY)

<https://docs.oracle.com/en-us/iaas/Content/Network/Concepts/securitylists.htm>

NEW QUESTION: 31

A number of malicious requests for a web application is coming from a set of IP addresses originating from Antarctic a.

Which of the following statement will help to reduce these types of unauthorized requests ?

- A. Use WAF policy using Access Control Rules
- B. Delete NAT Gateway from Virtual Cloud Network

- C. List specific set of IP addresses then deny rules in Virtual Cloud Network Security Lists
- D. Change your home region in which your resources are currently deployed

Answer: A ([LEAVE A REPLY](#))

Valid 1z0-1104-21 Dumps shared by TrainingQuiz.com for Helping Passing 1z0-1104-21 Exam! TrainingQuiz.com now offer the **newest 1z0-1104-21 exam dumps**, the TrainingQuiz.com 1z0-1104-21 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1z0-1104-21 dumps with Test Engine here: <https://www.trainingquiz.com/1z0-1104-21-practice-quiz.html> (96 Q&As Dumps, **40%OFF**

Special Discount: Exam-Tests)

Valid 1z0-1104-21 Dumps shared by TrainingQuiz.com for Helping Passing 1z0-1104-21 Exam! TrainingQuiz.com now offer the **newest 1z0-1104-21 exam dumps**, the TrainingQuiz.com 1z0-1104-21 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1z0-1104-21 dumps with Test Engine here: <https://www.trainingquiz.com/1z0-1104-21-practice-quiz.html> (96 Q&As Dumps, **40%OFF**

Special Discount: Exam-Tests)