

Oracle.1z0-750.v2022-10-10.q64

Exam Code:	1Z0-750
Exam Name:	Oracle Application Express 18: Developing Web Applications
Certification Provider:	Oracle
Free Question Number:	64
Version:	v2022-10-10
# of views:	1097
# of Questions views:	640
https://www.dumpsdb.com/dumps/Oracle/1z0-750/Oracle.1z0-750.v2022-10-10.q64	

NEW QUESTION: 1

Nancy has an application that is performing unexpectedly. She has turned on debug for the page and reviewed the debug messages and still can't determine the cause of the Inconsistent behavior. She believes It may be an APEX bug.

What action should Nancy take to Identify the issue?

- A. Review the browser console output.
- B. Review the application error log.
- C. Set Debug Level to 9 and review the debug messages.
- D. View the page source.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Which two are true about using the Create Page Wizard to create a report with "Report with Form on Table"?

- A. The first page allows users to update records.
- B. The report and form must both be based on the same table or view.
- C. The wizard builds two p3ges using an interactive grid page and a form page.
- D. The wizard builds two pages, an interactive report page and a form page.
- E. The second page allows users to select the previous and next records.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 3

A City Administration app has two select lists (LOVs). P1__STATE is based on "STATE" and P1_CITY is based on "CITY." The cities table includes both the state and city columns.

When a state is selected, the application should display only cities within the selected state, not all cities.

How can you limit the cities to display only those for the selected state?

- A. Write a Set Value dynamic action against P1__STATE to equerry the P1_CITY based on the selected STATE.
- B. Write an Execute PL/SQL Code dynamic action against P1_CM to select the correct cities based on P1__STATE
- C. Add P1_STAFF to the "Page Items to Submit*" property in P1_CITY.
- D. In P1_CITY, set the "Cascading LOV Parent Item(s)" to P1__STATE

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which is Hue about interactive reports?

- A. You can define only one Interactive report on a page.
- B. An Interactive report can be based on a PL/SQL function body returning a SQL query.
- C. All columns defined In the report query must be shown.
- D. Interactive reports can be either read-only or editable.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which three item types support defining a list of values?

- A. Shuttle
- B. Switch
- C. Color Picker
- D. List Manager
- E. file Browse
- F. Text Field with autocomplete

Answer: C,D,F ([LEAVE A REPLY](#))

NEW QUESTION: 6

Mary wants to add feedback to an application. She uses the Create Page Wizard, selects Features, and then selects Feedback.

The wizard adds a feedback entry to the navigation bar and creates new pages. In her application, under Administration to review and disposition the feedback.

Which statement is true about feedback data?

- A. Feedback entered into the app can be viewed by developers in loam Development.
- B. A new table is created in your schema to store the feedback for the app.
- C. You can invoke the feedback page from a modal dialog page.
- D. When an administrator updates the feedback status, the person logging the feedback is notified.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which three actions can be performed by a workspace administrator?

- A. View usage reports for a workspace.
- B. Manage user accounts.
- C. Monitor workspace activity.
- D. Add space to a schema.
- E. Approve workspace requests.
- F. Manage workspace to schema assignments.

Answer: B,C,F ([LEAVE A REPLY](#))

NEW QUESTION: 8

You have defined a form page on the ORDERS table and changed page item :P5_ORDER_TOTAL to type Hidden.

You also created a dynamic action to update the value of :P5_ORDER_TOTAL when any order items are added, updated, or deleted on the page.

However, when you submit the page, you get this error:

Session state protection violation: This may be caused by manual alteration of protected page item P5_ORDER_TOTAL. If you are unsure what caused this error, please contact the application administrator for assistance.

How should you update :P5_ORDER_TOTAL page item to prevent this error?

- A. Set Session State Protection to "Unrestricted."
- B. Set Value Protected to "No."
- C. Set Store value encrypted In session state to "Yes."
- D. Change the Item type to "Display Only."

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

Which two are true about using the Create Page Wizard to create a report with "Report with Form on Table"?

(Choose two.)

- A. The report and form must both be based on the same table or view.
- B. The first page allows users to update records.
- C. The second page allows users to select the previous and next records.
- D. The wizard builds two pages, an interactive report page and a form page.
- E. The wizard builds two pages using an interactive grid page and a form page.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 10

George used to Create Page Wizard to create a calendar on the DEMO_ORDERS table based on the ORDER_TIMESTAMP column. However, the calendar shows only the month and list views.

What does George need to do to show week and day views?

- A. Select the End Date Column
- B. Set Show Time to "Yes"
- C. Set Maximum Events / Day to greater than 1
- D. Select Week and Day under Calendar Views and Navigation

Answer: A (LEAVE A REPLY)

Explanation/Reference: https://docs.oracle.com/html/E39147_04/bldapp_cal.htm

NEW QUESTION: 11

When testing the Data Load Wizard pages, you realize that you forgot to add a transformation rule. What should you do to add the transformation rule?

- A. Update Data Load Definition.
- B. Update the existing generated pages.
- C. Use the Create Page Wizard to re-create the pages.
- D. Delete Data Load Definition and re-create it manually.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 12

What is the least error-prone way to split a long list into two lists?

- A. Create an empty second list, manually re-create the needed list entries, and then remove the matching list entries from the first list.
- B. Copy the entire list, grid edit the copied list and remove entries that are not needed, and then grid edit the first list and remove the entries that are now in the second list.
- C. Create an empty second list, copy selected list items from the first list to the second list, and then remove the copied list items from the first list.
- D. Create two new lists, copy list items from the initial list to the first list, copy the remaining list items from the initial list to the second list, and then delete the initial list.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 13

Kyle is developing a page with an interactive report, called Employees, using this query:

```
SELECT EMPNO, ENAME, JOB, DEPTNO FROM EMP WHERE DEPTNO = nvl(:P3_DEPTNO, DEPTNO)
```

On the page, Kyle adds a select list, called P3_DEPTNO, using this query:

```
SELECT dname, deptno FROM dept;
```

He creates a dynamic action on change of P3_DEPTNO, with a true action of "Refresh" against the Employees region.

Kyle then runs the page and selects ACCOUNTING in the P3_DEPTNO item. However, the report still shows employees from all departments.

What must Kyle do to correctly display only employees from the department selected?

- A. Add an additional true action of Set Value by using Static Assignment in Dynamic Action.
- B. Add a computation set to p3_ DEPTNO
- C. Set a column on the DEPTNO column.
- D. Set "Page Items to Submit" to p3_deptho in the report.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which four Oracle APEX region types can be created on top of a Web Source module?

- A. Classic Report
- B. Chart
- C. Tree
- D. Interactive Grid (non-editable)
- E. Interactive Grid
- F. Static Content
- G. Interactive Report
- H. List View
- I. List
- J. PL/SQL Dynamic Content

Answer: B,C,E,G ([LEAVE A REPLY](#))

NEW QUESTION: 15

Sunny has developed a report and form on customers, which is open partners. The report displays only customers associated with partners, based on their user credentials.

Partners can click an Edit button to go to a form to update their customers.

Sunny is concerned that IT savvy users will be able to alter the URL to be able to see and update records from other partners.

What must Sunny do to protect the form page from URL tampering?

- A. Set Authentication to Administrator Rights.
- B. Update Page Access Protection to Arguments Must Have Checksum.
- C. Update Page Access Protection to No URL Access.
- D. Set Rejoin Session to disabled.
- E. Set Deep Linking to Disabled.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 16

Rick has created an "editable" interactive grid on a table that includes four audit columns: CREATED, CREATED_BY, UPDATED, and UPDATED_BY.

The four audit columns are included in the report with read-only type set to Always.

How can Rick update all four audit columns when a user inserts a row, and the UPDATED and UPDATED_BY columns when a user updates a row?

- A. using After Header Computations
- B. defining an After Submit process
- C. using "Enable" Dynamic Actions
- D. using default values on the report columns

Answer: C ([LEAVE A REPLY](#))

Valid 1Z0-750 Dumps shared by TrainingQuiz.com for Helping Passing 1Z0-750 Exam! TrainingQuiz.com now offer the **newest 1Z0-750 exam dumps**, the TrainingQuiz.com 1Z0-750 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Z0-750 dumps with Test Engine here:
<https://www.trainingquiz.com/1Z0-750-practice-quiz.html> (75 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

Morgan has a report and form on the EMP table. He updated the form by adding a display-only item P5_LOC, and a change event dynamic action on P5_DEPTNO to populate the item using Set Value with this SQL:

```
select loc from dept
```

```
where deptno = :P5_DEPTNO;
```

When Morgan runs the page, he gets this error:

apex_error_code:

WWV_FLOW_DML.COLUMN_NOT_FOUND

original message: Column LOC not found in table EMP

What should Morgan do to prevent this error?

- A. Update P5_LOC and set Source Type to "Null".
- B. Update P5_LOC and set Source Database Column to DEPTNO.
- C. Update P5_LOC and set Source Type to Item and select Item P5_DEPTNO.
- D. Update P5_LOC and set Save Session State to "No."
- E. Update P5_DEPTNO and set Type to "Display Only."

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

NEW QUESTION: 18

Sam is updating an application with a report (Page 10) and form (Page 11), where the form page has Page Mode "Normal." She wants to update the form page to a modal dialog, so it can be called from multiple report pages.

Sam has already changed Page Mode to "Modal Dialog", removed the breadcrumb region, added a button region to the dialog footer, and moved the buttons to the new region. Whenever she

opens the form page from a different report page (Page 15), it keeps returning to the original report page (Page 10) when she cancels or submits the form page.

Which three steps must Sam perform to get the modal page to always return to the report page from which it was called? (Choose three.)

- A. Create a Dynamic Action of type Close Dialog that fires whenever the DELETE, SAVE, or CREATE button is pressed.
- B. Change the action on the CANCEL button to "Defined by Dynamic Action."
- C. Create a Dynamic Action of type Cancel Dialog that fires when the CANCEL button is clicked.
- D. Add a Close Dialog process.
- E. Add a branch that redirects to an item holding the calling page.
- F. Create a hidden page item to hold the calling page and update the calls to the form page to populate the item.
- G. Update the branch to return to the correct calling page.

Answer: B,C,D ([LEAVE A REPLY](#))

Explanation/Reference:

https://www.oracle.com/webfolder/technetwork/tutorials/obe/db/apex/r50/apex-adv-demo-projects-2848027/APEX_Advanced_Demo_Projects%20v2.0.1.html

NEW QUESTION: 19

You want to use the session state value of a page item in the SELECT statement for a report on another page.

What is the correct way to reference the value of a page item in a SQL statement?

- A. &PAGE_ITEM
- B. v('PAGE_ITEM')
- C. APEX_UTIL.GET_SESSION_STATE(p_item => 'PAGE_ITEM')
- D. :PAGE_ITEM

Answer: ([SHOW ANSWER](#))

Explanation/Reference: https://docs.oracle.com/en/database/oracle/application-express/19.2/aeapi/GET_SESSION_STATE-Function.html#GUID-8BB0C252-C4DB-4300-AA34-9E1FF3B2DAA7

NEW QUESTION: 20

Francisco has been tasked with creating a Frequently Asked Questions (FAQ) page. The page security requirements are defined as:

* Anyone who can access the application. In any capacity, shall also be able to view the new FAQ page.

Which page level Authorization Scheme and Authentication options should Francisco choose?

- A. Authorization Scheme: Reader Rights; Authentication: Page Requires Authentication
- B. Authorization Scheme: Must Not Be Public User; Authentication: Page Requires Authentication
- C. Authorization Scheme: Null; Authentication: Page is Public

D. Authorization Scheme: {Not Reader Rights}; Authentication: Page Is Public

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 21

As a project manager, you use spreadsheets to keep track of multiple projects. As you took responsibility of more projects, you become tired of managing them in spreadsheets.

You have collected all of your project data in one single spreadsheet. You also want to maintain the data in an Oracle Database table by using an Oracle Apex application.

Which two action can you take?

- A. Create an application by using the Create Application Wizard, and then add a table for the spreadsheet data.
- B. Use the Create Application Wizard and select "From a Spreadsheet."
- C. Create a new table by using SQL Workshop > Object Browser .Create Table, and then use the Create Application Wizard to Create an application based on the new table.
- D. Use SQL Workshop >Utilities > Data Workshop to load the data into a new table, and then use the Create Application wizard to create an application on the new table.
- E. Define a Data Loading page in the Create Application Wizard.

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 22

Robin develops many apps In her workspace that use various APEX plug ins. Some apps use the same plug-In as other apps. When a new* version of a plug-in is available, Robin has to update the plug-in in multiple apps.

How can Robin upgrade a plug-In once and have all other apps that use the same plug-in get updated at the same time?

- A. Create a "Plug-ins Master" app where she stores all plug-ins and then subscribes the plug-Ins in all of her other apps to the plug-Ins In the "Plug-has Master" app.
- B. Update one of the plug-ins, and then click Push Update to update the other apps.
- C. Write a PL/SQL package that she can reuse to update the plug-In definitions in each application.
- D. Run a SQL command to update the plug-In definition in each application.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

George used the Create Page Wizard to create a calendar on the DEMP_ORDERS table based on the ORDER_TIMESTAMP column However, the calendar shows only the month and list views.

What does George need to do to show week and day views?

- A. Set Show Time to "Yes."
- B. Select Week and Day under Calendar Views and Navigation.
- C. Set Maximum Events / Day to greater than 1.

D. Select the End Date Column.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 24

Kyle' is developing a page with an interactive report, called Employees, using this query: -
SELECT EMPNO, ENAME, JOB, DEPTMO FROM EMP WHERE DEPTMO = nv1 (:
P3_DEPTHO, DEPTNO) On the page. Kyle adds a select list, called p3_deptmo, using this query:
SELECT dname, deptno FROM dept;

He creates a dynamic action on change of p3_deptno. with a true action of 'Refresh' against the Employs region.

Kyle then runs the page and selects accounting in the P3_ DEPTNO item. However, the report still shows employees from all departments.

What must Kyle do to correctly display only employees from the department selected?

- A. Add a computation set to p3_ DEPTNO
- B. Set "Page Items to Submit" to p3_deptno in the report.
- C. Add an additional true action of Set Value by using Static Assignment in Dynamic Action.
- D. Set a column on the DEPTNO column.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 25

David has created page 10 as a form page using an Automatic Row Fetch process. A column named LOCATION has been added to the underlying table, and the form needs to include this new the column.

Which is the minimum action required on the copied item to get the form working correctly.

- A. Set the source database column to LOCATION.
- B. Set value required to No.
- C. Update the item label.
- D. Update the Item name.
- E. Change the source type to Null.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 26

Lucy' created an interactive report on the EMP table. She wants to filter the report to show employees with JOB = SALESMAN'.

Employee ID	Name	Job	Hire Date	Salary	Commission	Department
7788	SCOTT	SALESMAN	19-04-87	3000	0.12	SALES
7789	ALLEN	SALESMAN	20-08-81	1600	0.14	SALES
7790	BLAKE	MANAGER	01-05-81	2850	0.14	MANAGEMENT
7791	CLARK	MANAGER	09-06-81	2450	0.14	MANAGEMENT

Which two options could Lucy perform to add an equals filter on the Job column?

- A. Click Actions > Filter and select Job as column, equal sign (=) as operator, SALESMAN as Expression, and then click Apply.
- B. Enter salesman in the search bar text box.
- C. Click the Job column and select salesman from the column filter list of values
- D. Add a where clause to the SQL Query to restrict the records returned.
- E. Click the Search icon (magnifying glass) on the search bar, and enter SALESMAN in the search bar text box.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 27

Robert has a form page. Page 5, on the EMP table. He has defined two validations.

Validation 1 checks that P5_MGR is not null.

Validation 2 checks that the employee selected in p5_MGR has a Job of president or manager.

How can Robert prevent the employee Job validation (Validation 2) from firing when the P5_MGR is not null validation (Validation 1) is failed?

- A. Set Always Execute to No for the P5_MGR employee Job validation (Validation 2).
- B. Add a server-side condition of P5_MGR is not null to the employee Job validation (Validation 2).
- C. Ensure Validation 1 is listed before Validation 2.
- D. Set stop processing to Yes for the P5_MGR is not null validation (Validation 1).

Answer: B (LEAVE A REPLY)

NEW QUESTION: 28

Betty has created a zip file, app100_files.zip, to include all of her static application files that she references in her application. The files are divided into different subdirectories for JavaScript and CSS.

How can Betty upload the static files, so they can be referenced, and maintain the subdirectory structure?

- A. In Shared Components, create the required subdirectories. Unzip app100_files.zip and upload each file into their subdirectories.
- B. Upload app100_files.zip to the file server and unzip the file. In User Interface Properties, edit the Theme, and 'set JavaScript File URLs.
- C. Unzip app100_files.zip, and upload each directory individually.
- D. Upload app100_files.zip, and set Unzip File to Yes.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 29

Nancy has an application that is performing unexpectedly. She has turned on debug for the page and reviewed the debug messages and still can't determine the cause of the inconsistent behavior. She believes it may be an APEX bug.

What action should Nancy take to Identify the issue?

- A. Review the browser console output.
- B. Set Debug Level to 9 and review the debug messages.
- C. Review the application error log.
- D. View the page source.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 30

Jules is trying to implement Session State Protection to increase the security of rules' application. On which three components can Jules configure Session State Protection in Oracle Application Express?

- A. page regions
- B. page processes
- C. buttons
- D. pages
- E. application Items
- F. page items

Answer: D,E,F (LEAVE A REPLY)

NEW QUESTION: 31

Thomas has created an app and wants to add a help icon to the navigation bar. He has added the list entry with the Image/Class fa-question circle-o and List Entry Label "Help." When he runs the app, the question mark is displayed together with the word Help.

How can Thomas display just the icon and not the word Help in the navigation bar?

- A. Set List Attributes to style="display:none;
- B. Set User Defined Attribute 02 to icon-only
- C. Set List Entry Template to "Icon."
- D. Set List Entry Label to "Null."

Answer: A (LEAVE A REPLY)

Valid 1Z0-750 Dumps shared by TrainingQuiz.com for Helping Passing 1Z0-750 Exam! TrainingQuiz.com now offer the **newest 1Z0-750 exam dumps**, the TrainingQuiz.com 1Z0-750 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Z0-750 dumps with Test Engine here:
<https://www.trainingquiz.com/1Z0-750-practice-quiz.html> (75 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

You created an application where the home page looks like:



You now want to change the page to look like:



What do you need to do to change the appearance of the page?

- A. Update the list Template Options > Style to "Basic."
- B. Update the region Type to "List View."
- C. Update the region Template Options > Icons to "No Icons."
- D. Update the list Template to "Media List."

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

Which two actions can be done by a Page Process of type Automatic Row Processing (DML)?

- A. Generate a primary key column value on a SQL INSERT statement.
- B. Log a user-defined message when an exception is raised.
- C. Perform automatic detection of lost updates.
- D. Apply a SQL where clause to append to all generated INSERT, UPDATE, and delete statements at run time.
- E. invoke PL/SQL code to perform the Inserts, updates, and deletes.
- F. Perform CRUD operations on multiple tables.

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 34

You can control when an authorization scheme is validated by using the Evaluation Point. Select three valid Evaluation Points. (Choose three.)

- A. once per session
- B. once per region
- C. once per page view
- D. once per day
- E. always (no caching)
- F. once per user

Answer: A,C,E ([LEAVE A REPLY](#))

Explanation/Reference: https://docs.oracle.com/html/E39147_04/sec_authorization.htm

NEW QUESTION: 35

Which three item types support defining a list of values?

- A. Color Picker
- B. List Manager
- C. file Browse
- D. Text Field with autocomplete
- E. Shuttle
- F. Switch

Answer: A,B,E ([LEAVE A REPLY](#))

<https://docs.oracle.com/en/database/oracle/application-express/18.2/htmldb/about-item-types.html#GUID-8CAA1BA5-DCA8-4DF0-A841-3DC40E67CA9C>

NEW QUESTION: 36

Jules is trying to implement Session State Protection to increase the security of Jules' application. On which three components can Jules configure Session State Protection in Oracle Application Express?

(Choose three.)

- A. pages
- B. page items
- C. page regions
- D. application items
- E. buttons
- F. page processes

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

https://docs.oracle.com/database/121/HTMDB/sec_dev.htm#HTMDB25978

NEW QUESTION: 37

Which three sources can be used for a classic report?

- A. PL/SQL function returning a single value variable
- B. SQL Query
- C. PL/SQL function returning a SQL query
- D. CSV (comma separated values) file
- E. Excel spreadsheet
- F. RESTful Web Source module
- G. PL/SQL stored procedure with the out parameter

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

John has a form page with an email item and a status item.

What must John do to ensure that the email item is populated before users can enter any value into the status item on the form page?

- A. dynamic action on the email item
- B. plug-in for the status item
- C. server-side condition on the status item
- D. validation on the email item

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

Which processing point is enabled for computations during page processing?

- A. Alter Processing
- B. Alter Submit
- C. Processing
- D. Validating

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

Which best describes how Session State Protection works?

- A. encrypts the values supplied in the URL to prevent reading of the values
- B. saves data in Oracle Application Express session state tables in encrypted form and uses the Page Access Protection attributes and the Session State Protection item attributes with checksums to prevent alteration of session state
- C. adds checksums to Page Access Protection attributes and Session State Protection Item attributes to prevent alteration of session state
- D. saves sensitive data in Oracle Application Express session state tables in encrypted form, stopping users from tampering with the data

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

Jim has developed a form page. When running the page, the data displayed is not what he expected. Therefore, he wants to review the information in session state while debugging the form.

How can Jim accomplish this?

- A. Add a debug flag to the URL and rerun the page.
- B. View page source information in the browser.
- C. Edit the page and update session state items to "Display Only."
- D. Click the View Debug button on the Developer toolbar.
- E. Click the Session button on the Developer toolbar.

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 42

RICK has created an "editable interactive grid on a table that include four audit columns: CREATED, CREATED_BY, UPDATED, and UPDATED_By.

The four audit columns are included in the report with read-only type set to Always.

How can Rick update all four audit columns when a user inserts a row, and the UPDATED_BY column when a user updates a row?

- A. using "Enable" Dynamic Actions
- B. using default values on the report columns
- C. using After Header Computations
- D. defining an After Submit process

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 43

Thomas has created an app and wants to add a help icon to the navigation bar. He has added the list entry with the Image/Class fa-question-circle-o and List Entry Label "Help." When he runs the app, the question mark is displayed together with the word Help.

How can Thomas display just the icon and not the word Help in the navigation bar?

- A. Set User Defined Attribute 02 to icon-only
- B. Set List Entry Label to "Null."
- C. Set List Entry Template to "Icon."
- D. Set List Attributes to style="display:none;

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 44

Which best describes how Session State Protection works?

- A. saves sensitive data in Oracle Application Express session state tables in encrypted form, stopping users from tampering with the data
- B. adds checksums to Page Access Protection attributes and Session State Protection item attributes to prevent alteration of session state

C. saves data in Oracle Application Express session state tables in encrypted form and uses the Page Access Protection attributes and the Session State Protection item attributes with checksums to prevent alteration of session state

D. encrypts the values supplied in the URL to prevent reading of the values

Answer: B (LEAVE A REPLY)

Explanation

Explanation/Reference:

https://docs.oracle.com/database/121/HTMDB/sec_dev.htm#HTMDB12002

NEW QUESTION: 45

Mary wants to add feedback to an application. She uses the Create Page Wizard, selects Features, and then selects Feedback.

The wizard adds a feedback entry to the navigation bar and creates new pages. In her application, under Administration to review and disposition the feedback.

Which statement is true about feedback data?

A. Feedback entered into the app can be viewed by developers in loam Development.

B. A new table is created in your schema to store the feedback for the app.

C. You can invoke the feedback page from a modal dialog page.

D. When an administrator updates the feedback status, the person logging the feedback is notified.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 46

Martin has a text field on a page that he wants to protect with Session State Protection.

Select the four valid protection levels available to Martin. (Choose four.)

A. Checksum Required: User Level

B. Hidden Item

C. Checksum Required: Workspace Level

D. Unrestricted

E. Checksum Not Required

F. Checksum Required: Session Level

G. Restricted: May not be set from browser

H. Checksum Required: Application Level

Answer: A,F,G,H (LEAVE A REPLY)

Explanation

Explanation/Reference:

https://docs.oracle.com/database/121/HTMDB/sec_dev.htm#HTMDB25976

Valid 1Z0-750 Dumps shared by TrainingQuiz.com for Helping Passing 1Z0-750 Exam! TrainingQuiz.com now offer the **newest 1Z0-750 exam dumps**, the TrainingQuiz.com 1Z0-750 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Z0-750 dumps with Test Engine here:
<https://www.trainingquiz.com/1Z0-750-practice-quiz.html> (75 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

Morgan has a report and form on the EMP table. He updated the form by adding a display-only item P5_LOC, and a change event dynamic action on P5_DEPTNO to populate the item using Set Value with this SQL:

```
select loc from dept
```

```
where deptno = :P5_DEPTNO;
```

When Morgan runs the page, he gets this error:

apex_error_code:

WWV_FLOW_DML.COLUMN_NOT_FOUND

original message: Column LOC not found in table EMP

What should Morgan do to prevent this error?

- A. Update P5 DEPTNO and set Type to "Display Only."
- B. Update P5_Loc and set Source Type to Item and select Item P5_DEPTNO.
- C. Update P5_Loc and set Save-Session State to "No."
- D. Update P5_Loc and set Source Database Column to DEPTNO.
- E. Update P5_Loc and set Source Type to "Null."

Answer: E (LEAVE A REPLY)

NEW QUESTION: 48

You can control when an authorization scheme is validated by using the Evaluation Point. Select three valid Evaluation Points.

- A. once per session
- B. once per region
- C. once per page view
- D. once per day
- E. always (no caching)
- F. once per user


Answer: A,C,E (LEAVE A REPLY)

https://docs.oracle.com/html/E39147_04/sec_authorization.htm

NEW QUESTION: 49

Molly has created a multi-series chart on the EMP table that shows the average salary per job in each department.

The chart below is not showing the data correctly because there are no Analysis or Salesmen In Department 10.



The correct chart should look like the chart below:

How must Molly update the chart to correctly display the data?

- A. Update the x-axis Baseline Scaling to "Fixed."
- B. Update the Series Column Mapping for Series Name to DEPTNO.
- C. Set Fill Gaps in Chart Data to "Yes."
- D. Update group by In the chart SQL Query.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 50

William has created the chart on the left, which displays values.

He wants to show the chart on the right, which displays percentages.



Which step should William perform to display percentages?

- A. Update the query to return percentage values.
- B. Set the Column Mapping > Value to "Percentage".
- C. Set Label > Display As to "Percentage".
- D. Set Tooltip > Show Value to "No."

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

Which Is a predefined authentication scheme in Oracle Application Express?

- A. HTTP Header Variable
- B. Universal Authentication Framework (UAF)
- C. SAML 2.0 Sign-On
- D. OpenID Connect Sign-On
- E. Client Certificate Authentication

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

Jane" is creating a new application, users of the application will use SSO to authenticate. SSO has been defined for the instance. Which step should Jane perform in the Create Application Wizard?

- A. Update Advanced Settings to specify authentication.
- B. Include the Access Control feature.
- C. Include a Sign-in page in the list of pages.
- D. Under Authentication, select Single Sign On (SSO).

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 53

Mark has created a modal form page to enter new calendar events. Mark now wants to call the form when an spot.

How can Mark update the calendar region to call the form?

- A. Use the create link attribute and the APEXSNEW_START_DATE placeholder.
- B. Use the create link attribute and use the :APEXSNEW_STANT_DATE bind variable.
- C. Define a dynamic action of type click in the calendar region.
- D. Use the view/edit link attribute to display the selected calendar entry.
- E. In the rendering tree, right-click the calendar region and select the Link Form to calendar option.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 54

Jane" is creating a new application, users of the application will use SSO to authenticate. SSO has been defined for the instance. Which step should Jane perform in the Create Application Wizard?

- A. Under Authentication, select Single Sign On (SSO).
- B. Include a Sign-in page in the list of pages.
- C. Include the Access Control feature.
- D. Update Advanced Settings to specify authentication.

Answer: ([SHOW ANSWER](#))

Explanation

Reference

<https://docs.oracle.com/database/apex-18.1/HTMDB/establishing-user-identity-through-authentication.htm#HTM>

NEW QUESTION: 55

Which three actions can be performed in Object Browser? (Choose three.)

- A. Enable and disable constraints.
- B. Write a SQL statement to update data in a table.
- C. Review the storage clause for a table or view.
- D. Enable and disable indexes.
- E. Truncate a table.
- F. Download table data to XML.
- G. Review the SQL statement for an existing table.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

https://docs.oracle.com/cd/E11882_01/appdev.112/e12511/obj_brows.htm#AEUTL185

NEW QUESTION: 56

Brian created a page with multiple regions. He now wants to include a list of links to selectively display each region.

Demonstration - Projects
Generated based on a Sample Dataset!

Page Navigation Chart Calendar

Calendar

◀ ▶ today

Sun	Mon	Tue
30	1	2
Announce Rollout of revised IT Management apps to all IT staff	Contact initial customers to educate them on providing quotes and success stories	Announce Customer Success app to all customers and staff

How can Brian achieve this?

- A. Create a region of type Region Display Selector, and ensure that each region has Region Display Selector set to "Yes".
- B. Create a parent region called REGIONS. For each region, update the Parent Region attribute to REGIONS.
- C. Define static IDs for each region. Create a region called REGIONSof type Static Content with named anchors to other regions.
- D. Create a list in Shared Components containing each region. Create a region of type List and associated the list created.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

Which two are about an Editable" interactive grid?

- A. All columns can be updated.
- B. You can include dynamic actions on a column.
- C. You can update only one record at a time.
- D. You can insert multiple records at a time.
- E. You can define a computation.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

Martin has a text field on a page that he wants to protect with Session State Protection. Select the four valid protection levels available to Martin. (Choose four.)

- A. Checksum Required: User Level
- B. Hidden Item
- C. Checksum Required: Workspace Level
- D. Unrestricted
- E. Checksum Not Required

- F. Checksum Required: Session Level
- G. Restricted: May not be set from browser
- H. Checksum Required: Application Level

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

https://docs.oracle.com/database/121/HTMDB/sec_dev.htm#HTMDB25976

NEW QUESTION: 59

Which is a predefined authentication scheme in Oracle Application Express?

- A. Universal Authentication Framework (UAF)
- B. HTTP Header Variable
- C. SAML 2.0 Sign-On
- D. OpenID Connect Sign-On
- E. Client Certificate Authentication

Answer: B ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.oracle.com/database/apex-18.1/HTMDB/establishing-user-identity-through-authentication.htm#HTMDB25774>

NEW QUESTION: 60

Which is true about the Button Name attribute?

- A. The button name defines what database action is done on page submit.
- B. The button name is a unique Identifier on a page. No other buttons or page items on the page can have the same name.
- C. The button name serves as a static ID, which is useful when developing custom JavaScript functionality for the button.
- D. When the page is submitted by clicking the button, the value of bequest is set to the button name.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 61

Morgan has a report and form on the EMP table. He updated the form by adding a display-only item P5_Loc and change event dynamic action on PS_DEPTNO to populate the Item using Set Value with this SQL:

```
select loc from dept
where deptno = :P5_DEFTNO;
```

When Morgan runs the page, he gets this error:

apex_error_code:

WWV_FLOW_DML. COLUMN_NOT_FOUND

original message: Column LOC not found in table EMP

What should Morgan do to prevent this error?

- A. Update P5_Loc and set Save-Session State to "No."

- B. Update P5_Loc and set Source Type to "Null."
- C. Update P5_DEPTNO and set Type to "Display Only."
- D. Update P5_Loc and set Source Type to Item and select Item PS_DEPTNO.
- E. Update P5_Loc and set Source Database Column to DEPTNO.

Answer: ([SHOW ANSWER](#))


Valid 1Z0-750 Dumps shared by TrainingQuiz.com for Helping Passing 1Z0-750 Exam! TrainingQuiz.com now offer the **newest 1Z0-750 exam dumps**, the TrainingQuiz.com 1Z0-750 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com 1Z0-750 dumps with Test Engine here:
<https://www.trainingquiz.com/1Z0-750-practice-quiz.html> (75 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

You created an application where the home page looks like:



You now want to change the page to look like:



What do you need to do to change the appearance of the page?

- A. Update the list Template to "Media List."
- B. Update the region Type to "List View."
- C. Update the list Template Options > Style to "Basic."
- D. Update the region Template Options > Icons to "No Icons."

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 63

Susan created Page 10 as an interactive report, called Departments, on the DEPT table. She also created Page

11 as an interactive report on the EMP table, called Employees.

Susan would like to add a link in the Departments report (Page 10) that redirects to the Employees report (Page 11) and displays only employees for the selected department.

How would Susan set items in the link builder on Page 10 to correctly call the report on Page 11?

- A. Set item name to :P11_DEPTNO and value to #DEPTNO#
- B. Set item name IR_DEPTNO and value to #DEPTNO#
- C. Set item name to :P11_DEPTNO and value to :P10_DEPTNO
- D. Set item name to :P10_DEPTNO and value to #DEPTNO#

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 64

John has a form page with an email item and a status item.

What must John do to ensure that the email Item is populated before users can enter any value into the status Item on the form page?

- A. dynamic action on the email item
- B. validation on the email item
- C. server-side condition on the status item
- D. plug-in for the status item

Answer: B ([LEAVE A REPLY](#))

Valid 1Z0-750 Dumps shared by TrainingQuiz.com for Helping Passing 1Z0-750 Exam!
TrainingQuiz.com now offer the **newest 1Z0-750 exam dumps**, the TrainingQuiz.com
1Z0-750 exam **questions have been updated** and **answers have been corrected** get the
newest TrainingQuiz.com 1Z0-750 dumps with Test Engine here:
<https://www.trainingquiz.com/1Z0-750-practice-quiz.html> (75 Q&As Dumps, **40%OFF Special**
Discount: Exam-Tests)