

SAP.C-C4H450-04.v2022-07-16.q27

Exam Code:	C-C4H450-04
Exam Name:	SAP Certified Integration Associate - SAP Cloud for Customer
Certification Provider:	SAP
Free Question Number:	27
Version:	v2022-07-16
# of views:	903
# of Questions views:	270
https://www.dumpsdb.com/dumps/SAP/C-C4H450-04/SAP.C-C4H450-04.v2022-07-16.q27	

NEW QUESTION: 1

What are the advantages of data filtering in SAP S/4HANA in comparison to the middleware? Note:

There are 2 correct Answers to this question.

- A. Data protection, which ensures that sensitive data NOT intended for SAP Cloud for Customer never leaves SAP S/4HANA
- B. Automatic update of WSDL structure in DRF Filtering
- C. Reduced load on SAP Process Orchestration or SAP Cloud Platform Integration
- D. By allowing only filtering in BADI consistency is secured/enforced

Answer: (SHOW ANSWER)

NEW QUESTION: 2

What data is included when you replicate campaigns from SAP CRM to SAP Cloud for Customer?

- A. Campaign item
- B. Campaign target groups
- C. Campaign templates
- D. Campaign header

Answer: (SHOW ANSWER)

NEW QUESTION: 3

Which area menu is the central location for all tasks related to performing the initial load of master data from SAP ERP and SAP S/4HANA to SAP Cloud for Customer?

- A. SAP_SD_COD_INTEGRATION_EXT
- B. COD_INT_MENU
- C. CRMPCD_INT_MENU
- D. COD_BYD_ERP_INT

Answer: B (LEAVE A REPLY)

NEW QUESTION: 4

In the process of SSL handshaking, by which of the following CAs must the client certificate be signed?

- A. By the CA provided in the intermediate issuer
- B. By any CA provided in the server list
- C. By the root CA provided by the server
- D. By every CA provided in the server list

Answer: C (LEAVE A REPLY)

NEW QUESTION: 5

You added a new field named "ENVIRONMENT_RISK" in the product business object in SAP Cloud for Customer. You want to populate the new field "ENVIRONMENT_RISK" in SAP Cloud for Customer with the value of the standard field "EnvironmentRelevanceIndicator" in SAP S/4HANA. How would you extend the message mapping in SAP Cloud Platform Integration to perform this task?

- A. Export the WSDL from SAP S/4HANA. Import the WSDL into the communication arrangement in SAP Cloud for Customer. Update the mapping with the new WSDL from SAP Cloud for Customer.
- B. Download the extended WSDL from SAP Cloud for Customer. Import the WSDL into SAP Cloud Platform Integration. Map the "ENVIRONMENT_RISK" target field with source field "EnvironmentRelevanceIndicator" in the message mapping.
- C. Create an "ENVIRONMENT_RISK" variable in externalized parameters in SAP Cloud Platform Integration. Update the externalized parameters with the variable for the "ENVIRONMENT_RISK" field. Save and activate the updated externalized parameters.
- D. Add the "ENVIRONMENT_RISK" field to the target message WSDL in SAP Cloud Platform Integration. Map the "ENVIRONMENT_RISK" target field with source field "EnvironmentRelevanceIndicator" in the message mapping. Activate the new mapping.

Answer: (SHOW ANSWER)

NEW QUESTION: 6

What are the prerequisites in SAP CRM for integrating with SAP Cloud for Customer?

Note: There are 2 correct Answers to this question.

- A. SAP CRM 7.0 must have EHP0 SP6 installed.
- B. The SAP Cloud for Customer add-on must be installed on SAP CRM.
- C. The SAP CRM system must be dual stack.
- D. SAP CRM must integrate with SAP ERP 6.0 EHP0 SP6.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 7

What parameters need to be maintained in DRFOUT (Execute Data Replication) to send a material from SAP S/4HANA to SAP Cloud for Customer? Note: There are 2 correct Answers to this question.

- A. Replication model
- B. Outbound implementation
- C. Business Partner role
- D. Logical system

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 8

Where do you map the SAP Cloud Platform Integration client certificate to a user in SAP S/4HANA?

- A. In report RCOD_CREATE_CONNECTIVITY_SIMPL
- B. In transaction SOAMANAGER
- C. In transaction STRUST
- D. In the VUSREXTID table view

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 9

Which of the following interfaces between SAP CRM and SAP Cloud for Customer in the prepackaged integration content is bidirectional?

- A. Sales quote to sales quote
- B. Ticket to Ticket
- C. Opportunity to Opportunity
- D. Service request to service request

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 10

Which prepackaged integration scenarios use SOAMANAGER-configured Web services in SAP CRM to integrate with SAP Cloud for Customer?

- A. Pricing and customer fact sheet
- B. E-mail and sales document print preview

- C. Quote and lead
- D. Employee and attachment

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 11

Where can you check the integration flow deployment error in the SAP Cloud Platform Integration Web user interface?

- A. Design View
- B. Operations View
- C. Run View
- D. Discover View

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 12

When using certificate-based authentication for sending messages from SAP S/4HANA to SAP Cloud for Customer, which certificate needs to be imported into the integration flow within SAP Cloud Platform Integration?

- A. SAP S/4HANA client certificate
- B. SAP Cloud for Customer root certificate
- C. SAP Cloud for Customer client certificate
- D. SAP S/4HANA server certificate

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

What can be a reason for an HTTP 401 error in the SAP Cloud Platform Integration message monitoring?

- A. The service endpoint does not exist.
- B. The external URL configured in the integration flow is incorrect.
- C. The server certificate is not uploaded in the certificate list.
- D. The client certificate or user password credentials are missing or are incorrect.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which transaction code do you use to configure IDocs for immediate transfer?

- A. Partner Profiles (WE20)
- B. Ports in IDoc Processing (WE21)
- C. Configuration of RFC Connections (SM59)
- D. Simple Job Selection (SM37)

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 15

What is SAP's recommendation for data filtering when using IDoc communication?

- A.** Use the standard filtering fields in the ALE distribution model. If this is NOT sufficient, use the IDOC_CREATION_CHECK BAdI.
- B.** Use custom BAdIs to ensure other integrations are NOT impacted by SAP Cloud for Customer integration.
- C.** Use the change pointers BAdI, IDOC_DATA_MAPPER. If this is NOT sufficient, use the IDOC_CREATION_CHECK BAdI.
- D.** Use a condition filter in the middleware to ensure other integrations are NOT impacted and all filtering logic can be maintained in one central place.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 16

Which of the following steps are part of the SAP Cloud for Customer extension scenario in the key user tool? Note: There are 2 correct Answers to this question.

- A.** Create extension fields in SAP Cloud for Customer via the adaptation mode.
- B.** Include extension fields in SAP Cloud for Customer Web services.
- C.** Create extension fields in SAP Cloud for Customer using SAP Cloud Platform Integration.
- D.** Create new facets in SAP Cloud for Customer objects using SAP Cloud Platform Integration.

Answer: A,B (LEAVE A REPLY)

Valid C-C4H450-04 Dumps shared by TrainingQuiz.com for Helping Passing C-C4H450-04 Exam! TrainingQuiz.com now offer the **newest C-C4H450-04 exam dumps**, the TrainingQuiz.com C-C4H450-04 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com C-C4H450-04 dumps with Test Engine here: <https://www.trainingquiz.com/C-C4H450-04-practice-quiz.html> (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

Which steps are mandatory during the setup of the data replication framework? Note: There are 3 correct Answers to this question.

- A.** Define Communication User
- B.** Define Logical System
- C.** Define Business System
- D.** Define Service Group
- E.** Define Data Replication Model

Answer: (SHOW ANSWER)

NEW QUESTION: 18

Where do you find the SAP Cloud Platform Integration service host name used within the RFC destinations and Web service bindings? Note: There are 2 correct Answers to this question.

- A. SAP Cloud Platform Integration: Access Logs
- B. SAP Cloud Platform Cockpit NEO: Subscriptions
- C. SAP Cloud Platform Integration: Manage Integration Content
- D. SAP Cloud Platform Integration: Data Stores

Answer: B (LEAVE A REPLY)

NEW QUESTION: 19

The following screenshot is an IDoc error from SAP ERP. What does the error message shown in the screenshot indicate?



- A. The error indicates that the SAP Cloud Platform Integration client certificate has expired.
- B. The error indicates invalid authentication when the message is received in SAP Cloud for Customer.
- C. The error indicates missing authorization when the message is received in SAP Cloud Platform Integration.
- D. The error indicates that the SAP Cloud for Customer server certificate has expired.

Answer: (SHOW ANSWER)

NEW QUESTION: 20

How can you block prospect replication from SAP Cloud for Customer?

- A. Mark the appropriate scoping question
- B. Implement the logic in BAdI BDCP_BEFORE_WRITE
- C. Use the ALE Distribution model
- D. Implement the logic in BAdI CRMXIF_PARTNER_R_MAP

Answer: (SHOW ANSWER)

NEW QUESTION: 21

Which content is integrated between SAP CRM and SAP Cloud for Customer using SOAMANAGER- configured Web services? Note: There are 2 correct Answers to this question.

- A. E-mails
- B. Attachments
- C. Pricing
- D. Notes

Answer: (SHOW ANSWER)

NEW QUESTION: 22

What settings are created when you execute the connectivity report on SAP ERP?

- A. Ports, service bindings, change pointer activation, and report variants for periodic batch jobs
- B. Ports, RFC function modules, outbound/inbound IDocs, and segment filters
- C. RFC destinations, partner profiles, ALE distribution model, and report variants for periodic batch jobs
- D. RFC destinations, service bindings, partner profiles, ALE distribution model, and classes

Answer: D (LEAVE A REPLY)

NEW QUESTION: 23

Where can you view the latest version of SAP Cloud Platform Integration content?

- A. SAP API Business Hub
- B. SAP ONE Support Launchpad
- C. SAP Help Portal
- D. SAP Service Marketplace

Answer: A (LEAVE A REPLY)

NEW QUESTION: 24

Which transaction codes do you use to register and activate the IDoc service on SAP ERP?

- A. IDoc and RBDMIDOC, respectively
- B. SICF and IDoc, respectively
- C. SRTIDOC and SICF, respectively
- D. SICF and RBDMIDOC, respectively

Answer: (SHOW ANSWER)

NEW QUESTION: 25

When does SAP recommend integrating SAP Cloud for Customer with SAP CRM? Note: There are 2 correct Answers to this question.

- A. When the end user must switch between SAP Cloud for Customer and SAP CRM in one object
- B. When SAP Cloud for Customer acts as a mobile layer on top of SAP CRM
- C. When the business processes provided in SAP Cloud for Customer are duplicates of the business processes used in SAP CRM
- D. When the customer wants to leverage the on-premise business processes with innovations in SAP Cloud for Customer

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

What security method is mandatory in the architecture between SAP Cloud for Customer and SAP Cloud Platform Integration?

- A. HTTPS communication
- B. Reverse proxy
- C. Forward proxy
- D. Client certificate authentication

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

For the initial load of the account hierarchy from SAP S/4HANA to SAP Cloud for Customer, which of the following must be available?

- A. Contacts
- B. Functional location
- C. Accounts
- D. Product hierarchy

Answer: ([SHOW ANSWER](#))

Valid C-C4H450-04 Dumps shared by TrainingQuiz.com for Helping Passing C-C4H450-04 Exam! TrainingQuiz.com now offer the **newest C-C4H450-04 exam dumps**, the TrainingQuiz.com C-C4H450-04 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com C-C4H450-04 dumps with Test Engine here: <https://www.trainingquiz.com/C-C4H450-04-practice-quiz.html>
(82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)