

SAP.C-FIORDEV-22.v2023-06-16.q49

Exam Code:	C-FIORDEV-22
Exam Name:	SAP Certified Development Associate - SAP Fiori Application Developer
Certification Provider:	SAP
Free Question Number:	49
Version:	v2023-06-16
# of views:	643
# of Questions views:	490
https://www.dumpsdb.com/dumps/SAP/C-FIORDEV-22/SAP.C-FIORDEV-22.v2023-06-16.q49	

NEW QUESTION: 1

Your customer asks you to add text for a new language to an app. Which file do you send to the translator?

- A. Manifest.json
- B. Master.view.xml
- C. Component.js
- D. 18n.properties

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Which elements are part of a list report? Note: There are 2 correct Answers to this question.

- A. Application header
- B. Visual filters
- C. Cards
- D. Save as tile button

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 3

To perform a QUnit test, what do you include in a test page under your webapp folder?

- A. SAPUI5 bootstrap code
- B. OPA function
- C. Stub code
- D. Mock code

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 4

Why does SAP Fiori use an intent-based navigation? Note: There are 2 correct Answers to this question.

- A. Interdependent targets must be deployed in a single transport request
- B. The concrete app targets can be deployed separately
- C. To provide different results to different users with the same intent
- D. To support cross-app navigation

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which of the following can you use to extend an SAP Fiori Elements application? Note: There are 2 correct Answers to this question.

- A. Adaption extensions
- B. App extension
- C. ABAP extension
- D. CDS extension

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 6

What are the advantages of Local Annotations Over SADL-based Annotations? Note: There are 2 correct answers to this question.

- A. All the Framework-Specific Annotations available as a part of CDS views are also available as a part of Annotation Modeler, which makes it highly flexible
- B. Can Override the CDS based Annotations
- C. Can handle Complex annotations which is not a bound to a single field or entity
- D. Local Annotations are more reusable as compared to SADL based annotations

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 7

Which model supports deep inserts?

- A. XML model
- B. JSON model
- C. Resource model
- D. OData model

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 8

You are modeling a new role for your SAP Fiori Launchpad users. Which of the following steps is an optional configuration step?

- A. Assign Catalog to Role
- B. Create Tiles and Target Mappings
- C. Create Group and Assign Tile
- D. Create Catalog

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 9

In a SAP Fiori hub deployment, where is the SAPUI5 application code stored for a transactional app?

- A. SAP HANA XS Engine
- B. SAP Back-End Server (BES)
- C. SAP Web Dispatcher

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 10

Which properties do you need to configure when you use the Mock server?Note: There are 2 correct Answers to this question.

- A. Service URL
- B. Destination
- C. Module path
- D. Binding type

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 11

Your customer asks you to demonstrate their app with localization changes.Which activity do you perform?

- A. Configure the supportedLanguages settings in the Project.json file.
- B. Use the preview frame in the run configuration.
- C. Configure the run configuration file in the app.
- D. Show the i18n.properties file translations.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

Which HTTP request methods does the SAP Gateway server use to compute and return a new eTag in a response header?Note: There are 2 correct Answers to this question.

- A. PUT
- B. POST
- C. DELETE
- D. GET

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

Your customer asks you to demonstrate their app with localization changes. Which activity do you perform?

- A. Show the `il8n` properties file translations.
- B. Configure the run configuration file in the app.
- C. Configure the supported Languages settings in the `Project.json` file.
- D. Use the preview frame in the run configuration.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 14

To which of the following does an SAP Fiori tile point directly?

- A. An SAP Fiori app
- B. A semantic object
- C. A target mapping with a semantic object and an action
- D. An action

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 15

You are developing a complex screen and you use fragments. What features of fragments are useful here?

Note: There are 2 correct answers to this question.

- A. Fragments are light-weight UI parts that can be reused.
- B. Fragments can be found by the SAPUI5 runtime libraries.
- C. Fragments have their own controller.
- D. Fragments can be a stand-alone view

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 16

You perform a QUnit test with the following syntactical options. Which call returns true when you execute it?

- A. `assert.strictEqual(0, " ", "true");`
- B. `assert.strictEqual(0,-0,"true");`
- C. `assert.strictEqual(0,null,"true");`
- D. `assert.strictEqual(0,"0","true");`

Answer: B ([LEAVE A REPLY](#))

Valid C-FIORDEV-22 Dumps shared by TrainingQuiz.com for Helping Passing C-FIORDEV-22 Exam! TrainingQuiz.com now offer the **newest C-FIORDEV-22 exam dumps**, the TrainingQuiz.com C-FIORDEV-22 exam **questions have been updated** and **answers**

have been corrected get the **newest** TrainingQuiz.com C-FIORDEV-22 dumps with Test Engine here: <https://www.trainingquiz.com/C-FIORDEV-22-practice-quiz.html> (85 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

What are catalog types in SAP Fiori?Note: There are 3 correct Answers to this question.

- A. System
- B. Standard
- C. None-typed
- D. Tile
- E. Replicable

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 18

Which file can you use to configure internal navigation for List Report and Object Page templates?

- A. manifest.json file
- B. vocabulary.xml file
- C. index.html file
- D. OData annotation file

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 19

You develop an SAPUI5 app that can be extended. To allow your customer to customize notifications, you set up a hook method.What activities are required to set up a hook method?Note: There are 3 correct Answers to this question.

- A. Add a code snippet to check if the method exists and execute it.
- B. Define a new function name ensuring it is reserved for the extension.
- C. Create a .js file in the Util folder to allow the customer to add custom code.
- D. Identify a strategic location in the controller for the customized code.
- E. Modify the bootstrap option to allow multi-layer extensions of the custom code.

Answer: A,B,D ([LEAVE A REPLY](#))

NEW QUESTION: 20

You want to create a business catalog for all employees that contains a standard SAP Fiori app. How would you do this?

- A. Reference the tile from a SAP Business Catalog
- B. Reference the tile from a Technical Catalog provided by SAP
- C. Reference the tile from Odata metadata
- D. Reference the tile from a SAP Business Group

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

What are the lifecycle events of an SAPUI5 view controller? Note: There are 2 correct Answers to this question.

- A. onbeforeEntry
- B. onExit
- C. onRendering
- D. onAfterRendering

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 22

What are the advantages of the Sinon.JS framework? Note: There are 2 correct answers to this question.

- A. It enables test-driven development.
- B. It provides support for spies, stubs and mocks.
- C. It supports only synchronous requests.
- D. It supplies higher level test doubles for timers and AJAX requests.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 23

In a SAP Fiori hub deployment, where is the SAPUI5 application code stored for a transactional app?

- A. SAP HANA XS Engine
- B. SAP Back-End Server (BES)
- C. SAP Front-End Server (FES)
- D. SAP Web Dispatcher

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 24

You are extending an SAP Fiori app. Which of the extension properties are defined in the manifest.json? Note: There are 2 correct Answers to this question.

- A. sap.ui.controllerExtensions
- B. sap.ui.i18nModifications
- C. sap.ui.viewModifications
- D. sap.ui.modelModifications

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 25

What type of navigation is used in SAP Fiori Launchpad applications?

- A. Scope-based navigation
- B. Action-based navigation

C. Target-based navigation

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 26

A business user is unable to find an application on the SAP Fiori Launchpad or on the App Finder. Which of the following options could explain why the tile is unavailable? Note: There are 3 correct Answers to this question.

- A. The OData service authorization is missing.
- B. The end user is missing the required group containing the tile.
- C. The user does not have the proper PFCG role assigned to see the application or tile.
- D. The catalogs assigned to the user do not contain the relevant application or tile.
- E. The target mapping for the tile is missing in the catalog.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 27

Which methods can you use to bind data to the controls in SAPUI5? Note: There are 3 correct Answers to this question.

- A. Structure
- B. Property
- C. Aggregation
- D. Combination
- E. Element

Answer: B,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 28

While testing an SAP Fiori app you discover that the navigation on the page does not work correctly. Which of the following agile pyramid options do you use?

- A. Mock server
- B. OPA
- C. QUnit
- D. Sinon

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

What options can you use to add UI annotations to a SAP Fiori Element Page? Note: There are 3 correct Answers to this question.

- A. Add Annotation to the underlying Database Table
- B. Add Annotation with the help of a Metadata Extension
- C. Add Annotation to the Annotation file present as a part of WebIDE project using Annotation modeler
- D. Add Annotations to the underlying CDS view

E. Add Annotations to the manifest file present as a part of WebIDE project using the Descriptor Edit

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 30

SAP Fiori Elements utilizes a metadata-driven approach for SAP Fiori app development. What are the implications of this?

- A. The SAPUI5 runtime interprets metadata and annotations of the OData service and uses the corresponding views for the Fiori app at startup.
- B. SAPUI5 Smart Controls must be created by developers to utilize the OData annotations and metadata of SAP Fiori Elements templates.
- C. Smart Templates must be used by the developer to consume OData annotations and metadata so the SAPUI5 runtime can use the corresponding view.
- D. App developers must use JavaScript to allow their applications to read OData annotations and metadata

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

You perform a QUnit test with the following syntactical options. Which call returns true when you execute it?

- A. `assert.strictEqual(0/null,"true");`
- B. `assert.strictEquaKO/"vtrue");`
- C. `assert.strictEqual(0,"0","true");`
- D. `assert.strictEqual(0,,,-0,"true");`

Answer: D ([LEAVE A REPLY](#))

Valid C-FIORDEV-22 Dumps shared by TrainingQuiz.com for Helping Passing C-FIORDEV-22 Exam! TrainingQuiz.com now offer the **newest C-FIORDEV-22 exam dumps**, the TrainingQuiz.com C-FIORDEV-22 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com C-FIORDEV-22 dumps with Test Engine here: <https://www.trainingquiz.com/C-FIORDEV-22-practice-quiz.html> (85 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

In the data in the screenshot, you want to display the List of Companies in the Americas region. Which binding option do you use for the X, Y, and Z values in the view?

```
1 View:
2   <List id="myList" items="{X}"
3     headerText="Companies" >
4     <DisplayListItem label="{Y}" value="{Z}" />
5   </List>
6
7 Data:
8   var data = {
9     regions: [
10      {
11        name: "Americas",
12        companies : [
13          {
14            name : "Acme Inc.",
15            city: "Belmont"
16          }
17        ]
18      },
19      {
20        name : "Beam Hdg.",
21        city: "Hancock"
22      }
23    ]
24  };
25
```



- A. X: /regions/0/companies Y: companies/0/name Z: companies/0/city
- B. X: /regions/0/companies Y: name Z: city
- C. X: /regions/companies Y: name Z: city
- D. X: /regions/companies Y: companies/name Z: companies/city

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 33

Which of the following pattern sequences are the QUnit tests based on?

- A. Given, Then, and When
- B. Given, When, and Then
- C. Assert, Act, and Arrange
- D. Arrange, Act, and Assert

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 34


You need to configure an SAP Destination service to enable SAP Business Application Studio to extend an existing SAP Fiori app. Which configuration setting for the WebIDE Usage property is required?

- A. extend_abap
- B. dev_abap
- C. odata_abap
- D. ui5_execute_abap

Answer: C (LEAVE A REPLY)

NEW QUESTION: 35

In the screenshot, which element of the Arrange-Act-Assert pattern corresponds to the Act in a QUnit test?



```
1
2 QUnit.module("Calculator", {
3     setup: function() {
4         this.calculator = new Calculator();
5     },
6     teardown: function() {}
7 });
8 QUnit.test("show zero initially", function(assert) {
9     assert.equal(this.calculator.display(), 0);
10 });
11 QUnit.test("display entered digit", function(assert) {
12     this.calculator.press("1");
13     assert.equal(this.calculator.display(), 1);
14 });
15
```

- A. QUnit.module
- B. eardown : function() {}
- C. QUnit.test
- D. This.calculator.press("1");

Answer: D (LEAVE A REPLY)

NEW QUESTION: 36

You need to securely connect the SAP BTP to an on-premise system. How does the SAP Cloud Connector help do this? Note: There are 2 correct Answers to this question.

- A. It creates connectivity by a reverse-invoke process on the on-premise system
- B. It supports custom destination API configuration and certificate inspection.
- C. It initiates a cloud-based reverse-invoke process.
- D. It secures an SSL tunnel between the SAP BTP and the on-premise system.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 37

You are developing SAP Fiori Elements applications
Which of the following actions are available in SAP Web IDE?

Note: There are 2 correct answers to this question.

- A. Choose the OData service as data provider for the project
- B. Create an annotation file associated with the OData service and add annotations

- C. Add catalog to user menu in a PFCG role and grant the role to user
- D. Create a catalog, target mapping, and tiles

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

You extend an SAP Fiori app. The visibility value of a View Button control needs to be modified. Which extension point do you use?

- A. View Visibility
- B. View Modification
- C. View Extension
- D. View Replacement

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which application types can you develop and deploy on the SAP Cloud platform Neo environment? Note:

There are 3 correct answers to this question.

- A. HTMLS apps
- B. Java apps
- C. Objective-C apps
- D. NET apps
- E. HANA XS apps

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 40

Your customer requests a special create method to enable the creation of the full OData hierarchy. Which OData service method can you use?

- A. EXECUTE_DEEP_INSERT
- B. CREATE_BATCH_ENTITY
- C. CREATE_STREAM
- D. CREATE_DEEP_ENTITY

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 41

You finalized your SAPUI5 app development in the SAP Web IDE. What are the platforms available for deployment? Note: There are 2 correct answers to this question.

- A. Deploy to SAPUI5 ABAP Repository
- B. Deploy to SAP Cloud Platform
- C. Deploy to SAP Fiori launchpad
- D. Deploy to SAPUI5 Java Repository

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 42

Which SAP Fiori application can you launch using the search function instead of a tile?

- A. Transactional
- B. Analytical
- C. Legacy
- D. Factsheet

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 43

Which of the following tile types can use an OData service to set the title properties?

- A. Dynamic
- B. Semi-dynamic
- C. Static

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 44

What are Smart Controls?

- A. SAPUI5 controls that can be rendered dynamically according to OData service annotations
- B. The predecessor of Smart Templates
- C. Application templates for SAPUI5 applications to optimize development
- D. Basic SAPUI5 controls recommended for standalone usage

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 45

In the source code below, which of the following locations must reference the extension point?



```
1- <core:view xmlns:core="sap.ui.core" xmlns:form="sap.ui.core.mvc" xmlns="sap.m"
2-   controllerName="appextension.EmployeeData" xmlns:xhtml="http://www.w3.org/1999/xhtml">
3-   <page title="Title">
4-     <content>
5-       <label text="First name:">
6-         <input>
7-         <core:extensionpoint name="forMiddleName">
8-           <label text="Last name:">
9-             <input>
10-            <button text="Get Info" press="doGetInfo"></button>
11-          </label>
12-        </core:extensionpoint>
13-      </label>
14-    </content>
15-  </page>
16- </core:view>
```

- A. EmployeeData.controller.js
- B. Neo-app.json

C. EmployeeData.view.xml

D. Component.js

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 46

How can you extend an SAP Fiori app?Note: There are 3 correct Answers to this question.

A. Modify the data model to merge data at runtime.

B. Modify the runtime libraries that are to be loaded.

C. Modify the properties of the view control.

D. Create an adaptation project

E. Add custom view content in a predefined extension point.

Answer: ([SHOW ANSWER](#))

Valid C-FIORDEV-22 Dumps shared by TrainingQuiz.com for Helping Passing C-FIORDEV-22 Exam! TrainingQuiz.com now offer the **newest C-FIORDEV-22 exam dumps**, the TrainingQuiz.com C-FIORDEV-22 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com C-FIORDEV-22 dumps with Test Engine here: <https://www.trainingquiz.com/C-FIORDEV-22-practice-quiz.html> (85 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

You finalized your SAPUI5 app in the SAP Business Application Studio.To which of the following platforms can you deploy this app?Note: There are 2 correct Answers to this question.

A. SAP BTP

B. SAPUI5 ABAP repository

C. SAP Fiori launchpad

D. SAPUI5 Java repository

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 48

When SAP Web IDE deploys an SAPUI5 app to the ABAP server, which type of app is it deployed as?

A. OpenUI5

B. BSP

C. HTML5

D. ABAP

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 49

Which HTTP request method can you use to create an OData resource?

- A. UPDATE
- B. POST
- C. PUT
- D. CHANGE

Answer: C ([LEAVE A REPLY](#))

Valid C-FIORDEV-22 Dumps shared by TrainingQuiz.com for Helping Passing C-FIORDEV-22 Exam! TrainingQuiz.com now offer the **newest C-FIORDEV-22 exam dumps**, the TrainingQuiz.com C-FIORDEV-22 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com C-FIORDEV-22 dumps with Test Engine here: <https://www.trainingquiz.com/C-FIORDEV-22-practice-quiz.html> (85 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)