

SAP.C-TADM-21.v2022-08-20.q38

| | |
|---|--|
| Exam Code: | C-TADM-21 |
| Exam Name: | SAP Certified Technology Associate - SAP S/4HANA System Administration |
| Certification Provider: | SAP |
| Free Question Number: | 38 |
| Version: | v2022-08-20 |
| # of views: | 863 |
| # of Questions views: | 380 |
| https://www.dumpsdb.com/dumps/SAP/C-TADM-21/SAP.C-TADM-21.v2022-08-20.q38 | |

NEW QUESTION: 1

Which file system locations do you need to specify when installing the SAP HANA multi-host database system using the default settings? Note: There are 2 correct Answers to this question.

- A. /hana/shared
- B. /usr/sap/hostctrl
- C. /usr/sap/<SID>
- D. /hana/log/<SID>

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 2

In an AS ABAP-based SAP system, where is the lock table stored?

- A. Main memory of the Central Services instance
- B. File system of the Primary Application Server instance
- C. Main memory of the Primary Application Server instance
- D. Database

Answer: A (LEAVE A REPLY)

NEW QUESTION: 3

In an embedded deployment, which protocol is used by object pages to access the SAP S/4HANA system?

- A. OData
- B. InA
- C. DIAG
- D. RFC

Answer: D (LEAVE A REPLY)

NEW QUESTION: 4

Which characteristics describe an SAP HANA multitenant database container (MDC) system? Note:

There are 3 correct Answers to this question.

- A. The name server owns information about the location of tables and table partitions in databases.
- B. Each tenant database runs its own compile server and the preprocessor server.
- C. Database isolation increases the isolation between tenant databases on operating system level.
- D. A multitenant database container system is identified by a single system ID (SID).
- E. The name server provides index server functionality for the system database.

Answer: C,D,E (LEAVE A REPLY)

NEW QUESTION: 5

Which of the following background jobs has the highest priority?

- A. Class A job without a target server
- B. Class A job with a target server
- C. Class C job with a target server
- D. Class C job without a target server

Answer: B (LEAVE A REPLY)

NEW QUESTION: 6

In ABAP programs, what are features of ABAP SQL that are not available with native SQL? Note:

There are 2 correct answers to this question.

- A. Use of the AS ABAP data buffer
- B. Execution without a work process
- C. Database independence
- D. Execution of ABAP programs as database procedures

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 7

You want to set up a printer locally on a Microsoft Windows-based AS ABAP. Which host spool access method must you use?

- A. G

- B. L
- C. U
- D. C

Answer: D (LEAVE A REPLY)

NEW QUESTION: 8

In which situations can you resume the failed recovery of your productive SAP HANA tenant database?

Note: There are 2 correct Answers to this question.

- A. An aborted recovery of a complete data backup
- B. An aborted recovery of a delta data backup
- C. An aborted recovery of the configuration files
- D. An aborted recovery of a log backup

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 9

You want to perform rapid activation for SAP Fiori. In what order should you run the task lists?

- A. 1. SAP_GW_FIORI_ERP_ONE_CLNT_SETUP 2. SAP_FIORI_CONTENT_ACTIVATION 3. SAP_FIORI_FOUNDATION_S4
- B. 1. SAP_GW_FIORI_ERP_ONE_CLNT_SETUP 2. SAP_FIORI_FOUNDATION_S4 3. SAP_FIORI_CONTENT_ACTIVATION
- C. 1. SAP_FIORI_FOUNDATION_S4 2. SAP_FIORI_CONTENT_ACTIVATION 3. SAP_GW_FIORI_ERP_ONE_CLNT_SETUP
- D. 1. SAP_FIORI_FOUNDATION_S4 2. SAP_GW_FIORI_ERP_ONE_CLNT_SETUP 3. SAP_FIORI_CONTENT_ACTIVATION

Answer: B (LEAVE A REPLY)

NEW QUESTION: 10

In an SAP S/4HANA Server system, a target system alias, FIORI, is maintained for source system alias S4FIN. Which connection is relevant for the extraction of back-end catalogs with alias S4FIN?

- A. S4FIN_HTTPS
- B. FIORI_HTTPS
- C. FIORI_RFC
- D. S4FIN_RFC

Answer: A (LEAVE A REPLY)

NEW QUESTION: 11

How does SAP HANA encrypt the data persistence layer?

- A. By page level
- B. By table level
- C. By row level
- D. By column level

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

Which tools can be used to create SAP Fiori catalogs? Note: There are 2 correct Answers to this question.

- A. Launchpad customizing (LPD_CUST)
- B. SAP Fiori launchpad settings (/UI2/FLP_CUS_CONF)
- C. SAP Fiori launchpad designer (/UI2/FLPD_CUST)
- D. SAP Fiori launchpad content manager (/UI2/FLPCM_CUST)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 13

How does a Transport of Copies differ from a Workbench Request? Note: There are 2 correct Answers to this question

- A. When creating the transport request, a target system without a consolidation route can be selected.
- B. No cofile is created, when releasing the transport request with the Transport Organizer (SE09).
- C. When importing, the transport request is not forwarded to subsequent delivery systems.
- D. After the import, repository objects in the target system are classified as copies.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 14

You are importing an SAP Support Package Stack with transaction SPAM. Which steps require SAP system downtime? Note: There are 2 correct Answers to this question.

- A. Import of inactive dictionary objects (DD IMPORT)
- B. Modification adjustment of other objects (SPAU)
- C. Modification adjustment of dictionary objects (SPDD)
- D. Activation of dictionary objects (DD ACTIVATION)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 15

You have passed the initial authentication for an SAP Fiori transactional app. Which authentication technology is used for subsequent OData calls of this app?

- A. SAML 2.0
- B. ABAP Session Security
- C. X.509 client certificates

D. SAP logon tickets

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 16

On an AS ABAP-based SAP system, you need to create a user that is not enabled for dialog interaction and is subject to the validity period of passwords. Which user type do you choose?

A. Service

B. System

C. Reference

D. Communications Data

Answer: D ([LEAVE A REPLY](#))

Valid C-TADM-21 Dumps shared by TrainingQuiz.com for Helping Passing C-TADM-21 Exam! TrainingQuiz.com now offer the **newest C-TADM-21 exam dumps**, the TrainingQuiz.com C-TADM-21 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com C-TADM-21 dumps with Test Engine here: <https://www.trainingquiz.com/C-TADM-21-practice-quiz.html> (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

When installing an SAP S/4HANA Server 1909 system, which actions can the Software Provisioning Manager (SWPM) perform only when the installation is started with the option SAPINST_STACK_XML? Note: There are 3 correct answers to this question.

A. Install an SAP Host Agent

B. Apply a SPAM/SAINT update

C. Set the password of user DDIC in client 000

D. Set up Transport Management System (TMS)

E. Import additional languages

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 18

What can you configure by maintaining table HTTPURLLOC?

A. The hostname of the URL launched by transaction /UI2/FLP

B. The path of the URL launched by transaction /UI2/FLP

C. The URL of a local Web server for user assistance resources

D. The URL used by classic applications

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

What is the purpose of the SAP HANA secure user store (hdbuserstore)? Note: There are 2 correct Answers to this question.

- A. To configure an SAP HANA auto-restart for fault recovery
- B. To configure failover support in a 3-tier scenario
- C. To store connection information on the SAP HANA database client
- D. To store connection information on the SAP HANA XS advanced engine

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 20

You want to perform rapid activation for SAP Fiori. In what order should you run the task lists?

- A. 1.SAP_GW_FIORI_ERP_ONE_CLNT_SETUP 2.SAP_FIORI_FOUNDATION_S4 3. SAP_FIORI_CONTENT_ACTIVATION
- B. 1.SAP_FIORI_FOUNDATION_S4 2.SAP_FIORI_CONTENT_ACTIVATION 3.SAP_GW_FIORI_ERP_ONE_CLNT_SETUP
- C. 1.SAP_FIORI_FOUNDATION_S4 2.SAP_GW_FIORI_ERP_ONE_CLNT_SETUP 3.SAP_FIORI_CONTENT_ACTIVATION
- D. 1.SAP_GW_FIORI_ERP_ONE_CLNT_SETUP 2.SAP_FIORI_CONTENT_ACTIVATION 3.SAP_FIORI_FOUNDATION_S4

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 21

Using standard tp settings, how does the transport strategy 'Queue-Driven Transports, Mass transports' differ from 'Queue-Driven Transports, Single transports'? Note: There are 3 correct Answers to this question.

- A. The 'Import All Requests' button is available.
- B. Using the 'Import Request' button causes the imported transport requests to remain in the import queue.
- C. The import process can be scheduled in the background.
- D. Return Code 8 is considered a successful import.
- E. Return Code 16 is caused by an erroneous object in a transport request.

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 22

During the installation of SAP Solution Manager AS ABAP 7.2, which of the following user IDs does SAPinst suggest for SAP Solution Manager AS Java 7.2? Note: There are 2 correct Answers to this question.

- A. SAP*
- B. Administrator
- C. SAPJSF

D. J2EE_ADMIN

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 23

The SAP Fiori launchpad is working for your users. How can you enable access to the SAP Easy Access menu for them in the app finder? Note: There are 2 correct Answers to this question.

A. By applying the correct settings in the SAP Fiori launchpad configuration (transaction /UI2/FLP_SYS_CONF or /UI2/FLP_CUS_CONF)

B. By assigning the authorization to start transaction SEARCH_SAP_MENU

C. By assigning the correct target mappings, shipped via catalog /UI2/CLASSICAL_GUI_MENU

D. By providing an HTTP destination type H named FIORI_CLASSICUI_HTTPS (transaction SM59)

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 24

Which of the following protocols is SAP's RFC protocol based on? Note: There are 2 correct Answers to this question.

A. TCP/IP

B. http

C. CPI-C

D. OLE

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 25

In an AS ABAP-based SAP system, a user performs the second dialog step in a dialog transaction. The dialog work process used in the first dialog step is occupied by a different user. What happens with this second user request?

A. The dialog work process that handled the first dialog step performs a rollout to handle the request.

B. The request is processed by a different free dialog work process.

C. The request remains in the request queue until the dialog work process that handled the first dialog step is free again.

D. The request is processed asynchronously by an update work process.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 26

When importing a transport request, which steps are executed by a batch job? Note: There are 3 correct answers to this question.

A. Activation of dictionary objects

- B. Activation of ABAP programs
- C. Import of dictionary objects
- B. Distribution
- D. Move nametab

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 27

Which processes can run optionally as part of ABAP SAP Central Services (ASCS)? Note: There are 2 correct Answers to this question.

- A. RFC Gateway
- B. SAP Web Dispatcher
- C. Message Server
- D. Enqueue Server

Answer: A,B [\(LEAVE A REPLY\)](#)

NEW QUESTION: 28

What action(s) can you perform in the SAP HANA cockpit to back up the complete database system?

- A. Back up the system database and all tenant databases in one step.
- B. Back up the system using a database snapshot and a data snapshot.
- C. Back up the system using a fallback snapshot for every database.
- D. Back up the system database and all tenant databases individually.

Answer: D [\(LEAVE A REPLY\)](#)

NEW QUESTION: 29

What is the correct sequence of the following four steps when you restart the SAP HANA database system?

- A. Row tables are loaded into memory. Open transactions are recovered. Aborted transactions are rolled back. Column tables are loaded.
- B. Aborted transactions are rolled back. Open transactions are recovered. Row tables are loaded into memory. Column tables are loaded.
- C. Aborted transactions are rolled back. Row tables are loaded into memory. Open transactions are recovered. Column tables are loaded.
- D. Row tables are loaded into memory. Column tables are loaded. Open transactions are recovered. Aborted transactions are rolled back.

Answer: A [\(LEAVE A REPLY\)](#)

NEW QUESTION: 30

You are using a Change and Transport System (CTS) for the transport of native SAP HANA applications.

Which tool can you

use to create a transport request for these applications in the CTS system?

- A. Transport Organizer (Extended View) (in transaction SE01)
- B. Database Assistant (in transaction DB50N)
- C. Transport Organizer Web UI (in transaction STMS)
- D. Transport Organizer (in transaction SE09)

Answer: (SHOW ANSWER)

NEW QUESTION: 31

You are working in an AS ABAP-based SAP system that runs on Linux. here is the spool data stored when you use the value 'G' for the profile parameter rspo/store_location?

- A. /usr/sap/<SID>/D<nn>/data
- B. /usr/sap/<SID>/sys/global
- C. /usr/sap/<SID>/sys/profile
- D. /usr/sap/<SID>/D<nn>/work

Answer: B (LEAVE A REPLY)

Valid C-TADM-21 Dumps shared by TrainingQuiz.com for Helping Passing C-TADM-21 Exam! TrainingQuiz.com now offer the **newest C-TADM-21 exam dumps**, the TrainingQuiz.com C-TADM-21 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com C-TADM-21 dumps with Test Engine here: <https://www.trainingquiz.com/C-TADM-21-practice-quiz.html> (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

In the role maintenance transaction (PFCG) of an AS ABAP-based SAP system, which step grants the authorizations of a role to a user master record?

- A. Perform a user comparison
- B. Save the role
- C. Generate the profile
- D. Assign a user to the role

Answer: A (LEAVE A REPLY)

NEW QUESTION: 33

What are prerequisites for enabling communication between a standalone SAP Web Dispatcher and an AS ABAP-based SAP system? Note: There are 2 correct Answers to this question.

- A. Identification of the HTTP port of the PAS instance's ICM process
- B. Activation of ICF service /sap/public/ping
- C. Activation of ICF service /sap/public/icf_info/icr_groups
- D. Identification of the HTTP port of the ABAP message server

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 34

In the role maintenance transaction (PFCG) of an AS ABAP-based SAP system, which step grants the authorizations of a role to a user master record?

- A. Assign a user to the role
- B. Save the role
- C. Perform a user comparison
- D. Generate the profile

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 35

What are some start conditions of a background job in an AS ABAP-based SAP system?

Note:

There are 3 correct answers to this question.

- A. Reaching a specific date and time
- B. Switching the operation mode
- C. Creating a job server group
- D. Defining an external command
- E. Triggering a background event

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

Which services can you stop in the SAP HANA cockpit from the SYSTEMDB Manage Services app?

Note: There are 2 correct answers to this question.

- A. Index server
- B. Preprocessor
- C. Daemon
- D. Compile server

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 37

When releasing a workbench request from the development system, what are prerequisites for an export to take place? Note: There are 3 correct Answers to this question.

- A. Repository objects within the workbench request must be assigned to the same transport layer.
- B. Packages used by objects in the workbench request must be assigned to a valid transport layer.
- C. A delivery route from the development system to a subsequent system must exist.

- D. A consolidation route from the development system to a subsequent system must exist.
- E. Repository objects within the workbench request must be assigned to a package.

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 38

Which actions can be performed with the Software Update Manager (SUM) for an AS ABAP-based SAP system? Note: There are 3 correct Answers to this question.

- A. Correcting software information via a CISI run
- B. Applying an SAP kernel patch
- C. Setting up the Transport Management System (TMS)
- D. Applying a SPAM/SAINT update
- E. Installing an SAP Host Agent

Answer: ([SHOW ANSWER](#))

Valid C-TADM-21 Dumps shared by TrainingQuiz.com for Helping Passing C-TADM-21 Exam! TrainingQuiz.com now offer the **newest C-TADM-21 exam dumps**, the TrainingQuiz.com C-TADM-21 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com C-TADM-21 dumps with Test Engine here: <https://www.trainingquiz.com/C-TADM-21-practice-quiz.html> (**82 Q&As** Dumps, **40%OFF Special Discount: Exam-Tests**)