

## SAP.C\_BW4HANA\_27.v2022-04-16.q56

<b>Exam Code:</b>	C_BW4HANA_27
<b>Exam Name:</b>	SAP Certified Application Associate - Reporting, Modeling and Data Acquisition with SAP BW/4HANA 2.x
<b>Certification Provider:</b>	SAP
<b>Free Question Number:</b>	56
<b>Version:</b>	v2022-04-16
<b># of views:</b>	1210
<b># of Questions views:</b>	560
<a href="https://www.dumpsdb.com/dumps/SAP/C_BW4HANA_27/SAP.C_BW4HANA_27.v2022-04-16.q56">https://www.dumpsdb.com/dumps/SAP/C_BW4HANA_27/SAP.C_BW4HANA_27.v2022-04-16.q56</a>	

### NEW QUESTION: 1

How do you enable streaming mode for a process chain?

**A.** Navigate to Customizing (SPRO).

Change the general settings for SAP BW/4HANA.

**B.** Navigate to Process Chain Maintenance (RSPC).

Select Streaming Mode in the process chain attributes.

**C.** Navigate to Modeling DW Workbench (RSA1).

Activate streaming mode on the Current Settings Folder tab.

**D.** Navigate to Process Chain Maintenance (RSPC). Add a new process variant for streaming mode.

**Answer: B** ([LEAVE A REPLY](#))

### NEW QUESTION: 2

Which query property do you set to minimize the initial run time for the query read mode?

**A.** Read data individually from InfoProvider.

**B.** Read data when you navigate or expand hierarchies.

**C.** Read all data at once.

**D.** Cache is inactive.

**Answer: B** ([LEAVE A REPLY](#))

### NEW QUESTION: 3

You model a second SAP BW/4HANA CompositeProvider to integrate tables from an SAP HANA database schema with an existing SAP BW/4HANA CompositeProvider. What must you do first?

- A. Set The CompositeProvider Can Be Added to Another CompositeProvider flag.
- B. Connect an export DataSource from the existing CompositeProvider to the new CompositeProvider.
- C. Assign consumption properties to the new SAP HANA calculation view.
- D. Create an Open ODS view with consumption properties to consume the data in the SAP BW/4HANA schema.

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 4**

For which InfoProvider types can you select navigation attributes? Note: There are 2 correct answers to this question.

- A. DataStore object (advanced) of type InfoCube
- B. Open ODS views
- C. DataStore object (advanced) of type standard DataStore object
- D. CompositeProvider

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 5**

Why do you recommend modeling a data layer in SAP BW/4HANA? Note: There are 2 correct answers to this question.

- A. To pre-define a data layout
- B. To immediately display changed entries
- C. To homogenize and cleanse data from different sources
- D. To fulfill snapshot requirements

**Answer: C,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 6**

Why can tasks be executed faster if the application uses SAP HANA as a database?

- A. The application layer takes over tasks of the user interface layer.
- B. The application layer takes over tasks of the database layer.
- C. The user interface layer takes over tasks of the application layer.
- D. The database layer takes over tasks of the application layer.

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 7**

For which business requirements do you suggest an SAP BW/4HANA modeling focus rather than an SAP HANA modeling focus?

Note: There are 2 correct answers to this question.

- A. Use existing HANA content models.

- B. Load snapshots or deltas on a periodic basis.
- C. Report on a harmonized set of master data.
- D. Leverage SQL in-house knowledge.

**Answer: A,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 8**

Which objects can you combine using a CompositeProvider? Note: There are 2 correct answers to this question.

- A. Key figures
- B. SAP HANA calculation views
- C. CompositeProvider
- D. InfoSources

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 9**

Which SAP BW/4HANA objects can keep persistent data? Note: There are 2 correct answers to this question.

- A. Characteristics InfoObjects
- B. InfoSource
- C. DataStore object (advanced)
- D. Key figure InfoObjects

**Answer: A,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 10**

Which SAP BW/4HANA objects can be used as sources of a data transfer process (DTP) ? Note: There are

3 correct Answers to this question.

- A. Open Hub Destination
- B. InfoSource
- C. CompositeProvider
- D. DataStore Object (advanced)
- E. SAP HANA Analysis Process

**Answer: A,B,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 11**

Which SAP BW/4HANA features support the code-to-data principle? Note: There are 3 correct answers to this question.

- A. SAP HANA models as part providers in CompositeProviders
- B. ABAP Managed Database Procedures in an SAP BW/4HANA transformation
- C. Global transfer routines for master data harmonization
- D. Activation of a DataStore object (advanced)

E. Query settings fo read near-line storage data

**Answer:** ([SHOW ANSWER](#))

**NEW QUESTION: 12**

You use a measure with semantic type "Amount with Currency Code" in your SAP HANA calculation view. Which kind of currency reference can be assigned to the measure? Note: There are 2 correct Answers to this question.

- A. A variable in the same SAP HANA view
- B. A fixed currency from table TCURC
- C. Another column of the same SAP HANA view
- D. A column from another SAP HANA view

**Answer:** B,C ([LEAVE A REPLY](#))

**NEW QUESTION: 13**

In the Web IDE for SAP HANA workspace, you have imported a project including an HDB module with calculation views. What do you need to do in the project settings before you can successfully build the HDB module?

- A. Define a package
- B. Assign a space
- C. Enter an organization
- D. Reset the project type

**Answer:** D ([LEAVE A REPLY](#))

**NEW QUESTION: 14**

Which source types are available to create a generic DataSource in SAP ERP? Note: There are 3 correct Answers to this question.

- A. HDI Calculation View
- B. Database view
- C. SAP query
- D. ABAP function module
- E. ABAP class method

**Answer:** B,D,E ([LEAVE A REPLY](#))

**NEW QUESTION: 15**

When can you NOT use a characteristic with the High Cardinality property? Note: There are 3 correct answers to this question.

- A. When it will be part of a report-to-report interface
- B. When it will be a navigation attribute
- C. When it will be a compound characteristic
- D. When it will be a time-dependent attribute
- E. When it will be part of a hierarchy

**Answer: B,C,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 16**

Which sources types can you select when you create an Open ODS view? Note: There are 3 correct answers to this question.

- A. Characteristic \
- B. Transformation
- C. InfoSource
- D. SAP BW DataSource
- E. Virtual table using SAP HANA smart data access

**Answer: B,D,E ([LEAVE A REPLY](#))**

**Valid C\_BW4HANA\_27 Dumps** shared by TrainingQuiz.com for Helping Passing C\_BW4HANA\_27 Exam! TrainingQuiz.com now offer the **newest C\_BW4HANA\_27 exam dumps**, the TrainingQuiz.com C\_BW4HANA\_27 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com C\_BW4HANA\_27 dumps with Test Engine here: [https://www.trainingquiz.com/C\\_BW4HANA\\_27-practice-quiz.html](https://www.trainingquiz.com/C_BW4HANA_27-practice-quiz.html) (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 17**

Which of the following are possible source types for an Open ODS view? Note: There are 3 correct Answers to this question.

- A. Database table or view
- B. CompositeProvider
- C. Transformations
- D. Open hub destination
- E. DataStore object (advanced)

**Answer: A,C,E ([LEAVE A REPLY](#))**

**NEW QUESTION: 18**

For a BW query, you want to have the first month of the current quarter as a default value for an input- ready BW variable for the characteristic 0CALMONTH. Which processing type do you use?

- A. Manual Input with offset value
- B. Replacement Path
- C. Manual Input with default value
- D. Customer Exit

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 19**

You want to build an SAP HANA calculation view of data category CUBE, but you get the "no measure defined" error. For the business requirement, a measure does not make sense. Besides changing the data category to DIMENSION, what do you have to do?

- A. Switch from a projection node to an aggregation node.
- B. Switch from a projection node to a star join node.
- C. Switch from an aggregation node to a star join node.
- D. Switch from an aggregation node to a projection node.

**Answer:** ([SHOW ANSWER](#))

#### **NEW QUESTION: 20**

In a BW query with cells, you need to overwrite the initial definition of a cell. With which cell types can this be achieved? Note: There are 2 correct Answers to this question.

- A. Formula cell
- B. Reference cell
- C. Help cell
- D. Selection cell

**Answer:** A,D ([LEAVE A REPLY](#))

#### **NEW QUESTION: 21**

SAP provides three data warehousing solutions to provide customers more flexibility. How is SAP Data Warehouse Cloud positioned?

- A. To support business users who want to simplify their own ABAP routines
- B. To empower business users to generate SQL code that is pushed to SAP BW/4HANA
- C. To empower business users to create and maintain process chains from SAP BW/4HANA dataflows
- D. To support business users with a new self-service tool to model their own dataflows

**Answer:** D ([LEAVE A REPLY](#))

#### **NEW QUESTION: 22**

You create a DataStore object (advanced) using the "Data Mart DataStore Object" modeling property.

Which behaviors are specific to this modeling property? Note: There are 2 correct Answers to this question.

- A. All characteristics are automatically defined as key.
- B. Query results are only shown when data has been activated.
- C. The change log table will only be filled after data activation.
- D. Reporting is done based on a union of the inbound and active tables.

**Answer:** A,D ([LEAVE A REPLY](#))

#### **NEW QUESTION: 23**

You use the wizard to create an SAP BW/4HANA Big Data source system. Which activities are mandatory? Note: There are 3 correct answers to this question.

- A. Specify business content type.
- B. Specify release type.
- C. Specify connection type Big Data.
- D. Select a database object schema.
- E. Select a remote source.

**Answer: C,D,E ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 24**

Which development object needs to be built to generate an HDI Container?

- A. Package
- B. Space
- C. HDB module
- D. SQL script procedure

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 25**

In an SAP HANA Calculation View, you need to combine attributes data (left table) and the data's language-dependent texts (right table) using a text join. What should you select to restrict the result set to the logon language?

- A. The language column in the right table
- B. The language column in the left table
- C. The logon language in the left table
- D. The join cardinality between both tables

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 26**

For which scenario do you recommend an InfoSource?

Please choose the correct answer.

- A. Connect multiple sources and targets.
- B. Store intermediate results.
- C. Allow the creation of delta records.
- D. Use it as a source for the data transfer process.

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 27**

In which sequence can you create a reusable key figure structure?

There are 2 correct answers to this question.

- A. 1. Create a new structure in the context menu of an InfoProvider.  
2. Add key figures, selections, and formulas.

- B.** 1. Create a new structure with key figures, selections, and formulas in a query.  
2. Save the structure as a global structure.
- C.** 1. Create a new structure in the context menu of a calculated key figure.  
2. Save the structure as a global structure.
- D.** 1. Apply filters to a key figure structure in SAP Analysis for Microsoft Office.  
2. Save the structure as a global structure.

**Answer: A,B ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 28**

What is the maximum number of characteristics that can be used for a multi-dimensional exception aggregation in a BW query?

- A.** 7
- B.** 10
- C.** 3
- D.** 5

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 29**

You want to add a Source System of type Big Data in SAP BW/4HANA.

Which adapters can you use to reference the remote source system? Note: There are 2 correct Answers to this question.

- A.** SAP HANA adapter
- B.** Spark SQL adapter
- C.** SAP Vora ODBC adapter
- D.** IQ (ODBC) adapter

**Answer: A,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 30**

What can you leverage using the live data connections of SAP Analytics Cloud with SAP BW/4HANA?

Note: There are 2 correct Answers to this question.

- A.** Process chain streaming functionality
- B.** BW data models for analysis
- C.** BW data models for planning scenarios
- D.** Existing authorization concepts

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 31**

You created an Open ODS view of type Facts. Which object type can you associate with a view field in the characteristics folder? Note: There are 2 correct Answers to this question.

- A.** Calculation View of type Dimension

- B. Open ODS view of type Master Data
- C. Open ODS view of type Facts
- D. InfoObject of type Characteristic

**Answer: A,B (LEAVE A REPLY)**

**Valid C\_BW4HANA\_27 Dumps** shared by TrainingQuiz.com for Helping Passing C\_BW4HANA\_27 Exam! TrainingQuiz.com now offer the **newest C\_BW4HANA\_27 exam dumps**, the TrainingQuiz.com C\_BW4HANA\_27 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com C\_BW4HANA\_27 dumps with Test Engine here: [https://www.trainingquiz.com/C\\_BW4HANA\\_27-practice-quiz.html](https://www.trainingquiz.com/C_BW4HANA_27-practice-quiz.html) (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

#### **NEW QUESTION: 32**

Which property settings can you assign for a characteristic? Note: There are 3 correct answers to this question.

- A. High Precision
- B. Stock Coverage
- C. Authorization-Relevant
- D. Useable as InfoProvider
- E. Attribute Only

**Answer: C,D,E (LEAVE A REPLY)**

#### **NEW QUESTION: 33**

Which features are related to the start process in a process chain? Note: There are 2 correct Answers to this question.

- A. Only one start process is allowed for each process chain.
- B. It can be a successor of another process.
- C. It is the only process that can be scheduled without a predecessor.
- D. It can be re-used in other process chains.

**Answer: (SHOW ANSWER)**

#### **NEW QUESTION: 34**

You create an SAP HANA HDI Calculation View. What are some of the reasons to choose the data category Cube with Star Join instead of data category Dimension? Note: There are 3 correct Answers to this question.

- A. Persist transactional data.
- B. Create restricted columns.
- C. Provide default time characteristics.
- D. Aggregate measures as a sum.

E. Combine master data and transactional data.

**Answer: B,C,D ([LEAVE A REPLY](#))**

**NEW QUESTION: 35**

What must you do to define an Inventory InfoProvider in SAP BW/4HANA? Note: There are 3 correct answers to this question.

- A. Select the Unique Data Records model property.
- B. Assign at least one non-cumulative key figure.
- C. Select the Inventory model property.
- D. Assign at least one cumulative key figure.
- E. Select the All Characteristics are Key model property.

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 36**

Which of the following settings can you define in a data transfer process (DTP) if you load data into a DataStore object (advanced)?

There are 2 correct answers to this question.

- A. Parallel processing
- B. Extraction Mode
- C. Data tiering
- D. Activation handling

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 37**

What are benefits of using an InfoSource in a data flow? Note: There are 2 correct Answers to this question.

- A. Reducing the number of transformations for scenarios with many sources and targets
- B. Reducing the number of data transfer processes (DTP)
- C. Connecting sequential transformations in the data flow without storing the data again
- D. Storing the extraction delta information of the data source file

**Answer: B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 38**

For which SAP BW/4HANA objects is it possible to create an external SAP HANA view?

There are 2 correct answers to this question.

- A. Key figures
- B. Characteristics
- C. CompositeProviders
- D. Open ODS views

**Answer: B,C ([LEAVE A REPLY](#))**

**NEW QUESTION: 39**

In which ODP context is the operational delta queue (ODQ) managed by the target system?

- A. ODP\_CDS
- B. ODP\_HANA
- C. ODP\_BW
- D. ODP\_SAP

**Answer: D** ([LEAVE A REPLY](#))

**NEW QUESTION: 40**

Which properties determine the delta process within the Operational Data Provisioning (ODP) delta management for DataSources?

Note: There are 2 correct answers to this question.

- A. Delta type
- B. Serialization
- C. Record type
- D. Record mode
- E. Parallelization

**Answer: B,D** ([LEAVE A REPLY](#))

**NEW QUESTION: 41**

Which reporting object do you use to combine data from different SAP BW InfoProviders?

- A. DataProvider
- B. Analysis workbook
- C. Analysis view
- D. BW query

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 42**

You want to build Web-based dashboards with interactive visualizations. Which SAP tool would you use?

- A. SAP Crystal Reports for Enterprise
- B. SAP Analysis for Microsoft Office
- C. SAP Lumira, designer edition
- D. SAP Analysis for OLAP

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 43**

What must you do first if you need to define help cells for formulas in the cell editor?

- A. Define two formulas in a structure.
- B. Define two selections in a structure.
- C. Reuse a structure in a second query.

D. Define two structures in a query.

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 44**

You define a remote subscription of type UPSERT in an SAP HANA Smart Data Integration (SDI) real-time update scenario. Which fields are added to the DataSource automatically? Note: There are 3 correct Answers to this question.

- A. SDI\_CHANGE\_TIME
- B. SDI\_RECORD\_MODE
- C. SDI\_CHANGE\_SEQUENCE
- D. SDI\_CHANGE\_TYPE
- E. SDI\_ENTITY\_COUNTER

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 45**

What are desired outcomes of an SAP BW/4HANA pilot project?

There are 3 correct answers to this question.

- A. Identify customizing and configuration areas to be applied to future projects.
- B. Identify required changes for the business processes to comply with SAP BW/4HANA standard software.
- C. Confirm increased database size using SAP BW/4HANA instead of a common RDBMS.
- D. Identify objects from SAP BI content that will be leveraged in subsequent projects.
- E. Transfer experience of the pilot project to future projects.

**Answer: A,D,E ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 46**

You need to integrate data from several SAP systems and non-SAP systems to support real-time analytics. Why do you recommend the SAP Landscape Transformation (SLT) Replication Server for real-time data replication into SAP HANA?

- A. The SLT Replication Server provides flexible multisystem support to manage data replication from SAP and non-SAP source systems.
- B. Replication Server installation and configuration is always identical for SAP and non-SAP source systems.
- C. The SLT Replication Server installed on a productive SAP BW/4HANA system improves the data transfer process.
- D. The SLT Replication Server provides log reader adapters for SAP and non-SAP sources.

**Answer: A ([LEAVE A REPLY](#))**

**Valid C\_BW4HANA\_27 Dumps** shared by TrainingQuiz.com for Helping Passing C\_BW4HANA\_27 Exam! TrainingQuiz.com now offer the **newest C\_BW4HANA\_27 exam dumps**, the TrainingQuiz.com C\_BW4HANA\_27 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com C\_BW4HANA\_27 dumps with Test Engine here: [https://www.trainingquiz.com/C\\_BW4HANA\\_27-practice-quiz.html](https://www.trainingquiz.com/C_BW4HANA_27-practice-quiz.html) (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 47**

You need to use an SAP ERP standard DataSource to load data into SAP BW/4HANA. Which prerequisite must be fulfilled to use the DataSource in the Operational Data Provisioning context?

- A. It must have a queue entry in transaction ODQMON.
- B. It must be delta-enabled.
- C. It must exist in table ROOSATTR.
- D. It must be in-memory-optimized.

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 48**

Where can you apply a currency conversion? Note: There are 3 correct answers to this question.

- A. In a BW query
- B. In an SAP BW/4HANA data transfer process (DTP)
- C. In an SAP BW/4HANA transformation
- D. In an SAP HANA calculation view
- E. In an SAP BW/4HANA InfoSource

**Answer: A,C,D (LEAVE A REPLY)**

**NEW QUESTION: 49**

Which of the following are strengths of SAP S/4HANA embedded analytics? Note: There are 2 correct answers to this question.

- A. Operational data is accessed in real time.
- B. Redundant data is reduced.
- C. Historical data for strategic decisions is stored.
- D. Cross-system consistency is generated.

**Answer: A,B (LEAVE A REPLY)**

**NEW QUESTION: 50**

From which SAP BW/4HANA objects can you start generating an external View? Note: There are 2 correct Answers to this question.

- A. CompositeProvider
- B. Semantic group object

- C. Open ODS view
- D. BW query

**Answer: A,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 51**

You create a BW query. How can you check the navigational attributes of a basic characteristic?

- A. Add the basic characteristic to a BW query and check the display properties.
- B. Select Attributes from the context menu of the basic characteristic in the rows section.
- C. Open the editor for the basic characteristic and check the Attribute tab.
- D. Open the InfoProvider view and check the Attribute folder below the basic characteristic.

**Answer: C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 52**

What kind of cold data tiering options do you have with SAP BW/4HANA? Note: There are 2 correct Answers to this question.

- A. SAP HANA extension node
- B. Hadoop cluster
- C. SAP IQ database
- D. SAP Data Warehouse Cloud

**Answer: B,C ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 53**

With which query considerations can you optimize the query performance? Note: There are 3 correct Answers to this question.

- A. Use fewer drill-down characteristics in the initial view
- B. Use exclude functions in the restricted key figures
- C. Use include functions in the restricted key figures
- D. Use mandatory characteristic value variables
- E. Use characteristic filters that overlap

**Answer: A,B,D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 54**

You load a DataStore object (advanced) every night. Where can you delete the request you loaded two nights ago without deleting the last request?

- A. From a DataStore object (advanced) based on the model template Standard DataStore object if the request is activated and you execute a full load.
- B. From a DataStore object (advanced) based on the model template Standard DataStore object if the request is activated.
- C. From a DataStore object (advanced) based on the model template InfoCube if the request is activated.

D. From a DataStore object (advanced) based on the model template InfoCube if the request is NOT v u activated.

**Answer: D ([LEAVE A REPLY](#))**

**NEW QUESTION: 55**

Which features of an SAP BW/4HANA InfoObject are intended to reduce the physical data volume?

Note: There are 2 correct Answers to this question.

- A. Enhanced master data update
- B. Transitive attribute
- C. Compounding characteristic
- D. Reference characteristic

**Answer: ([SHOW ANSWER](#))**

**NEW QUESTION: 56**

Which SAP HANA objects are automatically generated if you set the External SAP HANA Calculation View flag for an SAP BW/4HANA object?

Note: There are 2 correct answers to this question.

- A. SAP HANA analytic views
- B. SAP HANA calculation views
- C. SAP HANA privileges
- D. SAP HANA attribute views

**Answer: ([SHOW ANSWER](#))**

**Valid C\_BW4HANA\_27 Dumps** shared by TrainingQuiz.com for Helping Passing C\_BW4HANA\_27 Exam! TrainingQuiz.com now offer the **newest C\_BW4HANA\_27 exam dumps**, the TrainingQuiz.com C\_BW4HANA\_27 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com C\_BW4HANA\_27 dumps with Test Engine here: [https://www.trainingquiz.com/C\\_BW4HANA\\_27-practice-quiz.html](https://www.trainingquiz.com/C_BW4HANA_27-practice-quiz.html) (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)