

SAP.C_BW4HANA_27.v2023-01-07.q79

Exam Code:	C_BW4HANA_27
Exam Name:	SAP Certified Application Associate - Reporting, Modeling and Data Acquisition with SAP BW/4HANA 2.x
Certification Provider:	SAP
Free Question Number:	79
Version:	v2023-01-07
# of views:	1498
# of Questions views:	790
https://www.dumpsdb.com/dumps/SAP/C_BW4HANA_27/SAP.C_BW4HANA_27.v2023-01-07.q79	

NEW QUESTION: 1

Your main BW query contains a characteristic value variable with a replacement path from a query. When is the pre-query executed?

- A. Each time the main query is executed, before the filter values are applied.
- B. Each time the main query is executed, after the filter values are applied.
- C. Directly after a predefined broadcasting event was triggered to calculate the pre-query.
- D. Directly after data is loaded to the InfoProvider of the pre-query.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 2

Which objects can you associate with a source field that is defined as a characteristic within an Open ODS view?

Note: There are 2 correct answers to this question.

- A. Open ODS view type Master Data for Attributes
- B. SAP BW InfoObject
- C. Open ODS view type Facts
- D. Open ODS view type Master Data for Hierarchies

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 3

SAP provides three data warehousing solutions to provide customers more flexibility. How is SAP Data Warehouse Cloud positioned?

- A. To support business users with a new self-service tool to model their own dataflows
- B. To empower business users to generate SQL code that is pushed to SAP BW/4HANA
- C. To support business users who want to simplify their own ABAP routines
- D. To empower business users to create and maintain process chains from SAP BW/4HANA dataflows

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which Of the following are valid data deletion options for a standard DataStore Object (advanced)?
(3)

- A. Selection deletion including subsequent targets
- B. Deletion of all data from active table only
- C. Request-based data deletion
- D. Deletion of data from all tables
- E. Selective deletion of data

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 5

You want to integrate an SAP HANA information view for master data into another one for transaction dat

a. What do you need to do before you can integrate the master data view?

- A. Integrate the design time version of the master data view into a CompositeProvider
- B. Integrate the design time version of the transaction data view into a CompositeProvider
- C. Activate the design time version of the master data view to turn it into a CompositeProvider
- D. Activate the design time version of the master data view to generate a run time version

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 6

You open an SAP Analysis for Microsoft Office workbook. On which Design Panel tabs can you verify the filter values? Note: There are 2 correct Answers to this question.

- A. Information
- B. Design Rules
- C. Analysis
- D. Components

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

You load a DataStore object (advanced) every night. Where can you delete the request you loaded two nights ago without deleting the last request?

- A. From a DataStore object (advanced) based on the model template Standard DataStore object if the request is activated.
- B. From a DataStore object (advanced) based on the model template InfoCube if the request is activated.
- C. From a DataStore object (advanced) based on the model template Standard DataStore object if the request is activated and you execute a full load.
- D. From a DataStore object (advanced) based on the model template InfoCube if the request is NOT activated.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

Which query property do you set to minimize the initial run time for the query read mode?

- A. Read data individually from InfoProvider.
- B. Read data when you navigate or expand hierarchies.
- C. Read all data at once.
- D. Cache is inactive.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 9

You create a DataStore object (advanced) using the "Data Mart DataStore Object" modeling property.

Which behaviors are specific to this modeling property? Note: There are 2 correct Answers to this question.

- A. Query results are only shown when data has been activated.
- B. Reporting is done based on a union of the inbound and active tables.
- C. All characteristics are automatically defined as key.
- D. The change log table will only be filled after data activation.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 10

Which layers offer the virtualization approach for the layered scalable architecture (LSA++) of SAP BW/4HANA? Note: There are 2 correct Answers to this question.

- A. Data acquisition layer
- B. Open hub layer
- C. Open operational data store layer
- D. Virtual data mart layer

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 11

You create a Datastore Object (advanced) using the "data mart DataStore object" modeling property. Which behaviors are specific to this modeling property? (2)

- A. All characteristics are automatically defined as key
- B. The change log table Will only by filled after activation
- C. Query results are only shown when data has been activated
- D. Reporting is done based on a union of the inbound and active tables

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 12

What are the prerequisites for deleting master data (for example, cost centers) in SAP BW/4HANA?

Note: There are 2 correct Answers to this question.

- A. There must be no BW analysis authorizations defined that use any of the cost centers.
- B. There must be no transaction data referring to the cost centers.
- C. There must be no hierarchy for the cost centers.
- D. There must be no BW query that uses cost center as a free characteristic.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 13

You expect to have more than 2 billion records as master data references for a characteristic your data model and want to use the high cardinality option. What do you need to Consider in reporting?

(1)

- A. Local SID values are created automatically during reporting, which can impact the response time.
- B. Using a hierarchy of this characteristic for navigation will impact response time.
- C. The High Cardinality property needs to be defined in the Composite Provider
- D. The SID table reference is valid for navigational attributes

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 14

You need to view the SAP HANA calculation views, SAP BW DataSources, and InfoAreas in the same SAP HANA studio perspective. What should you do?

- A. Attach an SAP BW project to an SAP HANA system.
- B. Attach an ABAP project to an SAP BW project.
- C. Attach an SAP HANA system to an SAP BW project.
- D. Attach an SAP BW project to an ABAP project.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 15

You want to combine an existing SAP BW/4HANA Data Model with virtual data from a new non-SAP source system for test purposes. Which approach should you consider for rapid prototyping?

- A. Field-based modeling
- B. Generate Data Flow
- C. InfoObject based modeling
- D. Business content activation

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 16

Which interface do you use to create a BW InfoObject with access type "SAP HANA view"?

- A. SAP HANA modeler perspective in SAP HANA studio
- B. Embedded SAP GUI in SAP HANA studio
- C. SAP Web IDE for SAP HANA
- D. BW modeling perspective in SAP HANA studio

Answer: D ([LEAVE A REPLY](#))

Valid C_BW4HANA_27 Dumps shared by TrainingQuiz.com for Helping Passing C_BW4HANA_27 Exam! TrainingQuiz.com now offer the **newest C_BW4HANA_27 exam dumps**, the TrainingQuiz.com C_BW4HANA_27 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com C_BW4HANA_27 dumps with Test Engine here: https://www.trainingquiz.com/C_BW4HANA_27-practice-quiz.html (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

Which condition must you ensure if you want to replicate data based on a view with SAP Landscape Transformation Replication Server?

- A. One table as part of the view has to be defined as primary table and is used to trigger data replication.
- B. An SAP HANA source system must be defined to consume the view.
- C. View-based data result sets must be kept persistent first until data replication can take place.
- D. Each table of the view requires a defined trigger to enable data replication.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

Which development object needs to be built to generate an HDI Container?

- A. SQL script procedure
- B. Space
- C. Package
- D. HDB module

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 19

For which business requirements do you suggest an SAP HANA modeling focus rather than an SAP BW/4HANA modeling focus? (2)

- A. Leverage SQL in-house knowledge

- B. Enhance existing SAP HANA content models
- C. Load snapshots or deltas from different Sources on a periodic basis
- D. Report on a harmonized set Of master data

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 20

Your company is using SAP S/4HANA as a business operational system and you have to provide operational analytical reports. Why might you consider SAP S/4HANA embedded analytics?

- A. To use the ABAP CDS view based virtual data model.
- B. To use the generated external SAP HANA Calculation Views.
- C. To use the SAP HANA Deployment Infrastructure.
- D. To use the SAP HANA optimized business content.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 21

You create a transformation from a DataSource to a DataStore object (advanced). The DataSource provides an additive-image delta for data. Which key figure aggregation type do you select?

- A. Summation
- B. Minimum
- C. Maximum
- D. Overwrite

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 22

Which source types are available to create a generic DataSource in SAP ERP? Note: There are 3 correct Answers to this question.

- A. ABAP class method
- B. HDI Calculation View
- C. Database view
- D. SAP query
- E. ABAP function module

Answer: A,C,E ([LEAVE A REPLY](#))

NEW QUESTION: 23

Which SAP BVW4HANA Objects are possible Sources for data load processes? (3)

- A. Datastore Objects (advanced)
- B. Open ODS Views
- C. Characteristics
- D. Composite providers
- E. Info Sources

Answer: A,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 24

What happens if a query with time-dependent attributes is executed but NO query key date is set?

- A. The valid from date of the attribute is used as key date.
- B. The current date is used as key date.
- C. The system displays only NON-time-dependent attributes.
- D. The system displays an error message.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 25

Which of the following methods supports the SAP HANA data virtualization approach with ODBC technology?

- A. SAP HANA smart data access
- B. SAP HANA smart data integration
- C. SAP Data Services
- D. SAP Landscape Transformation Replication Server

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 26

What are desired outcomes of an SAP BW/4HANA pilot project?

There are 3 correct answers to this question.

- A. Transfer experience of the pilot project to future projects.
- B. Identify objects from SAP BI content that will be leveraged in subsequent projects.
- C. Confirm increased database size using SAP BW/4HANA instead of a common RDBMS.
- D. Identify required changes for the business processes to comply with SAP BW/4HANA standard software.
- E. Identify customizing and configuration areas to be applied to future projects.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 27

What can you leverage using the live data connections of SAP Analytics Cloud with SAP BW/4HANA?

Note: There are 2 correct Answers to this question.

- A. Existing authorization concepts
- B. BW data models for analysis
- C. Process chain streaming functionality
- D. BW data models for planning scenarios

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 28

In SAP BW/4HANA you realize that standard content data Source (New GL Balances) is delivering incorrect values into the first persistent data layer in SAP BW/4HANA.

Which options do you have to analyze a potential extractor issue in the SAP ERP source system?

(2)

- A. Use transaction RSA3 (Extractor checker) SAP ERP
- B. Use PSA maintenance in SAP BW/4HANA
- C. Check entries in table RSDDSTATEEXTRACT in SAP ERP
- D. Use program RODPS_REPL_TEST in SAP ERP

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 29

What is the maximum number of objects that can be used for a multi-dimensional exception aggregation? (1)

- A. 7
- B. 5
- C. 3
- D. 10

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 30

You identified a variable that is based on time characteristic OCALMONTH and returns the current quarter. Which offset do you need to retrieve the corresponding quarter of the previous year?

- A. -3
- B. -1
- C. -4
- D. -12

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 31

You want to build an SAP HANA calculation view of data category CUBE, but you get the "no measure defined" error. For the business requirement, a measure does not make sense. Besides changing the data category to DIMENSION, what do you have to do?

- A. Switch from a projection node to a star join node.
- B. Switch from an aggregation node to a projection node.
- C. Switch from an aggregation node to a star join node.
- D. Switch from a projection node to an aggregation node.

Answer: B ([LEAVE A REPLY](#))

Valid C_BW4HANA_27 Dumps shared by TrainingQuiz.com for Helping Passing C_BW4HANA_27 Exam! TrainingQuiz.com now offer the **newest C_BW4HANA_27 exam dumps**, the TrainingQuiz.com C_BW4HANA_27 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com C_BW4HANA_27 dumps with Test Engine here: https://www.trainingquiz.com/C_BW4HANA_27-practice-quiz.html (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

You model a second SAP BW/4HANA CompositeProvider to integrate tables from an SAP HANA database schema with an existing SAP BW/4HANA CompositeProvider. What must you do first?

- A. Set The CompositeProvider Can Be Added to Another CompositeProvider flag.
- B. Assign consumption properties to the new SAP HANA calculation view.
- C. Create an Open ODS view with consumption properties to consume the data in the SAP BW/4HANA schema.
- D. Connect an export DataSource from the existing CompositeProvider to the new CompositeProvider.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 33

When loading master data for a material you want to have a look at the new values before they are released for reporting. What could you do using modeling features? (2)

- A. When you define the data transfer process, choose "Set manually" setting for "Overall status Of request"
- B. When you define attributes Of material, select the "Time Dependent" Setting
- C. When you define the data transfer prOC.eSS. select the "Load records with new key only" setting
- D. When you define the material characteristic, select "Enhanced Master data update" setting

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 34

With SAP HANA 2.x. you can model information views in the SAP Web IDE for SAP HANA with SAP HANA extended application services, advanced model (XSA). Which node types for a native SAP HANA information view are ONLY available in this framework? (2)

- A. Aggregation
- B. Graph
- C. Rank
- D. Intersect

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 35

What are the key benefits of using the SAP Landscape Transformation Replication Server for data provisioning into SAP HANA? (2)

- A. Support of cluster and pool tables
- B. Real-time and scheduled data replication
- C. Virtualization capabilities
- D. Log-based replication

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 36

You use a measure with semantic type "Amount Currency Code" in your SAP HANA calculation view. Which kind of currency reference can be assigned to measure? (2)

- A. A variable in the same SAP HANA view
- B. A fixed currency from table TCURC
- C. Another column of the same SAP HANA view
- D. A column from another SAP HANA view

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

In an SAP HANA Calculation View, you need to combine attributes data (left table) and the data's language-dependent texts (right table) using a text join. What should you select to restrict the result set to the logon language?

- A. The language column in the right table
- B. The join cardinality between both tables
- C. The logon language in the left table
- D. The language column in the left table

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

You want to define a restricted column in an SAP HANA calculation view. What do you need to define?

Note: There are 2 correct Answers to this question.

- A. A reference to an existing measure
- B. An SAP HANA data type
- C. A condition criterium
- D. An aggregation method

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 39

With SAP BW/4HANA the new HANA-optimized business content is designed according to the LSA ++ framework. Which technical namespace is assigned to identify new SAP ERP-related business content? (1)

- A. /BW4/
- B. /IMO/
- C. /OSAP/
- D. /SFA/

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 40

For which business requirements do you suggest an SAP BW/4HANA modeling focus rather than an SAP HANA modeling focus?

Note: There are 2 correct answers to this question.

- A. Leverage SQL in-house knowledge.
- B. Report on a harmonized set of master data.
- C. Load snapshots or deltas on a periodic basis.
- D. Use existing HANA content models.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 41

Which Of the following are the possible delta-relevant field types for a delta process with a generic DataSource? (3)

- A. Amount
- B. Time stamp
- C. Quantity
- D. Calendar day
- E. Numeric pointer

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 42

What kind of cold data tiering options do you have with SAP BW/4HANA?(2)

- A. Hadoop cluster
- B. SAP Data Warehouse Cloud
- C. SAP IQ database
- D. SAP HA NA extension node

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

Which of the following are possible source types for an Open ODS view? Note: There are 3 correct Answers to this question.

- A. Database table or view
- B. Transformations
- C. CompositeProvider
- D. Open hub destination

E. DataStore object (advanced)

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 44

Which of the following use cases is classified as operational reporting?

- A. Evaluation of trends over several years
- B. Near-real-time access to original transactional values
- C. Reporting requirements with monthly data refreshes
- D. Year-to-date comparison reports containing prior and actual year numbers

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 45

You use a measure with semantic type "Amount with Currency Code" in your SAP HANA calculation view. Which kind of currency reference can be assigned to the measure? Note: There are 2 correct Answers to this question.

- A. A fixed currency from table TCURC
- B. A column from another SAP HANA view
- C. Another column of the same SAP HANA view
- D. A variable in the same SAP HANA view

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 46

What are the reasons for implementing CompositeProviders? Note: There are 2 correct Answers to this question.

- A. To provide an interface for BW queries
- B. To provide a virtual data mart layer
- C. To persist combined data for reporting
- D. To store snapshots for reporting

Answer: A,B ([LEAVE A REPLY](#))

Valid C_BW4HANA_27 Dumps shared by TrainingQuiz.com for Helping Passing C_BW4HANA_27 Exam! TrainingQuiz.com now offer the **newest C_BW4HANA_27 exam dumps**, the TrainingQuiz.com C_BW4HANA_27 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com C_BW4HANA_27 dumps with Test Engine here: https://www.trainingquiz.com/C_BW4HANA_27-practice-quiz.html (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

Which SAP BW/4HANA objects can be used as sources of a data transfer process (DTP) ? Note:
There are 3 correct answers to this question.

- A. DataStore Object (advanced)
- B. SAP HANA Analysis Process
- C. CompositeProvider
- D. InfoSource
- E. Open Hub Destination

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 48

Which external hierarchy properties can be changed in the query definition? Note: There are 3 correct Answers to this question.

- A. Expand to level
- B. Allow temporal hierarchy join
- C. Position of child nodes
- D. Sort direction
- E. Time dependency

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

Where can you integrate an analysis view from SAP Analysis for Microsoft Office? Note: There are 3 correct answers to this question.

- A. In another SAP Analysis for Microsoft Office workbook
- B. In a Projection node of an SAP HANA calculation view
- C. In a BW query
- D. In an SAP Crystal Reports for Enterprise report
- E. In an SAP BusinessObjects Web Intelligence report

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 50

Which Objects Can you associate with a Source field in the Characteristics folder Of an Open ODS view type "Facts"? (2)

- A. Open ODS view type Master Data for Attributes
- B. SAP BW InfoObjects type Characteristic
- C. SAP BW InfoObjects type Key Figure
- D. Open ODS view type Master Data for Hierarchies

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 51

Which sources types can you select when you create an Open ODS view? Note: There are 3 correct answers to this question.

- A. Transformation
- B. Virtual table using SAP HANA smart data access
- C. Characteristic \
- D. InfoSource
- E. SAP BW DataSource

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 52

For which table type does SAP HANA compress data?

Please choose the correct answer.

- A. Virtual table
- B. Cluster table
- C. Column store table
- D. Row store table

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 53

Which variables types allow filter values to be determined based on the user's authorizations? Note:

There are 2 correct answers to this question.

- A. Formula variable
- B. Hierarchy variable
- C. Characteristic value variable
- D. Hierarchy node variable

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

Which SAP BW/4HANA objects can keep persistent data? Note: There are 2 correct answers to this question.

- A. InfoSource
- B. Key figure InfoObjects
- C. Characteristics InfoObjects
- D. DataStore object (advanced)

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 55

You have created a custom characteristic with the technical name "COSTOBJ". Depending on the controlling area, you need to have different attribute values assigned. How do you design the model?

- A. Define characteristic "COSTOBJ" as a navigation attribute for Controlling Area.
- B. Compound characteristic "COSTOBJ" with the characteristic for Controlling Area.
- C. Define Controlling Area as a navigation attribute for the characteristic "COSTOBJ".

D. Compound the characteristic for Controlling Area with the characteristic "COSTOBJ".

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

Which SAP BW/4HANA objects can be used as sources of a data transfer process (DTP) ? Note:

There are

3 correct Answers to this question.

- A. CompositeProvider
- B. DataStore Object (advanced)
- C. SAP HANA Analysis Process
- D. InfoSource
- E. Open Hub Destination

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

For which SAP BW/4HANA objects is it possible to create an external SAP HANA view?

There are 2 correct answers to this question.

- A. Key figures
- B. Characteristics
- C. Open ODS views
- D. CompositeProviders

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 58

You need to define an SAP HANA calculation view with numbers that represent codes instead of aggregated values. Which Settings should you choose? (1)

- A. Choose the CUBE data category and use the numbers as measures
- B. Choose the DIMENSION data category and use the numbers as measures
- C. Choose the DIMENSION data category and use the numbers as attributes
- D. Choose the CUBE data category and use the number as attributes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

You want to execute a query, but do not have the authorization for selection defined in the query for authorization-relevant characteristics. What would occur in this scenario? (2)

- A. You get only the authorized data
- B. You will not get a query result
- C. You cannot run the query
- D. You get an error message

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 60

You create a DataStore object (advanced) using model template Standard DataStore Object. Which flags are set?

Note: There are 2 correct answers to this question.

- A. Activate Data
- B. Write Change Log
- C. All Characteristics are Key
- D. Unique Data Records

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 61

You would like to highlight the deviations between budget and actual revenue in query. Which BW feature do you use? (1)

- A. Calculated key figures
- B. Formula variable
- C. Conditions
- D. Exceptions

Answer: B ([LEAVE A REPLY](#))

Valid C_BW4HANA_27 Dumps shared by TrainingQuiz.com for Helping Passing C_BW4HANA_27 Exam! TrainingQuiz.com now offer the **newest C_BW4HANA_27 exam dumps**, the TrainingQuiz.com C_BW4HANA_27 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com C_BW4HANA_27 dumps with Test Engine here: https://www.trainingquiz.com/C_BW4HANA_27-practice-quiz.html (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

What must you do first if you need to define help cells for formulas in the cell editor?

- A. Reuse a structure in a second query.
- B. Define two structures in a query.
- C. Define two selections in a structure.
- D. Define two formulas in a structure.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 63

You want to build Web-based dashboards with interactive visualizations. Which SAP tool do you suggest? (1)

- A. SAP Analysis for Microsoft Office
- B. SAP Lumira, designer edition

- C. SAP Crystal Reports for Enterprise
- D. SAP Analysis for OLAP

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 64

You want to run a BW query, but you only have partial authorization for the data selection. What happens related to the BW query in this scenario?

- A. The BW query does not start running.
- B. The BW query starts and the unauthorized values are 0.
- C. The BW query starts and only the authorized data is displayed.
- D. The BW query starts and shows an error message.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 65

Which of the following is the core workflow when working with SAP Analytics Cloud?

Please choose the correct answer.

- A. Acquire - Prepare - Visualize - Explore - Collaborate
- B. Acquire - Prepare - Explore - Visualize - Collaborate
- C. Explore - Acquire - Prepare - Visualize - Collaborate
- D. Prepare - Explore - Acquire - Visualize - Collaborate

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 66

In a BW query with cells, you need to overwrite the initial definition of a cell. With which cell types can this be achieved? Note: There are 2 correct Answers to this question.

- A. Help cell
- B. Formula cell
- C. Selection cell
- D. Reference cell

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 67

What are benefits of separating master data from transactional data in SAP BW/4HANA? (2)

- A. Ensure referential integrity on your data
- B. Avoid generation of SID values
- C. Ensure high cardinality on your data
- D. Improve runtime of staging processes

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

You need to use an SAP ERP standard DataSource to load data into SAP BW/4HANA.

Which prerequisite must be fulfilled to use the DataSource in the Operational Data Provisioning context?

- A. It must have a queue entry in transaction ODQMON.
- B. It must be delta-enabled.
- C. It must be in-memory-optimized.
- D. It must exist in table ROOSATTR.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 69

What are some of the prerequisites for using SAP S/4HANA ABAP CDS views for extraction into SAP BW/4HANA in an ODP context? Note: There are 2 correct Answers to this question.

- A. The ABAP CDS views must be released via program RODPS_OS_EXPOSE for BW extraction.
- B. An Operational Data Provisioning Framework must be configured in SAP BW/4HANA.
- C. An ODP source system with context ODP_CDS must be created in SAP BW/4HANA.
- D. The ABAP CDS views must be defined with the appropriate data extraction annotations.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 70

Why do you recommend the virtual data mart layer? Note: There are 2 correct answers to this question.

- A. To combine different InfoProviders using Join operations or Union operations
- B. To build an interface for queries and reports
- C. To build corporate memory for reconstructions
- D. To combine centrally managed data with local files

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 71

You create a report with SAP Crystal Reports for Enterprise and need analysis view as a data source. Which tool can you use to create this analysis view? (1)

- A. SAP Lumira, designer edition
- B. SAP Analysis for Microsoft Office
- C. SAP BusinessObjects Web Intelligence
- D. SAP Crystal Reports for Enterprise

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 72

You are involved in an SAP BW/4HANA project focusing on General Ledger reporting and want to use the SAP ERP Standard DataSource 0FI_GL_14 (New GL Items). Which transaction can be used to activate this DataSource? (2)

- A. Transaction ODQMON (Monitor Delta Queues) in SAP source system
- B. Transaction RSA5 (Installation of DataSource from Business Content) SAP source system

- C. Transaction RS02 (Maintain Generic DataSource) in the SAP source system.
- D. Transaction RSA1 (BI Content) in the SAP BW/4HANA system

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 73

What is the purpose of an initial architecture overview model? (1)

- A. To present the technical overview of the SAP landscape
- B. To identify the user groups and required authorizations
- C. To identify the required data sources
- D. To prepare the required key figure matrix

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

Why should you run an SAP HANA delta merge? Note: There are 2 correct Answers to this question.

- A. To move the most recent data from disk to memory
- B. To improve the read performance of InfoProviders
- C. To decrease memory consumption
- D. To combine the query cache from different executions

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 75

For which of the following revenue reporting requirements do you create restricted key figures?

- A. Identify the top five countries by revenue for each month.
- B. Determine the average revenue per customer.
- C. Convert revenue into a number without currency.
- D. Compare this year's planned revenue with last year's actual revenue.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 76

Your company decided to use a Hadoop cluster as a data storage location. Which components can be used to consume remote Hadoop data in your SAP HANA native app? (3)

- A. SAP HANA smart data integration
- B. SAP Vora ODBC adapter
- C. SAP HANA smart data access
- D. Spark SQL adapter
- E. SAP HANA SQL controller

Answer: B,C,D ([LEAVE A REPLY](#))

Valid C_BW4HANA_27 Dumps shared by TrainingQuiz.com for Helping Passing C_BW4HANA_27 Exam! TrainingQuiz.com now offer the **newest C_BW4HANA_27 exam dumps**, the TrainingQuiz.com C_BW4HANA_27 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com C_BW4HANA_27 dumps with Test Engine here: https://www.trainingquiz.com/C_BW4HANA_27-practice-quiz.html (82 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

When can you NOT use a characteristic with the High Cardinality property? Note: There are 3 correct answers to this question.

- A. When it will be part of a hierarchy
- B. When it will be a navigation attribute
- C. When it will be a compound characteristic
- D. When it will be part of a report-to-report interface
- E. When it will be a time-dependent attribute

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 78

When do you recommend using an external hierarchy? Note: There are 3 correct answers to this question.

- A. The structure will contain formulas.
- B. The structure exists in the source system.
- C. The structure will depend on the order of the row characteristics.
- D. The query data will be restricted to a hierarchy node.
- E. The hierarchical structure will be time-dependent.

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 79

Why should you run an SAP HANA delta merge? (2)

- A. To improve the read performance of InfoProviders
- B. To clear the BW query cache
- C. To move most recent data from disk to memory
- D. To decrease memory consumption

Answer: A,D ([LEAVE A REPLY](#))

Valid C_BW4HANA_27 Dumps shared by TrainingQuiz.com for Helping Passing C_BW4HANA_27 Exam! TrainingQuiz.com now offer the **newest C_BW4HANA_27 exam dumps**, the TrainingQuiz.com C_BW4HANA_27 exam **questions have been updated** and

answers have been corrected get the **newest** TrainingQuiz.com C_BW4HANA_27 dumps with Test Engine here: https://www.trainingquiz.com/C_BW4HANA_27-practice-quiz.html (82 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)