

Salesforce.DEX-450.v2022-03-05.q107

Exam Code:	DEX-450
Exam Name:	Programmatic Development using Apex and Visualforce in Lightning Experience
Certification Provider:	Salesforce
Free Question Number:	107
Version:	v2022-03-05
# of views:	3693
# of Questions views:	1070
https://www.dumpsdb.com/dumps/Salesforce/DEX-450/Salesforce.DEX-450.v2022-03-05.q107	

NEW QUESTION: 1

A developer is creating an enhancement to an application that will allow people to be related to their employer. Which data model provides the simplest solution to meet the requirements?

- A. Create a lookup relationship to indicate that a person has an employer
- B. Create a master-detail relationship to indicate that a person has an employer
- C. Create a junction object to relate many people to many through lookup relationship
- D. Create a junction object to relate many people to many through master-detail relationship

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 2

When can a developer use a custom Visualforce page in a Force.com application? (Choose 2)

- A. To modify the page layout settings for a custom object
- B. To create components for dashboards and layouts
- C. To deploy components between two organizations
- D. To generate a PDF document with application data

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 3

How should a developer avoid hitting the governor limits in test methods?

- A. Use Test.loadData() to load data from a static resource.
- B. Use @IsTest (SeeAllData=true) to use existing data.

- C. Use Test.startTest() to reset governor limits.
- D. Use @TestVisible on methods that create records.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 4

A developer creates a custom controller and custom Visualforce page by using the following code block:

```
public class myController {public String myString;public String getMyString() {return 'getmyString';}public String getStringMethod1() {return myString;}public String getStringMethod2() {if (myString == null)myString = 'Method2';return myString;}}{!myString}, {!StringMethod1}, {!StringMethod2}, {!myString}
```

What does the user see when accessing the custom page?

- A. , , Method2,
- B. , , Method2 , getMyString
- C. GetMyString , , Method2 , getMystring
- D. GetMyString , , ,

Answer: C (LEAVE A REPLY)

NEW QUESTION: 5

Which two Apex data types can be used to reference a Salesforce record ID dynamically?
(Choose two.)

- A. External ID
- B. sObject
- C. String
- D. ENUM

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 6

Which type of code represents the view in the MVC architecture on the Force.com platform?

- A. Validation rules for a page layout that includes a related list of cases
- B. An apex method in an extension that returns a list of cases
- C. A visualforce page that displays information about case records by iterating over a list of cases
- D. An apex method that executes SOQL to retrieve a list of cases

Answer: C (LEAVE A REPLY)

NEW QUESTION: 7

A developer needs to provide a way to mass edit, update, and delete records from a list view. In which two ways can this be accomplished? Choose 2 answers

- A. Create a new Visualforce page and Apex Controller for the list view that provides mass edit, update and delete functionality.
- B. Configure the user interface and enable both inline editing and enhanced lists.

- C. Download an unmanaged package from the AppExchange that provide customizable mass edit, update, and delete functionality.
- D. Download a managed package from the AppExchange that provides customizable Enhanced List Views and buttons

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 8

The Account object has a custom formula field,Level__c, that is defined as a Formula(Number) with two decimal places. Which three are valid assignments? Choose 3.

- A. Object myLevel = acct.Level__c;
- B. Decimal myLevel = acct.Level__c;
- C. Long myLevel = acct.Level__c;
- D. Double myLevel = acct.Level__c;
- E. Integer myLevel = acct.Level__c;

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 9

A developer created a Visualforce page with a custom controller to show a list of accounts. The page uses the <apex:SelectList> component, with a variable called "selection", to show the valid values for Account.Type. The page uses an <apex:pageBlockTable> component to display the list of accounts, where the iteration variable is "acct". The developer wants to ensure that when a user selects a type on the <apex : selectList> component, only accounts with that type are shown on the page. What should the developer do to accomplish this?

- A. Create multiple lists in the controller that represent the relevant accounts for each account type when the page loads, then reference the correct one dynamically on the pageBlockTable.
- B. Use the onChange event to update the list of accounts in the controller when the value changes, and then re-render the pageBlockTable.
- C. Add the Rendered={!Acct.type==selection} attribute to the pageBlockTable component
- D. Create a component for each option and use a variable with hide parameter on the element.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 10

From which 2 locations can a developer determine the overall code coverage for a sandbox?

- A. The apex classes setup page
- B. The apex test execution page
- C. The test suite run panel of the developer console
- D. The tests tab of the developer console

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 11

Which governor limit applies to all the code in an apex transaction?

- A. Number of classes called
- B. Number of new records created
- C. Elapsed CPU time
- D. Elapsed SOQL query time

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 12

What is a benefit of the Lightning Component framework? Choose 3 answers

- A. It uses a traditional publish-subscribe model.
- B. It uses an event-driven architecture
- C. It uses an MVC architectural design pattern.
- D. It uses server-side JavaScript controller for logic.
- E. It uses client-side Apex controllers for logic.

Answer: **A,B,C** ([LEAVE A REPLY](#))

NEW QUESTION: 13

A developer has the following class and trigger code `public class Insurancerates { public static final decimal smokercharge = 0.01; } trigger ContactTrigger on Contact (before insert) { Insurancerates rates = new Insurancerates(); decimal basecost=xxx; }` Which code segment should a developer insert at the xxx to set the basecost variable to the value of the class variable smokercharge?

- A. `Insurancerates.smokercharge`
- B. `ContactTrigger.insurancerates.smokercharge`
- C. `Rates.getsmokercharge()`
- D. `Rates.smokercharge`

Answer: **A** ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which feature allows a developer to create test records for use in test classes?

- A. `WebservicesTests`
- B. Static resources
- C. `HttpCalloutMocks`
- D. Documents

Answer: **A** ([LEAVE A REPLY](#))

NEW QUESTION: 15

A developer uses a before insert trigger on the Lead object to fetch the Territory__c object, where the Territory__c.PostalCode__c matches the Lead.PostalCode. The code fails when the developer uses the Apex Data Loader to insert 10,000 Lead records. The developer has the following code block: Line-01: `for (Lead l : Trigger.new){` Line-02: `if (l.PostalCode != null)` Line-03: `List<Territory__c> terrList = [SELECT Id FROM Territory__c WHERE PostalCode__c`

```
= :l.PostalCode];Line-04: if(terrList.size() > 0) Line-05: l.Territory__c = terrList[0].Id;  
Line-06: }Line-07: }
```

- Which line of code is causing the code block to fail?
- A. Line-01: Trigger:new is not valid in a before insert Trigger.
 - B. Line-02: A NullPointerException exception is thrown if PostalCode is null.
 - C. Line-03: A SOQL query is located inside of the for loop code.
 - D. Line-05: The Lead in a before insert trigger cannot be updated.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 16

A developer has the following query: Contact c = [SELECT id, firstname, lastname, email FROM Contact WHERE lastname = 'Smith']; What does the query return if there is no Contact with the last name 'Smith'?

- A. An error that no rows are found.
- B. A Contact with empty values.
- C. A contact initialized to null.
- D. An empty List of Contacts.

Answer: A ([LEAVE A REPLY](#))

Valid DEX-450 Dumps shared by TrainingQuiz.com for Helping Passing DEX-450 Exam! TrainingQuiz.com now offer the **newest DEX-450 exam dumps**, the TrainingQuiz.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com DEX-450 dumps with Test Engine here:

<https://www.trainingquiz.com/DEX-450-practice-quiz.html> (202 Q&As Dumps, **40%OFF**

Special Discount: Exam-Tests)

NEW QUESTION: 17

How many accounts will be inserted by the following block of code? for(Integer i = 0 ; i < 500; i++) { Account a = new Account(Name='New Account ' + i); insert a; }

- A. 500
- B. 100
- C. 150
- D. 0

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 18

Universal Containers requires Service Representatives to update all Cases at least one every three days. To make sure of this policy is obeyed, a developer has been asked to implement a field that displays the number of days since the last Case update. What should the developer use to configure the solution?

- A. Formula field
- B. Scheduled Apex Class
- C. Process Builder
- D. Workflow rule

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 19

A developer creates an Apex class that includes private methods. What can the developer do to ensure that the private methods can be accessed by the test class?

- A. Add the TestVisible attribute to the Apex class
- B. Add the TestVisible attribute to the apex methods.
- C. Add the SeeAllData attribute to the test methods.
- D. Add the SeeAllData attribute to the test class

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 20

Application Events follow the traditional publish-subscribe model. Which method is used to fire an event?

- A. Fire()
- B. FireEvent()
- C. Emit()
- D. RegisterEvent()

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 21

What are two considerations for custom Apex Exception classes? Choose 2 answers.

- A. Custom Exception class names must end with the word 'Exception'.
- B. Custom Exception classes must extend the base Exception class.
- C. Constructor for custom Exceptions can only accept string values as arguments.
- D. Custom Exceptions cannot be extended by other Exception classes.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 22

In Lightning component framework, which resource can be used to fire events? Choose 2 answers.

- A. Third-party Javascript code
- B. Third-party web service code
- C. Visualforce controller actions
- D. Javascript controller actions

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 23

A company would like to send an offer letter to a candidate, have the candidate sign it electronically, and then send the letter back. What can a developer do to accomplish this?

- A. Create an assignment rule that will assign the offer letter to the candidate
- B. Develop a Process Builder that will send the offer letter and allow the candidate to sign it electronically.
- C. Install a managed package that will allow the candidate to sign documents electronically
- D. Create a visual workflow that will capture the candidate's signature electronically

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

Which two queries can a developer use in a visualforce controller to protect against SOQL injection Vulnerabilities? Choose 2 answers

- A. `String qryName = '%' + name '%'; String qryString = 'SELECT Id FROM Contact WHERE Name LIKE :qryName'; List queryResults = Database.query(qryString);`
- B. `String qryName = '%' + String.escapeSingleQuotes(name) + '%'; String qryString = 'SELECT Id FROM Contact WHERE Name LIKE :qryName'; List queryResults = Database.query(qryString);`
- C. `String qryString = 'SELECT Id FROM Contact WHERE Name LIKE :qryName'; List queryResults = Database.query(qryString);`
- D. `String qryName = '%' + String.enforceSecurityChecks(name) + '%'; String qryString = 'SELECT Id FROM Contact WHERE Name LIKE :qryName'; List queryResults = Database.query(qryString);`

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 25

What are three characteristics of static methods? (Choose three.)

- A. Initialized only when a class is loaded
- B. Allowed only in inner classes
- C. A static variable outside of the scope of an Apex transaction
- D. Allowed only in outer classes
- E. Excluded from the view state for a Visualforce page

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 26

Which trigger event allows a developer to update fields in the Trigger.new list without using an additional DML statement? Choose 2 answers

- A. After update
- B. After insert
- C. Before update
- D. Before insert

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 27

When are code coverage calculations updated?

- A. When unit tests are run on an organization.
- B. When changes are made to an organization's configuration.
- C. When a deployment is validated.
- D. When Apex code is saved.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 28

What is the minimum log level needed to see user-generated debug statements?

- A. FINE
- B. DEBUG
- C. INFO
- D. WARN

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

When the value of a field of an account record is updated, which method will update the value of a custom field opportunity? Choose 2 answers.

- A. A workflow rule on the Account object
- B. A cross-object formula field on the Account object
- C. A process builder on the Account object
- D. An Apex trigger on the Account object.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 30

What are two considerations for deciding to use a roll-up summary field? Choose 2 answer's partner.

- A. Roll-up cannot be performed on formula fields.
- B. Roll-up summary can be performed on formula fields, but if their formula contains an #Error result, it may affect the summary value.
- C. Roll-up summary fields do not cause validation rules on the parent object unless that object is edited separately.
- D. Roll-up cannot be performed on formula fields that use cross-object references or on-the-fly calculations such as NOW().

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 31

How should a developer create a new custom exception class?

- A. public class CustomException extends Exception{}
- B. public class CustomException implements Exception{}
- C. (Exception)CustomException ex = new Exception();
- D. CustomException ex = new (CustomException)Exception();

Answer: A (LEAVE A REPLY)

Valid DEX-450 Dumps shared by TrainingQuiz.com for Helping Passing DEX-450 Exam! TrainingQuiz.com now offer the **newest DEX-450 exam dumps**, the TrainingQuiz.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com DEX-450 dumps with Test Engine here:

<https://www.trainingquiz.com/DEX-450-practice-quiz.html> (202 Q&As Dumps, **40%OFF**

Special Discount: Exam-Tests)

NEW QUESTION: 32

An apex trigger fails because it exceeds governor limits. Which two techniques should a developer use to resolve the problem? Choose 2 answers

- A. Use SOQL aggregate queries to retrieve child records
- B. Use lists for all DML operations
- C. Use maps to reference related records
- D. Use the database class to handle DML operations

Answer: (SHOW ANSWER)

NEW QUESTION: 33

A Next Best Action strategy uses an Enhance Element that invokes an Apex method to determine a discount level for a Contact, based on a number of factors. What is the correct definition of the Apex method?

A. @InvocableMethod

```
global static ListRecommendation getLevel(List<Contactwrapper> input)
{ /*implementation*/ }
```

B. @InvocableMethod

```
global List<List<Recommendation>> getlevel(List<COnтактWrapper> input)
{ /*implementation */ }
```

C. @InvocableMethod

```
global Recommendation getlevel(ContactWrapper input)
{ /*implementation */ }
```

D. @InvocableMethod

```
global static List<List<Recommendation>> getLevel (List<ContactWrapper> input)
{ /*implementation */ }
```

Answer: (SHOW ANSWER)

NEW QUESTION: 34

In the code below, what type does Boolean inherit from?

Boolean b= true;

- A. Enum
- B. String
- C. Class
- D. Object

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 35

If apex code executes inside the execute() method of an Apex class when implementing the Batchable interface, which statement are true regarding governor limits? Choose 2 answers

- A. The apex governor limits are reset for each iteration of the execute() method. (Missed)
- B. The Apex governor limits cannot be exceeded due to the asynchronous nature of the transaction,
- C. The Apex governor limits might be higher due to the asynchronous nature of the transaction. (Missed)
- D. The Apex governor limits are relaxed while calling the constructor of the Apex class.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 36

Which three statements are true regarding cross-object formulas? Choose 3 answers

- A. Cross-object formulas can reference fields from master-detail or lookup relationships
- B. Cross-object formulas can reference child fields to perform an average
- C. Cross-object formulas can reference fields from objects that are up to 10 relationship away
- D. Cross-object formulas can expose data the user does not have access to in a record
- E. Cross-object formulas can be referenced in roll-up summary field

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

Given the code below, what can be done so that recordcount can be accessed by a test class, but not by a non-test class? Public class mycontroller{ private integer recordcount; }

- A. Change recordcount from private to public
- B. Add the testvisible annotation to the mycontroller class
- C. Add the testvisible annotation to recordcount
- D. Add a seealldata annotation to the test class

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 38

Which collection type provides unique key/value pairings of data?

- A. Map
- B. Set
- C. Array
- D. List

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 39

A Visual Flow uses an apex Action to provide additional information about multiple Contacts, stored in a custom class, contactInfo. Which is the correct definition of the Apex method that gets additional information?

- A. @InvocableMethod(label='Additional Info')
public List<ContactInfo> getInfo(List<Id> contactIds)
{ /*implementation*/ }
- B. @InvocableMethod(label='additional Info')
public static ContactInfo getInfo(Id contactId)
{ /*implementation*/ }
- C. @InvocableMethod(Label='additional Info')
public ContactInfo(Id contactId)
{ /*implementation*/ }
- D. @invocableMethod(label)='Additional Info')
public static List<ContactInfo> getInfo(List<Id> contactIds)
{ /*Implementation*/ }

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 40

A team of developers is working on a source-driven project that allows them to work independently, with many different org configurations. Which type of Salesforce orgs should they use for their development?

- A. Developer orgs
- B. Developer sandboxes
- C. Full Copy sandboxes
- D. Scratch orgs

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 41

What is the advantage of Salesforce Lightning?

- A. Pre-defined components to give Standard Look and Feel
- B. Option 3
- C. Option 4
- D. Uses service side for better handling

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 42

Requirements state that a child record be to deleted when its parent is deleted, and a child can be moved to a different parent when necessary. Which type of relationship should be built between the parent and child objects in Schema Builder to support these requirements?

- A. Child relationship
- B. Master-Detail relationship
- C. Lookup Relationship from to child to the parent
- D. Lookup Relationship from to parent to the child

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 43

What is the result when a Visualforce page calls an Apex controller, which calls another Apex class, which then results in hitting a governor limit?

- A. Any changes up to the error are rolled back.
- B. Any changes up to the error are saved.
- C. All changes are saved in the first Apex class.
- D. All changes before a savepoint are saved.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 44

To which primitive data type in Apex is a currency field atomically assigned?

- A. Decimal
- B. Integer
- C. Double
- D. Currency

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

What are the supported content sources for custom buttons and links? (Choose 2 Answers)

- A. URL.
- B. Chatter File.
- C. Static Resource.
- D. VisualForce Page.
- E. Lightning Page.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 46

Which statement about change set deployments is accurate? (Choose 3)

- A. They require a deployment connection.
- B. They can be used to deploy custom settings data.

- C. They use an all or none deployment model.
- D. They can be used to transfer Contact records.
- E. They can be used only between related organizations.

Answer: A,C,E (LEAVE A REPLY)

Valid DEX-450 Dumps shared by TrainingQuiz.com for Helping Passing DEX-450 Exam! TrainingQuiz.com now offer the **newest DEX-450 exam dumps**, the TrainingQuiz.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com DEX-450 dumps with Test Engine here:

<https://www.trainingquiz.com/DEX-450-practice-quiz.html> (202 Q&As Dumps, **40%OFF**)

Special Discount: Exam-Tests)

NEW QUESTION: 47

How should a developer prevent a recursive trigger?

- A. Use a private Boolean variable.
- B. Use a "one trigger per object" pattern.
- C. Use a trigger handler.
- D. Use a static Boolean variable.

Answer: (SHOW ANSWER)

NEW QUESTION: 48

A developer wants to display all of the available record types for a Case object. The developer also wants to display the picklist values for the Case.Status field. The Case object and the Case Status field are on a custom visualforce page.

Which action can the developer perform to get the record types and picklist values in the controller? Choose 2 answers

- A. Use Schema.PicklistEntry returned by Case Status getDescribe().getPicklistValues().
- B. Use SOQL to query Case records in the org to get all the RecordType values available for Case.
- C. Use Schema.RecordTypeInfo returned by Case.SObjectType getDescribe().getRecordTypeInfos()
- D. Use SOQL to query Case records in the org to get all value for the Status picklist field.

Answer: A,C (LEAVE A REPLY)

NEW QUESTION: 49

What are two testing consideration when deploying code from a sandbox to production? Choose 2 answers

- A. Apex code requires 75% coverage
- B. Apex code requires 100% coverage

- C. 100% of test must execute without failure
- D. 75% of test must execute without failure

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

Which three declarative fields are correctly mapped to variable types in Apex? (Choose three.)

- A. Number maps to Decimal.
- B. Date/Time maps to Dateline.
- C. Checkbox maps to Boolean.
- D. Number maps to Integer.
- E. TextArea maps to List of type String.

Answer: A,B,C ([LEAVE A REPLY](#))

NEW QUESTION: 51

A developer is creating an enhancement to an application that will allow people to be related to their employer. Which data model should be used to track the data?

- A. Create a lookup relationship to indicate that a person has an employer
- B. Create a junction object to relate many people to many employers through master-detail relationship
- C. Create a junction object to relate many people to many employers through lookup relationship
- D. Create a master detail relationship to indicate that a person has an employer

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

When would the use of Heroku Postgres be appropriate?

- A. To interconnect Microsoft SQL servers to Heroku Applications.
- B. To store and retrieve data using the Structured Query Language.
- C. To store user generated pictures and Word documents.
- D. To cache commonly accessed data for faster retrieval.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 53

Account acct = {SELECT Id from Account limit 1}; Given the code above, how can a developer get the type of object from acct?

- A. Call "acct.getObjectType()"
- B. Call "Account.getSubjectType()"
- C. Call "acct.SubjectType"
- D. Call "Account.SubjectType"

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 54

A Licensed_Professional__c custom object exist in the system with two Master-Detail fields for the following objects: Certification__c and Contact. Users with the "Certification Representative" role can access the Certification records they own and view the related Licensed Professionals records, however users with the "Salesforce representative" role report they cannot view any Licensed professional records even though they own the associated Contact record. What are two likely causes of users in the "Sales Representative" role not being able to access the Licensed Professional records? Choose 2 answers

- A. The organization recently modified the Sales representative role to restrict Read/Write access to Licensed_Professional__c
- B. The organization's sharing rules for Licensed_Professional__c have not finished their recalculation process. (Missed)
- C. The organization has a private sharing model for Certification__c, and Contact is the primary relationship in the Licensed_Professional__c object
- D. The organization has a private sharing model for Certification__c, and Certification__c is the primary relationship in the Licensed_Professional__c object. (Missed)

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 55

Given the code block: Integer x; For(x=0;x<10; x+=2) { If(x==8) break; If(x==10) break; } System.debug(x); Which value will the system debug statement display?

- A. 10
- B. 4
- C. 8
- D. 2

Answer: C (LEAVE A REPLY)

NEW QUESTION: 56

A developer must create a CreditcardPayment class that provides an implementation of an existing Payment class. Public virtual class Payment { public virtual void makePayment(Decimal amount) { /*implementation*/ } } Which is the correct implementation?

- A. Public class CreditCardPayment implements Payment { public override void makePayment(Decimal amount) { /*Implementation*/ } }
- B. Public class CreditCardPayment implements Payment { public virtual void makePayment(Decimal amount) { /*implementation*/ } }
- C. Public class CreditCardPayment extends Payment { public virtual void makePayment(Decimal amount) { /*implementation*/ } }
- D. Public class CreditcardPayment extends Payment { public override void makePayment(Decimal amount) { /*implementation*/ } }

}

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

The sales team at universal container would like to see a visual indicator appear on both account and opportunity page layout to alert salespeople when an account is late making payments or has entered the collections process. What can a developer implement to achieve this requirement without having to write custom code?

- A. Formula field
- B. Roll-up summary field
- C. Workflow rule
- D. Quick action

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

Which code segment can be used to control when the dowork() method is called?

- A. `If(Trigger.isInsert) dowork();`
- B. `For (Trigger.isRunning t: Trigger.new) { dowork(); }`
- C. `For (Trigger.isInsert t: Trigger.new) { dowork(); }`
- D. `If(Trigger.isRunning) dowork();`

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 59

A platform developer at Universal Containers needs to create a custom button for the Account object that, when clicked, will perform a series of calculations and redirect the user to a custom Visualforce page.

Which three attributes need to be defined with values in the `<apex:page>` tag to accomplish this? (Choose three.)

- A. `standardController`
- B. `renderAs`
- C. `readOnly`
- D. `extensions`
- E. `action`

Answer: A,B,E ([LEAVE A REPLY](#))

NEW QUESTION: 60

On which object can an administrator create a roll-up summary field?

- A. Any object that is on the parent side of a lookup relationship.
- B. Any object that is on the child side of a lookup relationship.
- C. Any object that is on the master side of a master-detail relationship.
- D. Any object that is on the detail side of a master-detail relationship.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

A developer must write an Apex method that will be called from a Lightning component. The method may delete an account stored in the accountRec variable. Which method should a developer use to ensure only users that should be able to delete Accounts can successfully perform deletions?

- A. Schema.sObjectType.Account.isDeletable()
- B. Account.isDeletable()
- C. AccountRec.sObjectType.isDeletable()
- D. AccountRec.isDeletable()

Answer: A ([LEAVE A REPLY](#))

Valid DEX-450 Dumps shared by TrainingQuiz.com for Helping Passing DEX-450 Exam! TrainingQuiz.com now offer the **newest DEX-450 exam dumps**, the TrainingQuiz.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com DEX-450 dumps with Test Engine here:

<https://www.trainingquiz.com/DEX-450-practice-quiz.html> (202 Q&As Dumps, **40%OFF**)

Special Discount: **Exam-Tests**)

NEW QUESTION: 62

A developer must create a Lightning component that allows user to input Contact record information to create a Contact record, including a Salary__c custom field. What should the developer use, along with a lightning-record-edit-form, so that Salary__c field functions as a currency input and is only viewable and editable by users that have the correct field level permissions on Salary__c?

- A. `<lightning-input-currency value="Salary__c">`
`</lightning-input-currency>`
- B. `<lightning-input type="number" value="Salary__c" formatter="currency">`
`</lightning-input>`
- C. `<lightning-input-field field-name="Salary__c">`
`</lightning-input-field>`
- D. `<lightning-formatted-number value="Salary__c" format-style="currency">`
`</lightning-formatted-number>`

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 63

A developer creates an Apex helper class to handle complex trigger logic. How can the helper class warn users when the trigger exceeds DML governor limits?

- A. By using PageReference.setRedirect() to redirect the user to a custom Visualforce page before the number of DML statements is exceeded.
- B. By using Messaging.sendEmail() to continue the transaction and send an alert to the user after the number of DML statements is exceeded.
- C. By using ApexMessage.Messages() to display an error message after the number of DML statements is exceeded.
- D. By using Limits.getDMLRows() and then displaying an error message before the number of DML statements is exceeded.

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 64

An Apex transaction inserts 100 Account records and 2,000 Contact records before encountering a DML exception when attempting to insert 500 Opportunity records. The Account records are inserted by calling the database.insert() method with the allOrNone argument set to false. The Contact and Opportunity records are inserted using the standalone insert statement. How many total records will be committed to the database in this transaction?

- A. 2100
- B. 100
- C. 0
- D. 2000

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 65

What can a developer use to determine if the core Apex code exceeds any governor limits in a test class during bulk execution?

- A. @TestSetup.
- B. Limits, startTest, stopTest
- C. @TestVisible
- D. Test.getDmlStatements()

Answer: [B \(LEAVE A REPLY\)](#)

NEW QUESTION: 66

Which action can a developer take to reduce the execution time of the following code?

```
List<account> allaccounts = [select id from account]; list<account> allcontacts = [select id, accountid from contact]; for (account a :allaccounts){ for (contact c:allcontacts){ if(c.accountid = a.id){ //do work } } }
```

- A. Use a map <id,contact> for allaccounts
- B. Put the account loop inside the contact loop
- C. Add a group by clause to the contact SOQL
- D. Create an apex helper class for the SOQL

Answer: [A \(LEAVE A REPLY\)](#)

NEW QUESTION: 67

Which two are best practices when it comes to component and application event handling?

Choose 2 answers

- A. Handle low-level events in the event handler and re-fire them as higher-level events. (Missed)
- B. Try to use application events as opposed to component events.
- C. Use component events to communicate actions that should be handled at the application level.
- D. Reuse the event logic in a component bundle, by putting the logic in the helper. (Missed)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 68

A change set deployment from a sandbox to production fails due to a failure in a managed package unit test. The developer spoke with the manager package owner and they determined it is a false positive and can be ignored. What should the developer do to successfully deploy?

- A. Select 'Run local tests' to run all tests in the org that are not in the managed package.
- B. Select 'Run local tests' to run only the tests that are in the change set.
- C. Edit the managed package's unit test.
- D. Select 'Fast Deploy' to run only the tests that are in the change set.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 69

A developer created a Lightning component to display a short text summary for an object and wants to use it with multiple Apex classes.

How should the developer design the Apex classes?

- A. Extend each class from the same base class that has a method `getTextSummary()` that returns the summary.
- B. Have each class implement an interface that defines method `getTextSummary()` that returns the summary.
- C. Have each class define method `getObject()` that returns the `sObject` that is controlled by the Apex class.
- D. Have each class define method `getTextSummary()` that returns the summary.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 70

A developer has the following class and trigger code:

```
public class InsuranceRates { public static final Decimal smokerCharge = 0.01; } trigger ContactTrigger on Contact (before insert) { InsuranceRates rates = new InsuranceRates(); Decimal baseCost = XXX; } Which code segment should a developer insert at the XXX to set the baseCost variable to the value of the class variable smokerCharge?
```

- A. `Rates.getSmokerCharge()`

- B. ContactTrigger.InsuranceRates.smokerCharge
- C. InsuranceRates.smokerCharge
- D. Rates.smokerCharge

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 71

A company that uses a Custom object to track candidates would like to send candidate information automatically to a third -party human resource system when a candidate is hired. What can a developer do to accomplish this task?

- A. Create an auto response rule to the candidate.
- B. Create a Process Builder with an outbound message action.
- C. Create an escalation rule to the hiring manager.
- D. Create a workflow rule with an outbound message action.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 72

A developer in a Salesforce org with 100 Accounts executes the following code using the Developer console: `Account myAccount = new Account(Name = 'MyAccount');`
`Insert myAccount;`
`For (Integer x = 0; x < 250; x++)`
`{Account newAccount = new Account (Name='MyAccount' + x);try {Insert newAccount;}catch`
`(Exception ex) {System.debug (ex) ;}}insert new Account (Name='myAccount');` How many accounts are in the org after this code is run?

- A. 101
- B. 252
- C. 100
- D. 102

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 73

Given the code block: `Integer x; for (x =0; x<10; x+=2){`
`if (x==8) break; if (x==10) break;`
`} system.debug(x);` Which value will the system.debug display?

- A. 2
- B. 10
- C. 8
- D. 4

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 74

In the Lightning Component framework, where is client-side controller logic contained?

- A. Visualforce

- B. HTML
- C. Apex
- D. JavaScript

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 75

A developer needs an Apex method that can process Account or Contact records. Which method signature should the developer use?

- A. Public void doWork(Record theRecord)
- B. Public void doWork(Account || Contatc)
- C. Public void doWork(sObject theRecord)
- D. Public void doWork(Account Contact)

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 76

When creating a record with a Quick Action, what is the easiest way to post a feed item?

- A. By adding a workflow rule on the new record.
- B. By selecting create feed item on the quick action.
- C. By selecting create case feed on the new record.
- D. By adding a trigger on the new record.

Answer: ([SHOW ANSWER](#))

Valid DEX-450 Dumps shared by TrainingQuiz.com for Helping Passing DEX-450 Exam! TrainingQuiz.com now offer the **newest DEX-450 exam dumps**, the TrainingQuiz.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com DEX-450 dumps with Test Engine here:

<https://www.trainingquiz.com/DEX-450-practice-quiz.html> (202 Q&As Dumps, **40%OFF**

Special Discount: **Exam-Tests**)

NEW QUESTION: 77

What is a valid source and destination pair that can send or receive change sets? (Choose 2)

- A. Sandbox to Production
- B. Developer Edition to Sandbox
- C. Sandbox to Sandbox
- D. Developer Edition to Production

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 78

A developer considers the following snippet of code: Boolean isOK; integer x; String theString = 'Hello'; if (isOK == false && theString == 'Hello') { x = 1; } else if (isOK == true && theString == 'Hello') { x = 2; } else if (isOK != null && theString == 'Hello') { x = 3; } else { x = 4; } Based on this code, what is the value of x?

- A. 4
- B. 3
- C. 2
- D. 1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 79

Which three options can be accomplished with formula fields? (Choose three.)

- A. Return and display a field value from another object using the VLOOKUP function.
- B. Display the previous value for a field using the PRIORVALUE function.
- C. Determine if a datetime field value has passed using the NOW function.
- D. Generate a link using the HYPERLINK function to a specific record.
- E. Determine which of three different images to display using the IF function.

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 80

A Visualforce page is required for displaying and editing Case records that includes both standard and custom functionality defined in an Apex class called myControllerExtension. The Visualforce page should include which <apex:page> attribute(s) to correctly implement controller functionality?

- A. extensions="myControllerExtension"
- B. standardController="Case" and extensions="myControllerExtension"
- C. controller="myControllerExtension"
- D. controller="Case" and extensions="myControllerExtension"

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 81

Universal Containers (UC) uses a custom object called Vendor. The Vendor custom object has a Master-Detail relationship with the standard Account object. Based on some internal discussion, the UC administrator tried to change the Master-Detail relationship to a Lookup relationship but was not able to do so. What is a possible reason that this change was not permitted?

- A. The Account records contain Vendor roll-up summary fields.
- B. The Vendor records have existing values in the Account object.
- C. The Account object is included on a workflow on the Vendor object.
- D. The Vendor object must use a Master-Detail field for reporting.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 82

Which statement results in an Apex compiler error?

- A. Integer a=5, b=6, c, d = 7;
- B. List<string> s = List<string>{'a','b','c'};
- C. Map<Id,Leas> lmap = new Map<Id,Lead>([Select ID from Lead Limit 8]);
- D. Date d1 = Date.Today(), d2 = Date.ValueOf('2018-01-01');

Answer: B (LEAVE A REPLY)

NEW QUESTION: 83

A company wants a recruiting app that models candidates and interviews; displays the total number of interviews on each candidate record; and defines security on interview records that is independent from the security on candidate records. What would a developer do to accomplish this task? Choose 2 answers

- A. Create a lookup relationship between the Candidate and Interview objects.
- B. Create a trigger on the Interview object that updates a field on the Candidate object.
- C. Create a master -detail relationship between the Candidate and Interview objects.
- D. Create a roll -up summary field on the Candidate object that counts Interview records.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 84

Which three methods help ensure quality data?

- A. Sending an email alert using a workflow rule
- B. Create a lookup filter
- C. Adding an error to a field in before trigger
- D. Adding a validation rule
- E. Handling an exception in Apex

Answer: A,B,D (LEAVE A REPLY)

NEW QUESTION: 85

When viewing a Quote, the sales representative wants to easily see how many discounted items are included in the Quote Line Items.

What should a developer do to meet this requirement?

- A. Create a trigger on the Quote object that queries the Quantity field on discounted Quote Line Items.
- B. Create a Workflow Rule on the Quote Line Item object that updates a field on the parent Quote when the item is discounted.
- C. Create a roll-up summary field on the Quote object that performs a SUM on the quote Line Item Quantity field, filtered for only discounted Quote Line Items.
- D. Create a formula field on the Quote object that performs a SUM on the Quote Line Item Quantity field, filtered for only discounted Quote Line Items.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 86

Universal Container(UC) wants to lower its shipping cost while making the shipping process more efficient. The Distribution Officer advises UC to implement global addresses to allow multiple Accounts to share a default pickup address. The Developer is tasked to create the supporting object and relationship for this business requirement and uses the Setup Menu to create a custom object called "Global Address". Which field should the developer add to create the most efficient model that supports the business need?

- A. Add a Master-Detail field on the Global Address object to the Account object.
- B. Add a Master-Detail field on the Account object to the Global Address object
- C. Add a Lookup field on the Global Address object to the Account object
- D. Add a Lookup field on the Account object to the Global Address object.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 87

A developer needs to have records with specific field values in order to test a new Apex class. What should the developer do to ensure the data is available to the test?

- A. Use SOQL to query the org for the required data.
- B. Use Test.loadData() and reference a static resource.
- C. Use Test.loadData() and reference a CSV file.
- D. Use Anonymous Apex to create the required data.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 88

Which two statements are true about using the @testSetup annotation in an Apex test class? (Choose two.)

- A. The @testSetup annotation cannot be used when the @isTest(SeeAllData=True) annotation is used.
- B. The @testSetup method is automatically executed before each test method in the test class is executed.
- C. Records created in the @testSetup method cannot be updated in individual test methods.
- D. Test data is inserted once for all test methods in a class.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 89

What is true of a partial sandbox that is not true of a full sandbox? Choose 2 answers

- A. More frequent refreshes
- B. Limited to 5 GB of data
- C. Only includes necessary meta data
- D. Use of change sets

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 90

Which two number expression evaluate correctly? Choose 2 answers

- A. Integer I = 3.14159;
- B. Double D =3.14159;
- C. Long l = 3.14159;
- D. Decimal D = 3.14159;

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 91

Which requirement needs to be implemented by using standard workflow instead of Process Builder? Choose 2 answers

- A. Copy an account address to its contacts.
- B. Send an outbound message without Apex code.
- C. Submit a contract for approval.
- D. Create activities at multiple intervals.

Answer: (SHOW ANSWER)

Valid DEX-450 Dumps shared by TrainingQuiz.com for Helping Passing DEX-450 Exam! TrainingQuiz.com now offer the **newest DEX-450 exam dumps**, the TrainingQuiz.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com DEX-450 dumps with Test Engine here:

<https://www.trainingquiz.com/DEX-450-practice-quiz.html> (202 Q&As Dumps, **40%OFF**

Special Discount: Exam-Tests)

NEW QUESTION: 92

Which two components are available to deploy using the METADATA API? Choose 2 answers

- A. Lead Conversion Settings
- B. Case Settings
- C. Web-to-Case
- D. Web-to-Lead

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 93

A developer is asked to create a custom visualforce page that will be used as a dashboard component. Which three are valid controller options for this page? Choose 3 answers

- A. Use a custom controller
- B. Use a standard controller
- C. Use a standard controller with extensions

- D. Do not specify a controller
- E. Use a custom controller with extensions

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 94

A developer has the following trigger that fires after insert and creates a child Case whenever a new Case is created. `List<Case> childCases = new List<Case>();for (Case parent : Trigger.new){Case child = new Case (ParentId = parent.Id, Subject = parent.Subject);childCases.add(child);}insert childCases;` What happens after the code block executes?

- A. Child case is created for each parent case in `Trigger.new`.
- B. The trigger fails if the Subject field on the parent is blank.
- C. The trigger enters an infinite loop and eventually fails.
- D. Multiple child cases are created for each parent case in `Trigger.new`.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 95

Which resource can be included in a Lightning Component bundle? Choose 2 answers

- A. Apex class
- B. Adobe Flash
- C. JavaScript
- D. Documentation

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 96

An Account trigger updates all related Contacts and Cases each time an Account is saved using the following two DML statements:

`update allContacts; update allCases;`

What is the result if the Case update exceeds the governor limit for maximum number of DML records?

- A. The Account save succeeds and no Contacts or Cases are updated
- B. The Account save fails and no Contacts or Cases are updated
- C. The Account save succeeds, Contacts are updated, but Cases are not.
- D. The Account save is retried using a smaller trigger batch size.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 97

How many level of child records can be returned in a single SOQL query from one parent object

- A. 7
- B. 5
- C. 1

D. 3

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 98

Universal Containers stores Orders and Line Items in Salesforce. For security reason, financial representatives are allowed to see information on the Order such as order amount, but they are not allowed to see the Line items on the Order. Which type of relationship should be used?

- A. Indirect lookup
- B. Master Detail
- C. Lookup
- D. Direct Lookup

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 99

A developer needs to create a custom Visualforce button for the Opportunity object page layout that will cause a web service to be called and redirect the user to a new page when clicked. Which three attributes need to be defined in the <apex:page> tag of the Visualforce page to enable this functionality? Choose three answers.

- A. Action
- B. Controller
- C. Extensions
- D. StandardController

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 100

How can a developer get all of the available record types for the current user on the case object?

- A. Use SOQL to get all cases
- B. Use case.getrecordtypes()
- C. Use describfieldresult of the case.recordtype field
- D. Use describesobjectresult of the case object

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 101

A developer wants to use all of the functionality provided by the standard controller for an object, but needs to override the Save standard action in a controller extension. Which two are required in the controller extension class?

- A. Create a method named Save with a return data type of PageReference.
- B. Define the class with a constructor that takes an instance of StandardController as a parameter.

C. Define the class with a constructor that creates a new instance of the StandardController class.

D. Create a method that references this.superSave()

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 102

A developer is asked to create a PDF quote document formatted using the company's branding guidelines, and automatically save it to the Opportunity record.

Which two ways should a developer create this functionality? (Choose two.)

A. Create a Visualforce page with custom styling.

B. Create a visual flow that implements the company's formatting.

C. Create an email template and use it in Process Builder.

D. Install an application from the AppExchange to generate documents.

Answer: A,D (LEAVE A REPLY)

NEW QUESTION: 103

A developer observes that an Apex test method fails in the Sandbox. To identify the issue, the developer copies the code inside the test method and executes it via the Execute Anonymous tool in the Developer Console. The code then executes with no exceptions or errors. Why did the test method fail in the sandbox and pass in the Developer Console?

A. The test method is calling an @future method.

B. The test method does not use System.runAs to execute as a specific user.

C. The test method relies on existing data in the sandbox.

D. The test method has a syntax error in the code.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 104

Given:

```
Map<ID, Account> accountMap = new Map<ID, Account> ([SELECT Id, Name FROM Account]);
```

What are three valid Apex loop structures for iterating through items in the collection? (Choose three.)

A. for (ID accountID : accountMap) {...}

B. for (Integer i=0; i < accountMap.size(); i++) {...}

C. for (Account accountRecord : accountMap.keySet()) {...}

D. for (ID accountID : accountMap.keySet()) {...}

E. for (Account accountRecord : accountMap.values()) {...}

Answer: B,D,E (LEAVE A REPLY)

NEW QUESTION: 105

A developer executes the following query in Apex to retrieve a list of contacts for each account:

List<account> accounts = [Select ID, Name, (Select ID, Name from Contacts) from Account] ;

Which two exceptions may occur when it executes? (Choose two.)

- A. SOQL query row limit exception due to the number of contacts.
- B. SOQL query row limit exception due to the number of accounts.
- C. CPU limit exception due to the complexity of the query.
- D. SOQL query limit exception due to the number of contacts.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 106

A developer executes the following code in the Developer Console:

```
List<Account> fList = new List <Account> ();For(integer i= 1; i <= 200; i++){fList.add(new Account ( Name = 'Universal Account ' + i));}Insert fList;List <Account> sList = new List<Account>();For (integer i = 201; i <=
```

20000; i ++){sList.add(new Account (Name = 'Universal Account ' + i));}Insert sList;How many accounts are created in the Salesforce organization ?

- A. 0
- B. 200
- C. 20000
- D. 1000

Answer: A ([LEAVE A REPLY](#))

Valid DEX-450 Dumps shared by TrainingQuiz.com for Helping Passing DEX-450 Exam! TrainingQuiz.com now offer the **newest DEX-450 exam dumps**, the TrainingQuiz.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com DEX-450 dumps with Test Engine here:

<https://www.trainingquiz.com/DEX-450-practice-quiz.html> (202 Q&As Dumps, **40%OFF**)

Special Discount: **Exam-Tests**)

NEW QUESTION: 107

When creating unit tests in Apex, which statement is accurate?Choose 2

- A. Unit tests with multiple methods result in all methods failing every time one method fails.
- B. Increased test coverage requires large test classes with many lines of code in one method.
- C. System Assert statements that do not increase code coverage contribute important feedback in unit tests
- D. Triggers do not require any unit tests in order to deploy them from sandbox to production.

Answer: B,C ([LEAVE A REPLY](#))

Valid DEX-450 Dumps shared by TrainingQuiz.com for Helping Passing DEX-450 Exam! TrainingQuiz.com now offer the **newest DEX-450 exam dumps**, the TrainingQuiz.com DEX-450 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com DEX-450 dumps with Test Engine here:

<https://www.trainingquiz.com/DEX-450-practice-quiz.html> (202 Q&As Dumps, **40%OFF**)

Special Discount: Exam-Tests)