

Salesforce.Heroku-Architecture-Designer.v2023-02-21.q102

Exam Code:	Heroku-Architecture-Designer
Exam Name:	Salesforce Certified Heroku Architecture Designer
Certification Provider:	Salesforce
Free Question Number:	102
Version:	v2023-02-21
# of views:	2170
# of Questions views:	1020
https://www.dumpsdb.com/dumps/Salesforce/Heroku-Architecture-Designer/Salesforce.Heroku-Architecture-Designer.v2023-02-21.q102	

NEW QUESTION: 1

When designing a Heroku application, which two approaches observe the Twelve-Factor methodology?

Choose 2 answers.

- A. On deployment, Heroku fetches and installs any dependencies that are missing according to the application's list of dependencies
- B. On startup, the application's source code fetches and installs any dependencies that are missing according to the application's list of dependencies.
- C. The application's database configuration is stored in the application's Profile
- D. The application's database configuration is stored in the application's config vars.

Answer: ([SHOW ANSWER](#))

Explanation

- <https://devcenter.heroku.com/articles/heroku-connect-database-tables#encrypted-strings>

NEW QUESTION: 2

What does a follower of Heroku Postgres leader database provide?

- A. A static snapshot of the leader
- B. A in-memory snapshot of the leader.
- C. A read-only replica of the leader.
- D. A writable replica of the leader.

Answer: ([SHOW ANSWER](#))

Explanation

- <https://devcenter.heroku.com/articles/riero-heroku-connect-database-tables#encrypted-strings>

NEW QUESTION: 3

Universal Containers' customers typically like to be served by the same Technician that completed the initial installation.

How should a Consultant implement this rule?

- A. Add the Resource as a Required Resource.
- B. Add all other Resources as Excluded Resources.
- C. Add the Account as one of the Resource Skills.
- D. Add the Resource as a Preferred Resource.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 4

According to the Twelve-Factor methodology, which best practice helps minimize the gap between development and production?

- A. Using the same backing services in all of an application's environments.
- B. Configuring application logging to write stdout.
- C. Executing long-running tasks as background processes.
- D. Writing processes that are fast to start up and gracefully shut down

Answer: A ([LEAVE A REPLY](#))

Explanation

- <https://devcenter.heroku.com/articles/internal-routing>

NEW QUESTION: 5

Get Cloudy Consulting has the following environment:

* All accounts and opportunities are created in Salesforce.

* Salesforce is integrated with three systems:

- An ERP system feeds order data into Salesforce and updates both Account and Opportunity records.

- An accounting system feeds invoice data into Salesforce and updates both Account and Opportunity records.

- A commission system feeds commission data into Salesforce and updates both Account and Opportunity records.

How should an Architect determine which of these systems is the system of record?

- A. Account and opportunity data originates in Salesforce, and therefore Salesforce is the system of record.
- B. By default, the system of record is determined by the last integration process that runs.
- C. Whichever system updates the attribute or object should be the system of record for that field or object.
- D. Data flows should be reviewed with the business users to determine the system of record per object or field.

Answer: (SHOW ANSWER)

Explanation/Reference:

NEW QUESTION: 6

A client is building a collection of Heroku applications that will be audited regularly. To comply with the audit, it must be guaranteed that the applications all forward their logs to the same, single destination. Which solution meets this requirements?

- A.** Deploy all of the applications to the Common Runtime, and attach the same instance of a logging add-on to all of them.
- B.** Deploy all the applications to the same Shield Private Space with Private Space Logging enabled
- C.** Deploy all the applications to the Common runtime, and add the same log drain URL to all of them.
- D.** Deploy all the applications to the same Private Space with Logplex disabled.

Answer: (SHOW ANSWER)

Explanation

- <https://devcenter.heroku.com/articles/dataclips>

NEW QUESTION: 7

Universal Containers (UC) wants to better understand their service business and Field Service Technician teams' schedules. A Consultant suggested UC start to forecast and plan.

Which two abilities does forecasting and planning provide? (Choose two)

- A.** More accurately assign Work Orders based on skills.
- B.** Proactively adjust Service Contracts
- C.** Proactively adjust to demand fluctuations.
- D.** More consistently meet customer response times

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 8

A client has an existing Heroku Connect integration. They would like to extend the integration to add Attachments (which are related binary files) from a mapped Salesforce object. What advice should an Architect provide?

- A.** A file storage system needs to be added to the Heroku Connect mapping to sync binary files.
- B.** Heroku Connect does not support binary files: therefore migration must be done using another method
- C.** A column of type Binary String must be added manually to the Heroku Postgres table and amend Attachments before binary transfer can be enabled.
- D.** An additional object mapping must be added for the Attachments table in Heroku Connect.

Answer: (SHOW ANSWER)

Explanation

-

<https://devcenter.heroku.com/articles/using-sso-services-with-heroku#prerequisites-for-sso-with-heroku>

NEW QUESTION: 9

Universal Containers (UC) wants to allow its developers to only use certain add-ons. UC enables Add-on Controls for Enterprise Teams and adds the add-ons they wish to allow to the list. There is an existing set of add-ons attached to applications, which are NOT on the list.

What happens to these add-ons?

- A. They are added to the exception list and not affected.
- B. They are deleted, and all data is backed up and saved.
- C. They are flagged for removal, and the developers are notified.
- D. They are added to the allowed add-ons list.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 10

Universal Containers wants to reduce their mean-time-to-service.

Which three Field Service process should a Consultant recommend to accomplish this goal? (Choose three.)

- A. Customer Entitlements
- B. Scheduling
- C. Dispatching
- D. Adjust Scheduling Policy
- E. Knowledge Base

Answer: C,D,E (LEAVE A REPLY)

NEW QUESTION: 11

Universal Containers wants to provide Dispatchers with Account and Asset details when they hover over each Service Appointment.

How should a Consultant recommend implementing this feature?

- A. Use Lookup Fields.
- B. Create CSS in the Dispatcher's Console.
- C. Configure Field Sets on the Service Appointment.
- D. Add Fields on the Page Layout.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 12

Universal Containers wants to invoice its customer for the parts used when performing repairs on installed Assets.

What should a Consultant recommend to track the price of the parts consumed?

- A. Use a custom object to model the Work Order pricing and price.
- B. Use Assets and Products to track the price.
- C. Use Opportunity Line Items and Price Books to track the price.
- D. Use Products and Price Books to track the price.

Answer: (SHOW ANSWER)

NEW QUESTION: 13

Which is a characteristic of an add-on that is "available" for applications in Private Spaces but not "installable" in a Private Space?

- A. The add-on will always run in the same region, but not in the same Private Space, as the provisioning application.
- B. The add-on's data will always be stored in the same Private Space as the provisioning application.
- C. The traffic between the provisioning app and the add-on will travel across the public Internet.
- D. The add-on always runs in the same Private Space as the provisioning application.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 14

A client is building a system that will sync data from multiple Salesforce orgs to a single Heroku Postgres database. This system also needs to push the synced data to an external data warehouse for analytics processing. Which solution meets all of the requirements in this scenario?

- A. Use Heroku Connect to synchronize data between the Salesforce orgs, the Heroku Postgres database and the external data warehouse
- B. Use Salesforce Connect to synchronize data between the Salesforce orgs and the Heroku Postgres database Use Heroku Connect to sync data between the Heroku Postgres database and the external data warehouse.
- C. Use Heroku External Objects to synchronize data between the Salesforce orgs and the Heroku Postgres database Use an ETL tool to push data from the Salesforce orgs to the external data warehouse.
- D. Use Heroku Connect to synchronize data between the Salesforce orgs and the Heroku Postgres database Use an ETL tool to push data from the Salesforce orgs to the external data warehouse.

Answer: D (LEAVE A REPLY)

Explanation

- <https://devcenter.heroku.com/articles/private-spaces#trusted-ip-ranges>

NEW QUESTION: 15

Ursa Major Solar provides home installment services to its customers. To track these home installments, the company uses Opportunities. At any given time, the status of the home installments can be one of the 10 values. Currently, Ursa Major Solar has 189,000 Opportunity records.

An Architect needs to create a new field to track home installment status opportunity while also improving data quality and avoiding data skew.

What should the Architect do?

- A. Create a picklist field, values sorted alphabetically.
- B. Create a Lookup to custom object InstallmentStatus_c.
- C. Create a text field and make it an external ID.
- D. Create a Master-Detail to custom object InstallmentStatus_c.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 16

Universal Containers has Role-based Technicians and Managers who handle Service Appointments. Many times, Technicians arrive on-site but are unable to gain access to the customer's equipment. In this scenario, only the Manager has permission to cancel the Service Appointment.

How should a Consultant recommend adhering to this business process?

- A. Allow Status Transitions based on Role.
- B. Assign Permission Sets that allow Status Transitions.
- C. Configure Status Transitions based on Resource Type.
- D. Limit Status Transitions based on Profile.

Answer: D (LEAVE A REPLY)

Valid Heroku-Architecture-Designer Dumps shared by TrainingQuiz.com for Helping Passing Heroku-Architecture-Designer Exam! TrainingQuiz.com now offer the **newest Heroku-Architecture-Designer exam dumps**, the TrainingQuiz.com Heroku-Architecture-Designer exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com Heroku-Architecture-Designer dumps with Test Engine here: <https://www.trainingquiz.com/Heroku-Architecture-Designer-practice-quiz.html> (185 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

A client wants to deconstruct a monolithic application into a set of microservices The microservices require securer direct peer-to-peer communications.

Which Heroku Enterprise features should an Architect recommend? Choose one answer

- A. Heroku Private Spaces and Private Space VPN connections.

- B. Shield Private Spaces and Heroku Shield Connect
- C. Heroku Private Spaces and Apache Kafka on Heroku
- D. Heroku Private Spaces and Internal Routing.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 18

Universal Containers (UC) has expressed a desire to have encryption-at-rest enabled on their Heroku Postgres databases.

Which three tiers would UC need to use to have that feature enabled? (Choose three.)

- A. Private
- B. Standard
- C. Hobby
- D. Shield
- E. Premium

Answer: A,B,E (LEAVE A REPLY)

Explanation/Reference: <https://devcenter.heroku.com/articles/heroku-postgres-production-tier-technical-characterization> (data encryption)

NEW QUESTION: 19

Universal Containers has a Partner Community. Work Orders are assigned to these partners. Partners are not interacting with Service Appointments or Service Resources. How would a Partner user update the Work Order record from a mobile device?

- A. Salesforce mobile app
- B. Field Service mobile app
- C. Work Order records cannot be updated on a mobile device
- D. Salesforce Touch

Answer: A (LEAVE A REPLY)

NEW QUESTION: 20

Which two features of the Heroku platform require Private Spaces? Choose 2 answers.

- A. Automated Certificate Management
- B. Apache Kafka on Heroku
- C. Internal Routing
- D. Trusted IP ranges

Answer: B,D (LEAVE A REPLY)

Explanation

-

<https://devcenter.heroku.com/articles/private-spaces#trusted-ip-ranges>

NEW QUESTION: 21

DreamHouse Realty has a Salesforce org that is used to manage Contacts.

What are two things an Architect should consider using to maintain data quality in this situation? (Choose two.)

- A. Utilize the private sharing model.
- B. Utilize Salesforce duplicate management.
- C. Use workflow to delete duplicate records.
- D. Use validation rules on new record create and edit.

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 22

A client is writing a Heroku application that requires compliance with PCI DSS Level 1. To accomplish this, they deploy an application to the Shield Private Space. Which statement is true about the application?

- A. The application might still violate PCI DSS Level 1 even though it is deployed to a Shield Private Space
- B. The Shield Private Space guarantees that the application is compliant with PCI DSS Level 1, assuming the application uses only Shield Postgres databases
- C. The application is definitely not compliant with PCI DSS Level 1. because Shield Private Spaces do not provide compliance with it.
- D. The Shield Private Space guarantees that the application is compliant with PCI DSS Level 1

Answer: A (LEAVE A REPLY)

Explanation

- <https://devcenter.heroku.com/articles/usjng-sso-services-witri-heroku#prerequisites-for-sso-with-heroku>

NEW QUESTION: 23

Universal Containers (UC) recently acquired another company, International Shipping. Each company has its own Salesforce org, and UC wants those orgs to remain separate for the foreseeable future. Given this scenario, which Heroku feature should an Architect recommend to provide additional value to UC following the acquisition?

- A. Heroku External Objects can expose read-only data from both Salesforce orgs to Heroku Postgres.
- B. Both orgs can be attached to the same Heroku application as an add-on to ensure data residency in the application's region.
- C. Heroku Connect can be used to synchronize data directly between the two Salesforce orgs.
- D. A Heroku Postgres database can sync data from both orgs for advanced querying capabilities.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 24

A client's Heroku application syncs data between a Heroku Postgres database and a Salesforce org using the Salesforce Bulk API. The client has determined the application currently uses 90% of the client's daily Salesforce Bulk API limit.

To overcome this issue, what feature, to replace the Bulk API implementation in this scenario, should an Architect recommend?

- A. Heroku Connect
- B. Custom Apex callouts
- C. Salesforce SOAP API
- D. Salesforce Connect

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

Universal Containers' (UC) Technicians often report seeing competitors' assets when on-site. UC would like to run a report on which of their customers have competitive assets. How should a Consultant recommend meeting this requirement using the Field Service mobile app?

- A. Use a Quick Action to create a Note to explain the competitor's Asset and attach it to the Work Order.
- B. Use a Quick Action to create a competitor's Asset Record on the Field Service mobile app.
- C. Use a Macro to create a competitor's Asset Record on the Field Service mobile app.
- D. Manually create a competitor's Asset Record on the Field Service mobile app.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 26

Universal Containers utilizes two contractors, Contractor 1 and Contractor 2, to perform repair work Contractor 1 has provided service longer for UniversalContainers and is considered to have more repair work expertise than Contractor 2.

How should a Consultant configure this expertise for Contractor 1 versus Contractor 2?

- A. Assign Contractor 1 as a Preferred Resource.
- B. Assign Contractor 1 and 2 different capacities for repair work
- C. Assign Contractor 1 and 2 different Skill Levels for repair Work Type.
- D. Assign Contractor 2 as an Excluded Resource

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which three items are required to successfully set up Single Sign-on (SSO) services with Heroku? (Choose three.)

- A. An identity provider with built-in support for Heroku
- B. A Heroku Enterprise Team
- C. An existing Heroku account for each user

- D. At least one valid SSO certificate
- E. Administrative permissions on the selected identity provider

Answer: A,B,E (LEAVE A REPLY)

Explanation

- <https://devcenter.heroku.com/articles/using-ss0-services-with-heroku#prerequisites-for-ss0-with-heroku>

NEW QUESTION: 28

A client has a Heroku app that uses Apache Kafka on Heroku. They want to refactor the app into 2 distinct apps that will both continue to use Kafka (because they probably don't have so much to do in their life). Based on this refactoring, what should an Architect recommend?

- A. Attach the existing Kafka add-on to both apps
- B. Designate one app as a producer and the other as a consumer
- C. Ensure that the apps consume mutually exclusive sets of Kafka topics
- D. Attach the existing Kafka add-on to one app and attach a new Kafka add-on to the other app

Answer: A (LEAVE A REPLY)

NEW QUESTION: 29

A client's Heroku application is publishing messages to an instance of Apache Kafka on Heroku.

What does a second Heroku application need to do to consume those messages?

- A. Subscribe to the Kafka partition(s) that the messages are being published to.
- B. Join a consumer group that also includes the publishing application.
- C. Subscribe to the Kafka topic(s) that the messages are being published to.
- D. Convert the publishing application into a stream processor.

Answer: A (LEAVE A REPLY)

Explanation

- <https://wwwxloudkarafka.com/blog/2016-11-30-part1-kafka-for-beginners-what-is-apache-kafka.html>

NEW QUESTION: 30

Universal Containers has a large volume of cancellations occurring on their Work Orders. The COO wants to manage Work Order cancellations and subsequent follow-ups.

Which two options should a Consultant recommend? (Choose two)

- A. Change the Work Order with a closed status of "Cancelled".
- B. Create a child Work Order for the follow-up Work Order
- C. Address
- D. Change the Work Order with a status of "New".
- E. Re-use the existing Work Order for the follow-up.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 31

Universal Containers (UC) has configured SSO for their Heroku Enterprise Team using an identity provider (IdP).

When a new employee joins the company, how should their Heroku account be created?

- A.** A Heroku account is created for the employee automatically the first time they log in to Heroku via SSO.
- B.** The employee should create a new Heroku account with the exact email address listed in their IdP record.
- C.** No account creation is required, because all SSO users in a particular Enterprise Team are associated with a single Heroku account.
- D.** An administrator of the Enterprise Team creates the Heroku account with the exact email address listed in the employee's IdP record.

Answer: ([SHOW ANSWER](#))

Explanation

<https://devcenter.heroku.com/articles/using-ss-services-with-heroku#end-user-account-creation-and-removal>

Valid Heroku-Architecture-Designer Dumps shared by TrainingQuiz.com for Helping Passing Heroku-Architecture-Designer Exam! TrainingQuiz.com now offer the **newest Heroku-Architecture-Designer exam dumps**, the TrainingQuiz.com Heroku-Architecture-Designer exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com Heroku-Architecture-Designer dumps with Test Engine here: <https://www.trainingquiz.com/Heroku-Architecture-Designer-practice-quiz.html> (185 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 32

Universal Containers (UC) has a Heroku application that runs in Virginia, in the U.S., that uses Apache Kafka on Heroku. They have deployed a copy of the app in Asia. Now, both apps need a messaging backbone that will support multi-region distribution.

What is the least complex architecture that an Architect should recommend?

- A.** Deploy a multi-region version of Apache Kafka on Heroku.
- B.** Use Heroku's multi-tenant Kafka Basic plan.
- C.** The app in Asia should write to the Kafka instance in Virginia.
- D.** Provision a second Kafka add-on in Asia. Each instance of the app should sync with each other.

Answer: B ([LEAVE A REPLY](#))

Explanation

-<https://www.heroku.com/tech-sessions/get-started-with-apache-kafka>

NEW QUESTION: 33

To satisfy the requirements of an upcoming compliance audit, a client must provide a record of all interactive commands run against a production application in the last six months. Which Heroku feature should an Architect recommend to help with this use case?

- A. Heroku Shield keystroke logging
- B. Dataclips
- C. Private Space Logging
- D. SSH tunneling using Heroku Exec

Answer: A (LEAVE A REPLY)

Explanation

-<https://devcenter.heroku.com/articles/event-driven-microservices-with-apache-kafka>

NEW QUESTION: 34

Universal Containers wants to process mobile payments.

How can this requirement be met?

- A. Add a custom field to store the credit card number.
- B. Create a custom payments object.
- C. Install an AppExchange package.
- D. Attach a picture of the credit card.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 35

What are two features of a Shield Private Space that has Private Space Logging enabled? Choose 2 answers.

- A. Logs must be forwarded to a destination either within the Shield Private Space or within a VPN that includes the Shield Private Space.
- B. Applications in the shield Private Space do not forward logs to Heroku's Logplex router.
- C. Applications in the Shield Private Space forward logs to a separate, high-compliance instance of Heroku's Logplex router
- D. All applications in the Shield Private Space forward their logs to the same destination.

Answer: B,D (LEAVE A REPLY)

Explanation

- <https://devcenter.heroku.com/articles/using-sso-services-with-heroku#prerequisites-for-sso-with-heroku>

NEW QUESTION: 36

Universal Containers (UC) has configured SSO for their Heroku Enterprise Team using an identity provider (IdP).

When a new employee joins the company, how should their Heroku account be created?

- A.** An administrator of the Enterprise Team creates the Heroku account with the exact email address listed in the employee's IdP record.
- B.** A Heroku account is created for the employee automatically the first time they log in to Heroku via SSO.
- C.** No account creation is required, because all SSO users in a particular Enterprise Team are associated with a single Heroku account.
- D.** The employee should create a new Heroku account with the exact email address listed in their IdP record.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 37

Cloud Kicks has the following requirements:

- Data needs to be sent from Salesforce to an external system to generate invoices from their Order Management System (OMS).
- A Salesforce administrator must be able to customize which fields will be sent to the external system without changing code.

What are two approaches for fulfilling these requirements? (Choose two.)

- A.** An Outbound Message to determine which fields to send to the OMS.
- B.** An ObjectField to determine which fields to send in an HTTP callout.
- C.** Turn on the field-level security permissions for the fields to send.
- D.** A Field Set that determines which fields to send in an HTTP callout.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

A web application on Heroku wants to surface Salesforce data. All users of the web application will:

- 1) Authenticate using SSO with Salesforce.
- 2) Have user records in Salesforce.

What architecture should be recommended in order to maintain the Salesforce security model already in place?

- A.** Use Heroku Connect, with a per-user authentication model, to sync the Salesforce data to Heroku Postgres.
- B.** Have the application query Salesforce data directly through the Salesforce APIs as the running user.
- C.** Use Heroku Connect to sync the Salesforce data and Salesforce security model to Heroku Postgres.
- D.** Have the application query Salesforce data and the security model directly using a cached admin credential.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

Which three overview cards does the Field Service mobile app provide as context to Technicians on upcoming Service Appointments? (Choose three.)

- A. Product Catalog
- B. Contact
- C. Address
- D. Site Details
- E. Asset History

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 40

A business that works directly with individual consumers (B2C) currently has a home-grown CRM system, but they are moving to Salesforce. The business has 1.2 million consumer records and wants assistance with achieving optimal use of Salesforce functionality while also avoiding data loading issues.

What should an Architect recommend?

- A. Load one Account record and one Contact record for each individual consumer.
- B. Create one Account and load individual consumers as Contacts linked to that one Account.
- C. Load all individual consumers as Account records and avoid using the Contact object.
- D. Create a Custom object IndividualConsumer_c to load all individual consumers.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 41

Universal Containers has implemented a Knowledge solution for Agents to provide Field Technicians with information necessary to complete assigned work.

Which two capabilities will now be available? (Choose two.)

- A. Attach Knowledge Articles to Work Order Line Items Only.
- B. Manage Attached Articles and Search the Knowledge Base.
- C. Include Quick Actions and Global Actions in Attached Articles.
- D. Attach Articles to Work Orders and Work Order Line Items.

Answer: B,D (LEAVE A REPLY)

NEW QUESTION: 42

An app uses a queue of worker dynos to perform complex image processing, but the worker dynos are occasionally running out of memory when performing the processing. All of their dynos are currently standard-1x dynos.

What should an Architect recommend in this scenario?

- A. Move the app to a Private Space.
- B. Change the type of dynos to standard-2x.
- C. Break up the image processing across multiple dynos.
- D. Add additional worker dynos.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 43

Universal Containers wants to ensure that Service Appointments are only assigned to Active Resources.

What configuration should a Consultant recommend for the Scheduling Policy?

- A. Preferred Resources
- B. Match Boolean
- C. Match Fields
- D. Required Resources

Answer: B (LEAVE A REPLY)

NEW QUESTION: 44

A customer wants to sync data between their Salesforce org and Heroku Postgres.

Which two limitations should an Architect remember when recommending Heroku Connect? (Choose two.)

- A. Heroku Connect can only access fields and objects that its associated Salesforce integration user can access.
- B. Heroku Connect does not provide an API.
- C. Heroku Connect does not support all Salesforce objects and fields.
- D. Heroku Connect cannot sync custom objects.

Answer: A,B (LEAVE A REPLY)

NEW QUESTION: 45

Universal Containers experienced an outage with their production Heroku Postgres database due to a fault with the underlying infrastructure. The database was unavailable for an hour. The database is on the Standard-0 plan.

Which two actions should an Architect recommend to mitigate such database failures and outages in the future? (Choose two.)

- A. Create a follower database that uses the same plan as the leader.
- B. Migrate the database to a Premium-tier plan.
- C. Migrate the database to a larger Standard-tier plan.
- D. Create a fork of the database that uses the same plan as the leader.

Answer: (SHOW ANSWER)

Explanation/Reference: <https://devcenter.heroku.com/articles/updating-heroku-postgres-databases>

NEW QUESTION: 46

A client's Heroku application is publishing messages to an instance of Apache Kafka on Heroku.

What does a second Heroku application need to do to consume those messages?

- A. Subscribe to the Kafka partition(s) that the messages are being published to.
- B. Join a consumer group that also includes the publishing application.
- C. Subscribe to the Kafka topic(s) that the messages are being published to.
- D. Convert the publishing application into a stream processor.

Answer: A (LEAVE A REPLY)

Valid Heroku-Architecture-Designer Dumps shared by TrainingQuiz.com for Helping Passing Heroku-Architecture-Designer Exam! TrainingQuiz.com now offer the **newest Heroku-Architecture-Designer exam dumps**, the TrainingQuiz.com Heroku-Architecture-Designer exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com Heroku-Architecture-Designer dumps with Test Engine here: <https://www.trainingquiz.com/Heroku-Architecture-Designer-practice-quiz.html> (185 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

What are the three access levels a user can have in a Heroku Organization account?

- A. Admin, Programmer, and Operator
- B. Jedi, Padawan, and Co-pilot
- C. Owner, Author and Viewer
- D. Admin, Member, and Viewer

Answer: (SHOW ANSWER)

NEW QUESTION: 48

A client wants to perform complex processing on large data sets in Salesforce. The data is confidential, but it does not have advanced compliance requirements.

What Heroku Enterprise features should an Architect recommend in this scenario?

- A. Shield Private Spaces and Heroku External Objects
- B. Private Spaces and Heroku Connect
- C. Private Spaces and Heroku External Objects
- D. Shield Private Spaces and Heroku Shield Connect

Answer: D (LEAVE A REPLY)

Explanation

- <https://devcenter.heroku.com/articles/heroku-postgresql#data-residency>

NEW QUESTION: 49

A healthcare services client is requesting an architecture for a set of applications: one is a marketing application, and the other two are of customer service applications that allow for customers to interact with their healthcare records. The marketing application must be able

to scale up within seconds in response to traffic spikes. The client wants to be able to deploy each of these applications to the U.S. East Coast and EMEA.

Which applications should be deployed into which Heroku runtime?

- A.** The marketing application into the Common Runtime; customer service applications into Shield Private Spaces
- B.** The marketing application into the Common Runtime; customer service applications into Private Spaces
- C.** The marketing application into Private Spaces; customer service applications into separate Private Spaces
- D.** The marketing application into Private Spaces; customer service applications into Shield Private Spaces

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 50

A client wants to use Heroku Connect to sync data from a Heroku Postgres table to a Salesforce org. The client only needs to sync a specific subset of the rows in the table. How should this be performed?

- A.** Place Sharing Rules on the records, and restrict visibility to only those rows that are needed.
- B.** Add a mapping filter to the table when setting up the sync, and select appropriate criteria from the list.
- C.** Filter the data in the database, and provide an alternative table or view for use in the sync.
- D.** Use the Heroku Connect Mapping Query Editor, and add filters to the query.

Answer: **A** ([LEAVE A REPLY](#))

NEW QUESTION: 51

Universal Containers (UC) has an app that allows a customer to schedule a compute-intensive job. It allows the customer to schedule the job on an ad-hoc basis. UC has decided to break up the app into the following services: - Website: an Interface for their customers; - Billing: generates monthly invoices based on usage metrics; - Traffic Cop: manages the job queue, job definitions and job schedule; - Job Runner; runs jobs that Traffic Cop queues up. It is responsible for self-introspection and self-scaling. UC also wants to create a data lake for analytics. What foundational technology and design should an Architect use to manage communication between these services?

- A.** Apache Kafka on Heroku as a bus between all services Create topics for billing, jobs, and website clicks Create an additional service, which will subscribe for all topics, and dump every message into a data lake
- B.** Heroku Redis, create a large Redis store. Allow each service to place messages with an agreed-upon format into a single queue, backed by the Redis store Services listen for messages addressed to them and take action on them. Redis will serve as the data lake.

C. Heroku Connect and Salesforce Sync all relevant data into Salesforce and allow it to flow into each service. Create custom objects for each service and allow them to post to each others' objects as needed.

Push data from Salesforce into Heroku Postgres for a data lake.

D. Apache Kafka on Heroku Create a Kafka queue for each service. Create a central routing service that connects to all of the Kafka queues and routes data. The central router is attached to a data lake, and pushes every message into it.

Answer: A (LEAVE A REPLY)

Explanation

- <https://devcenter.heroku.com/articles/private-spaces#lrulescl-ip-ranges>

NEW QUESTION: 52

Heroku apps that handle callouts from Salesforce can be written in:

- A.** All of these
- B.** PHP
- C.** Java, Scala. Clojure
- D.** Node, js / JavaScript
- E.** Python

Answer: A (LEAVE A REPLY)

NEW QUESTION: 53

Callouts from Salesforce to Heroku can be made using:

- A.** Corba
- B.** Message bus
- C.** Web sockets
- D.** Apex triggers or outbound messages

Answer: D (LEAVE A REPLY)

NEW QUESTION: 54

Universal Containers wants to process mobile payments. How can this requirement be met?

- A.** Install an AppExchange package
- B.** Add a custom field to store the credit card number
- C.** Create a custom payments object
- D.** Attach a picture of the credit card.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 55

Universal Containers wants their Field Technicians to indicate if any of their Service Appointments are at risk of not being completed on time. They would like for this to be achieved on a mobile device using a Quick Action.

What should a Consultant recommend to achieve this requirement?

- A. Reschedule the Service Appointment for later.
- B. Update the Service Appointment field "In Jeopardy".
- C. Update the Service Appointment Chatter feed.
- D. Update the Service Appointment Status field.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 56

A phased Salesforce rollout is planned. Three deployments will be spread out over 12 months, and the requirements have been carefully documented.

An Architect needs to trace back configuration changes to the requirements.

Which two approaches should the Architect use? (Choose two.)

- A. Utilize the Force.com IDE to save the metadata files in source control.
- B. Analyze the setup audit trail for configuration changes.
- C. Enter the business purpose into the Description of each field.
- D. Maintain a data dictionary with the justification for each field.

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

NEW QUESTION: 57

Universal Containers is tracking customer issues in their call center. Sometimes this requires a Technician to be on-site at the customer's location.

What set of steps should a Consultant recommend to dispatch the Technician?

- A. Create Case, Create Work Order, Create Service Appointment, Dispatch Service Appointment.
- B. Create Case, Create Service Appointment, Create Work Order, Dispatch Service Appointment.
- C. Create Work Order, Create Case, Dispatch Work Order, Create Service Appointment.
- D. Create Service Appointment, Create Work Order, Create Case, Dispatch Service Appointment.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 58

Universal Containers is developing a Salesforce app that invokes a Heroku app's web service, which asynchronously generates customer invoices. The Heroku app is deployed to a Private Space. When an invoice is ready, the Heroku app sends a POST request to the Salesforce REST API. Which two options should an Architect recommend to ensure that neither the Salesforce nor the Heroku app is accessible from the public internet?

Choose 2 answers.

- A. Restrict the Private Space's trusted IP range to Salesforce IP addresses
- B. Restrict the Private Space's trusted IP range to Universal Containers' VPN

- C. Restrict the Salesforce connected app's login IP ranges to Universal Containers' VPN
- D. Restrict the Salesforce connected app's login IP ranges to the stable outbound IP addresses of the Private Space

Answer: A,D (LEAVE A REPLY)

Explanation

- This is no VPN connection and a trusted IP range is used to limit the trusted outside application's IP address And there is document related to this use case:

<https://devcenter.heroku.com/articles/establish-trust-private-space-and-salesforce#salesforce-heroku-apps>

NEW QUESTION: 59

Universal Containers collects sensor data from millions of sensors that are located around the World. Now.

they want to process this data on Heroku. What are three advantages of using a microservices architecture with Apache Kafka on Heroku in this scenario? Choose 3 answers.

- A. Kafka is highly available and fault-tolerant
- B. Individual services can be scaled easily for high-volume event processing
- C. Consumers and producers can be scaled independently.
- D. Individual services can efficiently communicate with each other using REST APIs.

Answer: A,B,C (LEAVE A REPLY)

Explanation

- <https://www.heroku.com/tech-sessions/get-started-with-apache-kafka>

NEW QUESTION: 60

Universal Containers provides prompt service and has multiple service levels for different customers. Over

50% of Service Appointments are created on the same day they need to be completed. As a result, a Technician's daily schedule can change multiple times throughout the day.

What method of dispatching should a Consultant recommend implementing?

- A. Automatically Dispatch Service Appointments using Drip Feed.
- B. Automatically run Optimization Background Job every hour.
- C. Automatically change the status to Dispatched of all Service Appointments.
- D. Automatically schedule unscheduled services to available Resources.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 61

A client's Heroku application syncs data between a Heroku Postgres database and a Salesforce org using the Salesforce Bulk API. The client has determined the application currently uses 90% of the client's daily Salesforce Bulk API limit.

To overcome this issue, what feature, to replace the Bulk API implementation in this scenario, should an Architect recommend?

- A. Custom Apex callouts
- B. Heroku Connect
- C. Salesforce SOAP API
- D. Salesforce Connect

Answer: B (LEAVE A REPLY)

Explanation/Reference: <https://devcenter.heroku.com/articles/integrating-heroku-and-salesforce>

Valid Heroku-Architecture-Designer Dumps shared by TrainingQuiz.com for Helping Passing Heroku-Architecture-Designer Exam! TrainingQuiz.com now offer the **newest Heroku-Architecture-Designer exam dumps**, the TrainingQuiz.com Heroku-Architecture-Designer exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com Heroku-Architecture-Designer dumps with Test Engine here: <https://www.trainingquiz.com/Heroku-Architecture-Designer-practice-quiz.html> (185 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

Universal Containers needs to integrate three separate apps: a Salesforce app, an app developed to Heroku, and a custom-built app hosted on-premise. Each app needs to send and receive data from any of the other apps.

Which two integration options should an Architect recommend that can connect all three systems in a fire-and-forget pattern? Choose 2 answers.

- A. Publish and subscribe to Salesforce platform events
- B. Use Heroku External Objects as a data proxy
- C. Use Heroku Connect to synchronize all systems with Heroku Postgres
- D. Publish and subscribe to topics on Apache Kafka on Heroku

Answer: A,D (LEAVE A REPLY)

Explanation

-<https://devcenter.heroku.com/articles/dataclips>

NEW QUESTION: 63

An app uses a queue of worker dynos to perform complex image processing, but the worker dynos are occasionally running out of memory when performing the processing. All of their dynos are currently standard-1x dynos.

What should an Architect recommend in this scenario?

- A. Add additional worker dynos.

- B. Break up the image processing across multiple dynos.
- C. Move the app to a Private Space.
- D. Change the type of dynos to standard-2x.

Answer: (SHOW ANSWER)

Explanation/Reference: <https://devcenter.heroku.com/articles/scaling>

NEW QUESTION: 64

Universal Containers has a large volume of cancellations occurring on their Work Orders. The COO wants to manage Work Order cancellations and subsequent follow-ups. Which two options should a Consultant recommend? (Choose two.)

- A. Re-use the existing Work Order for the follow-up.
- B. Change the Work Order with a closed status of "Cancelled".
- C. Create a child Work Order for the follow-up Work Order.
- D. Change the Work Order with a status of "New".

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 65

A client has data in a production Heroku Postgres database, and needs to quickly get access to a subset of that data for reporting needs.

Which two features does Heroku Dataclips provide to enable this? (Choose two.)

- A. JSON export of query results, with CORS support
- B. CSV export of query results
- C. A simple REST API access to query results
- D. Postgres dump file of query results

Answer: (SHOW ANSWER)

Explanation/Reference: <https://www.heroku.com/podcasts/codeish/8-sharing-data-with-dataclips>

NEW QUESTION: 66

Universal Containers wants to measure their adherence to specific SLAs for all Work Orders. In which order should a Consultant implement the setup to achieve this requirement?

- A. Set Up Milestones. Create Entitlement records, Set Up Entitlements Process for Work Orders.
- B. Set Up Entitlements Process for Work Orders, Set Up Milestones, Create Entitlement records
- C. Create Entitlement records, Set Up Entitlements Process for Work Orders. Set Up Milestones
- D. Set Up Milestones. Set Up Entitlements Process for Work Orders, Create Entitlement records.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 67

Universal Containers has recently experienced a higher volume of traffic on their mobile app hosted on Heroku.

When Universal Containers was running 4 standard-2x dynos with 1 GB RAM each, they encountered multiple H12 ("request timeout") errors. The app never consumed more than 800 MB of RAM. They then switched to performance-m dynos, with 2.5 GB RAM, and set autoscaling to a maximum of 2 dynos. However, they still encountered H12 ("request timeout") errors.

What remediation should an Architect recommend to alleviate this problem?

- A. Move long-running tasks to worker dynos.
- B. Add a logging add-on from the Elements marketplace.
- C. Upgrade to performance-L dynos with 14 GB RAM.
- D. Replace autoscaling with a manual scaling option of 2.

Answer: A (LEAVE A REPLY)

Explanation/Reference: <http://storage.hinterland.nu/webdav/Documents/To%20Read/Heroku%20Cloud%20Application%20Development.pdf> (290)

NEW QUESTION: 68

Universal Containers utilizes two contractors, Contractor 1 and Contractor 2, to perform repair work.

Contractor 1 has provided service longer for Universal Containers and is considered to have more repair work expertise than Contractor 2.

How should a Consultant configure this expertise for Contractor 1 versus Contractor 2?

- A. Assign Contractor 1 and 2 different Skill Levels for repair Work Type.
- B. Assign Contractor 1 as a Preferred Resource.
- C. Assign Contractor 2 as an Excluded Resource.
- D. Assign Contractor 1 and 2 different capacities for repair work.

Answer: (SHOW ANSWER)

NEW QUESTION: 69

Which Heroku runtimes provide keystroke logging?

- A. The Common Runtime, Private Spaces, and Shield Private Spaces
- B. Private Spaces and Shield Private Spaces
- C. Shield Private Spaces only
- D. Keystroke logging is not available on Heroku

Answer: (SHOW ANSWER)

Explanation/Reference: <https://www.heroku.com/shield>
<https://elements.heroku.com/addons/heroku-private-spaces>

NEW QUESTION: 70

In the Dispatch Console, when viewing the Map, which three data elements can be presented to the Dispatcher? (Choose three.)

- A. Google Traffic Data
- B. Service Appointment Dependencies
- C. Resource's Home Base
- D. Service Appointments
- E. Resource's Travel Speed

Answer: A,C,D (LEAVE A REPLY)

Explanation/Reference:

NEW QUESTION: 71

Universal Containers is deploying Field Service Lightning in Europe, where pricing varies by country.

What Price Book structure is recommended?

- A. Utilize the standard Price Book with pricing rules applied.
- B. Utilize a custom Price Book with pricing rules applied.
- C. Utilize a custom Price Book specific to each country.
- D. Utilize a standard Price Book specific to each country.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 72

Universal Containers wants to limit the total cost of their Heroku usage while they're getting started on the platform. To accomplish this, they are considering replacing certain add-ons with comparable open-source components, but the development team doesn't want to lose access to certain features that the add-ons provide.

Which option should an Architect recommend for reducing add-on costs without affecting feature availability?

- A. Remove aliases for high-cost add-ons.
- B. Share a single instance of a compatible paid add-on across multiple applications.
- C. Remove data store add-ons from the staging and development versions of the applications.
- D. Migrate add-ons to free plans.

Answer: (SHOW ANSWER)

Explanation

<https://devcenter.heroku.com/articles/heroku-connect-faq#can-j-use-sharing-rules-to-restrict-record-visibility>

NEW QUESTION: 73

A customer would like to analyze data stored in a single, large, high-traffic Heroku Postgres database using a reporting tool that runs long-running, expensive read queries. What reporting architecture should be recommended?

A client wants to create a Heroku web application that needs to provide a low-latency experience for its users, who are based primarily in Japan. Many common user actions will result in synchronous writes to the application's Heroku Postgres database. The application does not have advanced compliance requirements.

Which should an Architect recommend?

- A. Deploy the application to a Shield Private Space In the Tokyo region
- B. Deploy the application to the Common Runtime in the Tokyo region
- C. Deploy the application to a Private Space in the Tokyo region
- D. Deploy the application to the Common Runtime in the U.S region and use a CDN to accelerate content delivery

Answer: C (LEAVE A REPLY)

Explanation

-<https://devcenter.heroku.com/articles/dataclips>

NEW QUESTION: 74

Universal Containers provides multiple service types (i.e., Installation, Maintenance, Break/Fix, etc.) Each service requires a variety of skills and certifications in order for a resource to excel. Which two configurations should a Consultant implement to meet this requirement? (Choose two)

- A. Assign the appropriate Skills to Resources
- B. Create Multiple Work Orders Line Items per service.
- C. Select the relevant Work Types for each Resource
- D. Use Work Types with Required Skills

Answer: (SHOW ANSWER)

NEW QUESTION: 75

Get Cloudy Consulting needs to migrate a large volume of Contact data into Salesforce.com. This data migration will consist of the following:

- * 95,000 existing contact records.
- * 195,000 new contacts to be loaded.
- * A Contact object, which has an external ID field that is unique and must be populated for all existing records.

Get Cloudy Consulting wants to reduce data load processing time.

What should an Architect recommend?

- A. Load Contact records together using the Streaming API via the Upsert operation.
- B. First, delete all existing records, and then load all records together via the Insert operation.
- C. Determine new records versus existing records with an Upsert operation.

D. Load new records via the Insert operation and existing records via the Update operation.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 76

Heroku add-ons are cool because they:

- A. Give you the ability to add complex functionality to your application without having to manage the underlying software or infrastructure.
- B. Can be provisioned easily from the Heroku Enterprise Flea Market system.
- C. Accessorize your dynos with over-clocked CPU power and faster I/O speeds
- D. Cost nothing - billing is easy because they're always provided at no additional cost with every Heroku Enterprise account.

Answer: ([SHOW ANSWER](#))

Valid Heroku-Architecture-Designer Dumps shared by TrainingQuiz.com for Helping Passing Heroku-Architecture-Designer Exam! TrainingQuiz.com now offer the **newest Heroku-Architecture-Designer exam dumps**, the TrainingQuiz.com Heroku-Architecture-Designer exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com Heroku-Architecture-Designer dumps with Test Engine here: <https://www.trainingquiz.com/Heroku-Architecture-Designer-practice-quiz.html> (185 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 77

Universal Containers provides multiple service types (i.e., Installation, Maintenance, Break/Fix, etc.). Each service requires a variety of skills and certifications in order for a resource to excel.

Which two configurations should a Consultant implement to meet this requirement?

(Choose two.)

- A. Assign the appropriate Skills to Resources.
- B. Select the relevant Work Types for each Resource.
- C. Create Multiple Work Orders Line Items per service.
- D. Use Work Types with Required Skills.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 78

The head of sales at Get Cloudy Consulting wants to understand key relevant performance figures and help managers take corrective actions where appropriate.

What is one reporting option Get Cloudy Consulting should consider?

- A. Sales KPI Dashboard

- B. Opportunity analytic snapshot
- C. Case SLA performance report
- D. Lead conversion rate report

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 79

A customer's IT department will not allow VPN access through their on-premise gateway. Users need to be able to access trusted Heroku applications only when they are in the office. These applications are deployed to a Heroku Private Space.

Which two Private Spaces features should an Architect recommend to enable on-premise users to gain the access they need? (Choose two.)

- A. Stable outbound IP addresses
- B. VPC peering
- C. Internal routing
- D. Trusted IP ranges

Answer: A,D ([LEAVE A REPLY](#))

Explanation/Reference: <https://devcenter.heroku.com/articles/private-spaces>

NEW QUESTION: 80

Universal Containers has an initiative to increase customer satisfaction by committing preferred resources to accounts and providing prompt service Which two Scheduling Policies would assist to meet this initiative? (Choose two)

- A. High Intensity
- B. Customer First
- C. Soft Boundaries
- D. Emergency Policy

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 81

Universal Containers wants to set up communication between multiple public-facing Heroku web applications hosted on the Common Runtime. Which solution should an Architect recommend?

- A. Move the application to a Private Space, and enable Internal Routing for them
- B. Bind all of the Heroku applications to the same port
- C. Configure a worker process type for each application that listens for incoming remote procedure calls.
- D. Send requests to each application's URL using HTTP/HTTPS.

Answer: A ([LEAVE A REPLY](#))

Explanation

- <https://www.heroku.com/tech-sessions/get-started-with-apache-kafka>

NEW QUESTION: 82

A Field Technician from Universal Containers arrived onsite for an appointment, and unfortunately the customer was not present UC wants to ensure they can track these customer no-show events for future process improvement What process should a Consultant recommend to handle this situation?

- A.** Set the existing Service Appointment status to Cannot Complete; Create a new Service Appointment against the same Work Order for the follow-up trip.
- B.** Set the existing Service Appointment status to Complete; Create a new Work Order and Service Appointment for the follow-up trip.
- C.** Set the existing Service Appointment status to In Progress; Create a new Work Order and Service Appointment for the follow-up trip.
- D.** Set the existing Service Appointment status to Cannot Complete: Create a new Work Order Line Item for the follow-up trip

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 83

A company is introducing a new data quality process and needs an Architect to recommend an appropriate approach. The new process will monitor the data that users are manually entering into the system through the Salesforce UI.

Which recommendation is correct?

- A.** Validate the format of phone numbers and postal codes by using Apex.
- B.** Use a 3rd-party solution from the AppExchange for data uploads.
- C.** Enable users to import their data using the Salesforce Import tools.
- D.** Create data-quality dashboards by using an app from the AppExchange.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 84

Universal Export wants to build an app that serves company data. The data has no strong compliance requirements, and the app should only be reachable from trusted IP addresses. Which solution should an Architect recommend?

- A.** Deploy the app in a Shield Private Space with a Shield-tier Heroku Postgres database
- B.** Deploy the app in the Common Runtime with a Standard-tier Heroku Postgres database
- C.** Deploy the app in a Private Space with a Private-tier Heroku Postgres database.
- D.** Deploy the app in the Common Runtime with a Premium-tier Heroku Postgres database.

Answer: C ([LEAVE A REPLY](#))

Explanation

- <https://devcenter.heroku.com/articles/heroku-connect-faq#can-i-use-sharing-rules-to-restrict-record-visibility>

NEW QUESTION: 85

Technicians earn certifications that must be renewed periodically to ensure their skills remain up-to-date. How can these certifications be managed on the Resource?

- A. Add the Resource Skill and track certification using reminder.
- B. Add the Resource Skill and create Absence once expired
- C. Add the Resource Skill and remove from the Service Territory once expired
- D. Add the Resource Skill and set the End Date.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

Heroku Connect data replication happens:

- A. Instantly in both directions
- B. Near real time for writes to Salesforce. and either on a polling window or near real time for writes to Heroku Postgres (depending on the user configuration)
- C. Near real time for writes to Salesforce. and on a 30-second polling window for writes to Heroku Postgres
- D. Near real time in both directions

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 87

Universal Containers is receiving increased complaints about incomplete Work Orders. What option should a Consultant recommend to improve this situation?

- A. Implement Signature Capture.
- B. Change the Scheduling Rules.
- C. Send an email CSAT survey.
- D. Decrease Resource Rank Score.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 88

A healthcare client is creating a web portal for their customers on Heroku, which is sourced from a Salesforce instance. Some of the Salesforce data they wish to display falls under HIPAA compliance, and their auditors have determined this data must be stored encrypted-at-rest. To satisfy this requirement, they have enabled Platform Encryption on Salesforce.

They are investigating Heroku Shield Private Spaces, Shield Dynos, Shield Postgres, and Shield Heroku Connect.

How will Shield Heroku Connect interact with the encrypted fields in Salesforce?

- A. Shield Heroku Connect will be able to access only cypher text in the fields from Salesforce. They will need to import the encryption key from Salesforce to decrypt to store in Shield Postgres.

B. Shield Heroku Connect will be able to synchronize data from fields in Salesforce without additional customization, but any writes will need to be encrypted using the Salesforce encryption key first before being written.

C. Shield Heroku Connect requires customization on the Salesforce side to decrypt the data before transmitting to Heroku.

D. Shield Heroku Connect will be able to synchronize data bidirectionally without additional customization.

Answer: (SHOW ANSWER)

Explanation

- <https://devcenter.heroku.com/articles/heroku-connect-database-tables#encrypted-strngs>

NEW QUESTION: 89

Universal Containers has recently experienced a higher volume of traffic on their mobile app hosted on Heroku. When Universal Containers was running 4 standard-2x dynos with 1 GB RAM each, they encountered multiple H12 ("request timeout") errors. The app never consumed more than 800 MB of RAM.

They then switched to performance-m dynos, with 2.5 GB RAM, and set autoscaling to a maximum of 2 dynos. However, they still encountered H12 ("request timeout") errors.

What remediation should an Architect recommend to alleviate this problem?

A. Upgrade to performance-L dynos with 14 GB RAM.

B. Add a logging add-on from the Elements marketplace.

C. Move long-running tasks to worker dynos.

D. Replace autoscaling with a manual scaling option of 2.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 90

A customer wants to sync data between their Salesforce org and Heroku Postgres.

Which two limitations should an Architect remember when recommending Heroku Connect? (Choose two.)

A. Heroku Connect can only access fields and objects that its associated Salesforce integration user can access.

B. Heroku Connect does not support all Salesforce objects and fields.

C. Heroku Connect does not provide an API.

D. Heroku Connect cannot sync custom objects.

Answer: (SHOW ANSWER)

Explanation/Reference: <https://devcenter.heroku.com/articles/heroku-connect#provisioning-the-add-on>

NEW QUESTION: 91

4Universal Containers wants to help their dispatches determine the length of time a Work Order should last What should the Consultant implement to help achieve this goal?

- A. Operating Hours for Customer Accounts.
- B. Work Orders with Operating Hours
- C. Work Types with an Estimated Duration.
- D. Work Types with Service Level Agreement.

Answer: A,D (LEAVE A REPLY)

Valid Heroku-Architecture-Designer Dumps shared by TrainingQuiz.com for Helping Passing Heroku-Architecture-Designer Exam! TrainingQuiz.com now offer the **newest Heroku-Architecture-Designer exam dumps**, the TrainingQuiz.com Heroku-Architecture-Designer exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com Heroku-Architecture-Designer dumps with Test Engine here: <https://www.trainingquiz.com/Heroku-Architecture-Designer-practice-quiz.html> (185 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 92

Which Is an effect of "locking" an application that belongs to a Heroku Enterprise Team?

- A. The application cannot be deployed until is unlocked.
- B. Members of the Enterprise Team cannot be granted new permissions for the application until it's unlocked.
- C. Members of the Enterprise Team who are not administrators have their permissions for the application revoked.
- D. New members of the Enterprise Team are granted no automatic permissions for the application.

Answer: (SHOW ANSWER)

NEW QUESTION: 93

A client has a data Ina SAP data store. The client uses Heroku External Objects to expose Heroku Postgres tables in their Salesforce org. They want to perform custom transformations on the SAP data and then expose the transformed data in their Salesforce org. Which solution should an Architect recommend?

- A. Use Salesforce Connect to perform any necessary transformations on Vie SAP data and sync the transformed data to the Salesforce org.
- B. Use Heroku Connect to sync the SAP data to Heroku Postgres and then perform any necessary transformations Ensure the transformes data is in a table that is exposed in the Salesforce org.
- C. Use an ETL tool to sync the SAP data to Heroku and then perform any necessary transformations.

Ensure the transformes data is in a table that is exposed in the Salesforce org.

D. Perform in-place transformations on the data in SAP and then use Heroku Connect to sync the SAP data to Heroku Postgres. Ensure the transformed data is in a table that is exposed in the Salesforce org.

Answer: C (LEAVE A REPLY)

Explanation

- <https://www.heroku.com/tech-sessions/get-started-wlth-apache-kafka>

NEW QUESTION: 94

A client provisions a Heroku Postgres database in the EU region.

Which two services related to Heroku Postgres are located in the U.S.? (Choose two.)

- A.** Fork and follower databases
- B.** Heroku Postgres Continuous Protection backups
- C.** Snapshots created with Heroku PGBackups
- D.** Heroku Dataclips

Answer: (SHOW ANSWER)

Explanation

- <https://devcenter.heroku.com/articles/heroku-postgresql>

NEW QUESTION: 95

DreamHouse Realty has a Salesforce deployment that manages Sales, Support, and Marketing efforts in a multi-system ERP environment. The company recently reached the limits of native reports and dashboards and needs options for providing more analytical insights.

What are two approaches an Architect should recommend? (Choose two.)

- A.** AppExchange Apps
- B.** Weekly Snapshots
- C.** Einstein Analytics
- D.** Setup Audit Trails

Answer: (SHOW ANSWER)

NEW QUESTION: 96

Universal Containers has an application running in the Common Runtime that uses Heroku Redis. The data in Heroku Redis needs to be accessed by a third-party application.

Which connection method should an Architect recommend to ensure the security of the data as it moves from Heroku Redis to the third-party application?

- A.** Use stunnel to secure the connection between Heroku Redis and the third-party application.
- B.** Set up SSL Certificates on Heroku and the third-party application.
- C.** Only allow access to Heroku Redis through an SSH connection.
- D.** Set up both a VPN and a VPC between Heroku and the third-party application.

Answer: C (LEAVE A REPLY)

Explanation

- <https://devcenter.heroku.com/articles/securing-heroku-redis>

NEW QUESTION: 97

A Field Service Technician wants to view a list of parts consumed during a given time period. The Technician will then use the data to replenish inventory on the truck. Which three steps should a Consultant recommend to track the number of parts consumed? (Choose three.)

- A. Build a report using the Work Order inventory module.
- B. Build a report to view Inventory Transactions.
- C. Build a report to view Products Consumed on Work Orders.
- D. Build a report to view Products Consumed on Work Order Line Items.
- E. Build a report using the Service Appointment Inventory module.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 98

Which two conventions of the Heroku platform reflect the Twelve-Factor methodology's recommendation to

"execute the app as one or more stateless processes?" (Choose two.)

- A. A Heroku app's config vars are deleted on deploys and app restarts.
- B. Heroku apps define process types in a Procfile.
- C. Log messages from each of an app's dynos are kept separate from each other.
- D. Dynos have an ephemeral filesystem.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 99

What set of configurations make up Scheduling Policies and let companies adhere to their business constraints and preferences?

- A. Service Objectives and WonX Rules
- B. Service Levels and Work Rules
- C. Service Contracts and Service Levels
- D. Service Objectives and Work Types

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 100

A client currently runs a Ruby script in a one-off dyno each time they deploy their Go application to Heroku.

The development team wants the script to be executed before the application is deployed because it performs necessary database migrations. Which approach should an Architect recommend?

- A. Modify the Go buildpack to install Ruby, and run the script from the `_profile`

- B.** Convert the Ruby release script to Go and execute it on application startup
- C.** Use both Go and Ruby language buildpacks, and run the Ruby script with release phase
- D.** Define different process types for the Ruby script and the Go application in the app's Profile.

Answer: C (LEAVE A REPLY)

Explanation

- There are many scenarios in which a single buildpack is not sufficient when building an application. This includes cases when you need to: Run a buildpack for each language your app uses For example, run a JavaScript buildpack for assets and a Ruby buildpack for your application Run a daemon process such as pgbouncer with your application. Pull in system dependencies with apt. You can check the following for more information: <https://devcenter.heroku.com/articles/using-multiple-buildpacks-for-an-app>

NEW QUESTION: 101

A client wants to deconstruct a monolithic app into a collection of smaller apps which should be able to send HTTP requests to each other. The smaller apps should not be publicly accessible on the internet. Which Heroku Enterprise features should an Architect recommend to enable this architecture?

- A.** Heroku and Apache Kafka on Heroku
- B.** Heroku Connect and Internal Routing
- C.** Heroku Private Spaces and Heroku Connect
- D.** Heroku Private Spaces and Internal Routing

Answer: D (LEAVE A REPLY)

Explanation

-<https://www.heroku.com/tech-sessions/get-started-wtth-apache-kafka>

NEW QUESTION: 102

A Universal Containers' (UC) Technician is completing a service appointment, but is unable to finish one of the tasks defined on the Work Order Line Items because of insufficient inventory.

Assuming UC is using the standard Work Order and Line Item status picklist values, how should the work be recorded?

- A.** Mark all completed Work Order Line Items as "Completed". Mark the incomplete Work Order Line Item as "Cannot Complete", and enter details in the Description field. Mark the parent Work Order as "Cancelled."
- B.** Mark all completed Work Order Line Items as "Completed". Mark the incomplete Work Order Line Item as "Cannot Complete" and enter details in the Description field. Mark the parent Work Order as "Closed".

C. Mark all Work Order Line Items as "Cannot Complete," including the incomplete Work Order Line Item; mark the parent Work Order as "In Progress".

D. Mark all completed Work Order Line Items as "Completed". Mark the incomplete Work Order Line Item as

"Cannot Complete" and enter details in the Description field. Mark the parent Work Order as "Cannot Complete".

Answer: ([SHOW ANSWER](#))

Valid Heroku-Architecture-Designer Dumps shared by TrainingQuiz.com for Helping Passing Heroku-Architecture-Designer Exam! TrainingQuiz.com now offer the **newest Heroku-Architecture-Designer exam dumps**, the TrainingQuiz.com Heroku-Architecture-Designer exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com Heroku-Architecture-Designer dumps with Test Engine here: <https://www.trainingquiz.com/Heroku-Architecture-Designer-practice-quiz.html> (185 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)