

Salesforce.Tableau-CRM-Einstein-Discovery-Consultant.v2022-04-18.q74

Exam Code:	Tableau-CRM-Einstein-Discovery-Consultant
Exam Name:	Salesforce Tableau CRM Einstein Discovery Consultant
Certification Provider:	Salesforce
Free Question Number:	74
Version:	v2022-04-18
# of views:	1967
# of Questions views:	740
https://www.dumpsdb.com/dumps/Salesforce/Tableau-CRM-Einstein-Discovery-Consultant/Salesforce.Tableau-CRM-Einstein-Discovery-Consultant.v2022-04-18.q74	

NEW QUESTION: 1

How many external files can be uploaded to Einstein Analytics on rolling 24 hour basis?

- A. 100 files per dataset
- B. 500 files per dataset
- C. 300 files per dataset
- D. 50 files Per dataset

Answer: D (LEAVE A REPLY)

NEW QUESTION: 2

Universal Containers has a dashboard for Sales Managers. They need the ability to visualize the number of Closed Won opportunities by month, quarter, or year, and then display the result in a single chart. An Einstein Consultant created a static step to display three values:

ClosedDate_month, ClosedDate_quarter, and ClosedDate_year.

What should the consultant do next?

- A. Use nested binding to update the grouping in the chart.
- B. Use selection binding to update the grouping in the chart.
- C. Use result binding to update the measure in the chart.
- D. Use selection binding to update the measure in the chart.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 3

What are the 3 basic actions within a query in Analytics? Choose 3:

- A. Count rows by measure you want to visualize.
- B. Filter to narrow down your results.

- C. Display the results graphically
- D. Aggregate by a measure
- E. Grouping by a dimension

Answer: B,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 4

What permissions are necessary for someone to edit the XMD?

- A. Edit Analytics Dataflows
- B. Upload External Data to Analytics
- C. Manage Analytics Templated Apps
- D. Edit Dataset Recipes

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 5

The Event Monitoring Analytics app brings prebuilt insights and analytics to what type of existing data in your org?

- A. Sales Cloud data Login
- B. Field audit trail data
- C. Forensics data
- D. Event log file data

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 6

A client has a dataset comprised of Opportunity data and Opportunity Line level data. The client wants to use this dataset with Einstein Discovery to understand the Opportunity win rate.

What must be done to the dataset to achieve this goal?

- A. Filter to only look at isWon = True records to avoid skewing the results.
- B. Click Create Story and Einstein will take care of the rest.
- C. Select the isWon = True outcome variable and generate the story.
- D. Change the grain by removing the line level detail as it will skew the win rate.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 7

Philip adds a recently created Seed Bank Orders dataset to an Einstein Analytics app for which the Mosaic Seed Bank project team has the Viewer app role. How much data in the Seed Bank Orders dataset can a project team member see?

- A. Only rows designated by the Salesforce administrator
- B. Only rows designated by the App Manager
- C. None of the data
- D. All rows and fields in the datasets

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

Which three statements are true regarding sharing inheritance? Choose 3 answers

- A. If a user can see more than 3,000 records on the object in Salesforce, but the user does not have the "View All Data" permission, sharing inheritance is not used. The backup security predicate takes effect. This limitation does not apply to the Opportunity object.
- B. Sharing inheritance supports Account, Campaign, Case, Contact, Opportunity, Lead, Order, User, and custom objects. If you use other objects, such as Idea or Site, you must use security predicates for those objects.
- C. A dataset using sharing must also have a security predicate defined.
- D. Sharing inheritance supports a foreign key for enforcing security.
- E. When sharing inheritance is enabled, security predicates are ignored.

Answer: ([SHOW ANSWER](#))

Reference:

https://help.salesforce.com/articleView?id=bi_security_datasets_sharing_about.htm&type=5

NEW QUESTION: 9

What are the two types of bindings? Choose 2:

- A. Data bindings
- B. Description bindings
- C. Results binding
- D. Selections bindings

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 10

What do Analytics apps do?

- A. Let you create configuration wizards to make Analytics setup easier
- B. Use ready-made dashboards to tell easy-to-follow stories about your data
- C. Let you add new types of charts to Salesforce
- D. Alert you when you need a visa for an upcoming trip

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 11

Where can you view the status of a CSV upload in Analytics?

- A. The Create Dataset page
- B. The data manager
- C. The Analytics home page
- D. The Setup menu

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 12

Which of the following are included in the template object?

- A. app.json
- B. A,B and C
- C. A,C

D. variables.json

E. ui.json

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 13

In the Insights list, insights are ranked in what order?

A. Alphabetical

B. There is no order

C. Time

D. Statistical significance

E. Geospatial

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 14

Salesforce Analytics is...

A. An application built on top of Salesforce

B. A CRM alternative to Salesforce

C. An online repository of infographics

D. A tool for analyzing surf reports and forecasts

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 15

Why are insights in the Unrelated category important?

A. They aren't important. Hence the name, Unrelated.

B. They explain everything about the outcome.

C. The outcome might not have much to do with related variables. It might have more to do with global effects.

D. They explain how interaction terms affect the outcome.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 16

Why would you use a merge key in a dataset recipe?

A. To join related data from different sources

B. To find out what the merge icons represent in a dataset

C. To schedule when a dataset recipe runs

D. To deal with duplicate records

Answer: A ([LEAVE A REPLY](#))

TrainingQuiz.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here:

<https://www.trainingquiz.com/Tableau-CRM-Einstein-Discovery-Consultant-practice-quiz.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 17

Creating an Einstein Discovery story involves:

- A. Uploading a Microsoft PowerPoint presentation
- B. Entering notes about the data
- C. Copying text from company reports and pasting into Einstein Discovery
- D. Selecting a Dataset in Einstein Analytics, then clicking Create Story

Answer: D (LEAVE A REPLY)

NEW QUESTION: 18

An Einstein Analytics team reports that when they start their dataflow it runs successfully with no errors or warnings, but one of the fields does not return values when it is queried.

What can be the origin of this issue?

- A. The "Security User Profile" does not have access to the field.
- B. The user who runs the dataflow does not have access to the field.
- C. The "Integration User Profile" does not have access to the field.
- D. The field does not contain any data in Salesforce.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 19

An Einstein Discovery team created a model to maximize the margin of their sales opportunities. They want to deploy the model to the Opportunity object in order to predict the outcome of every newly created or updated Opportunity.

What are the steps to accomplish this?

- A. Create a trigger on Opportunity and use the Salesforce External Connector to get predictions from Einstein Discovery.
- B. Create an Apex batch on Opportunity and use the REST API to get predictions from Einstein Discovery.
- C. Create a trigger on Opportunity and install the Einstein Discovery Writeback managed package from the AppExchange.
- D. Create a trigger on Opportunity and use the REST API to get predictions from Einstein Discovery.

Answer: C (LEAVE A REPLY)

Reference:

https://help.salesforce.com/articleView?id=bi_edd_wb_native.htm&type=5

NEW QUESTION: 20

A dataset is ready for analysis in Einstein Discovery.

What is the first step a consultant should take after the data is loaded?

- A. Identify data types and define the appropriate data as numeric.
- B. Load the data into Einstein Analytics
- C. Produce a graph of the data to analyze.

D. Analyze data columns and decide which, if any, to drop.

Answer: A (LEAVE A REPLY)

NEW QUESTION: 21

Using the Setup menu, the Universal Containers company activated data sync (replication) in the Einstein Analytics settings. After running the sync, they notice that the aggregate sum of a field within their dataset is different than what they manually calculated by summing the same data in the Salesforce object from which the dataset was populated.

Which two differences in the newly synced data can explain this? Choose 2 answers

- A. Differences involving permanently deleted records
- B. Differences involving workflow-updated fields
- C. Differences involving formula fields
- D. Differences involving trigger-updated fields

Answer: A,C (LEAVE A REPLY)

Reference:

<https://help.salesforce.com/articleView?id=000314272&type=1&mode=1>

NEW QUESTION: 22

What is a valid permission for a permission set?

- A. Access Sales Cloud Analytics Templates and Apps
- B. Sales Analytics Apps
- C. Enable Parental Control
- D. Always Sign Me Up for Dreamforce

Answer: A (LEAVE A REPLY)

NEW QUESTION: 23

The client is trying to create a SAQL step to predict sales in each sales region. They cannot get the query to return any results, but have identified that the error is in the time series statement. They have asked an Einstein Consultant to review the following query and fix any errors.

```
q = load "sales";
q = group q by ('Date_Year', 'Date_Month', 'Region');
q = foreach q generate 'Date_Year', 'Date_Month', 'Region', sum('Sales') as 'sum_Sales';
q = timeseries q generate 'sum_Sales' as 'Forecasted_Sales' with (dateCols=('Date_Year', 'Date_Month', "Y-M"), partition='Region');
q = foreach q generate 'Date_Year' + "~~~" + 'Date_Month' as 'Date_Year~~~Date_Month', 'Region', coalesce('sum_Sales',
'Forecasted_Sales') as 'Sales';
q = order q by ('Date_Year~~~Date_Month' asc, 'type' asc);
q = limit q 2000;
```

Which timeseries statement will fix the query'

- A. q = timeseries q generate 'sum_Sales' as Forecasted_Sales' with (dateCols=('Date_Year, Date_Quarter', "Y-Q"), partition=Region', ignoreLast=true);
- B. q = timeseries q generate 'sum_Sales' as Torecasted_Sales' with (dateCols=('Date_Year', Date_Quarter', "Y-Q"), partition='Region', seasonality=4);
- C. q = timeseries q generate 'sum_Sales' as Torecasted_Sales' with (dateCols=('Date_Year', Date_Quarter', "Y-Q"), partition='Region');
- D. q = timeseries q generate 'sum_Sales' as Forecasted_Sales' with (length = 12, dateCols=('Date_Year', 'Date_Month'. "Y-M"), partition='Region');

Answer: (SHOW ANSWER)

NEW QUESTION: 24

A consultant is asked to configure a user to view a dashboard, within a designated app, without the ability to create and save lenses. After adding the user to the app, which action should the consultant take to implement this requirement?

- A. Ensure the user has the Use Analytics permission.
- B. Assign the Viewer role to the user.
- C. Assign the Editor role to the user.
- D. Assign the Manager role to the user.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 25

As part of their analysis, Yasmine, Tonya, and Hadiqa need to create and save lenses to their project app. What is the minimum app role they need to do this?

- A. Manager
- B. Viewer
- C. Editor
- D. Designer

Answer: (SHOW ANSWER)

Reference:

Save changes to existing dashboards, lenses, and datasets in the app (saving dashboards requires the appropriate permission set license and permission) available in Editor and Manager*##**##*

NEW QUESTION: 26

The Universal Containers company uses Einstein Analytics to build dashboards for different departments: Sales, Service, and Marketing. Users for the same department have the same role and need to have access to the same dashboards. Dashboards for different departments use some common datasets with the same row-level security.

How can an Einstein Consultant address this need?

- A. Create one application for each department, put common datasets in the shared app, and use profiles to share applications.
- B. Create one application for each department, put common datasets in the shared app, and use permission sets to share applications.
- C. Create one application for each department, put common datasets in the shared app, and use roles to share applications.
- D. Create one application for each department and use roles to share applications.

Answer: (SHOW ANSWER)

NEW QUESTION: 27

Which three things can be done with the Einstein Analytics Dashboard Inspector? Choose 3 answers

- A. Get a list of recommendations on how to improve the performance of the dashboard.
- B. View the total time required to run all queries.
- C. Automatically remove bottlenecks to make queries run faster.
- D. View all queries and the time it took to run each one.
- E. See the final query for each step along with query results.

Answer: (SHOW ANSWER)

NEW QUESTION: 28

How many stories can you create in Analytics Plus?

- A. 1,000, but more can be purchased
- B. 500, but more can be purchased
- C. 5,000
- D. 75, but more can be purchased

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 29

Can you share dashboards with others in your org?

- A. Click on the "Share" icon on the dashboard. From there, you can set up sharing options, post a dashboard screenshot to Chatter, get a URL to share, or download a screenshot.
- B. No, you can't share dashboards.
- C. Click on the "Share" icon on the dataset.
- D. Click on the "Share" icon on the lens. From there, you can set up sharing options, post a dashboard screenshot to Chatter, get a URL to share, or download a screenshot

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 30

Why would you use the Actions menu in a chart?

- A. To post to Chatter
- B. To rearrange widgets in dashboards
- C. To create workout plan for you and your team
- D. To expand the time period shown in a dashboard

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

What are two core design principles to consider when building Analytics apps or dashboards? Choose 2 answers

- A. Emphasis: make sure they have space for important information, such as headlines and key charts.
- B. Clarity: make sure they are uncluttered and easy to interpret.
- C. Consistency: make sure they have a sense of familiarity to strengthen your users' ease of use.
- D. Balance: make sure they have a balance of different charts to get a more interesting design.

Answer: B,C ([LEAVE A REPLY](#))

Reference:

<https://trailhead.salesforce.com/en/content/learn/modules/analytics-app-design/principles-good-design>

TrainingQuiz.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here:

<https://www.trainingquiz.com/Tableau-CRM-Einstein-Discovery-Consultant-practice-quiz.html> (244 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

What can you change in a Compare Table formula column?

- A. The formula and the name
- B. The grouping
- C. The filters
- D. The measure

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 33

What is another name for the type of insight that examines how one variable explains variation of the outcome variable?

- A. Spectrum analysis
- B. Object-oriented analysis
- C. First-order analysis
- D. Second-order analysis
- E. Third-order analysis

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 34

What is a keyword in SAQL? And what case must it be in?

- A. A keyword is basically just a function in SAQL, like group, foreach, etc. And it has to be lowercase.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 35

Which set of statements generates monthly amount on a cumulative basis annually?

A)

```
result = load "opportunity1";
result = group result by ('CloseDate_Year','CloseDate_Month');
result = foreach result generate 'CloseDate_Year','CloseDate_Month', sum(sum(Amount)) over ([..0] partition by all order by ('CloseDate_Year','CloseDate_Month')) as 'Cumulative Closed Amount';
```

B)

```
result = load "opportunity1";
result = group result by ('CloseDate_Year~~~CloseDate_Month');
result = foreach result generate 'CloseDate_Year','CloseDate_Month', sum(sum(Amount)) over ([..0] partition by 'CloseDate_Year' order by ('CloseDate_Year','CloseDate_Month')) as 'Cumulative Closed Amount';
```

C)

```
result = load "opportunity1";
result = group result by ('CloseDate_Year','CloseDate_Month');
result = foreach result generate 'CloseDate_Year','CloseDate_Month', sum(sum(Amount)) over ([..] partition by 'CloseDate_Year' order by ('CloseDate_Year','CloseDate_Month')) as 'Cumulative Closed Amount';
```

D)

```
result = load "opportunity1";  
result = group result by ('CloseDate_Year','CloseDate_Month');  
result = foreach result generate 'CloseDate_Year','CloseDate_Month', sum(sum(Amount)) over ([..0] partition by 'CloseDate_Year'  
order by ('CloseDate_Year','CloseDate_Month')) as 'Cumulative Closed Amount';
```

- A. Option A
- B. Option D
- C. Option B
- D. Option C

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 36

A client has a dashboard for Sales Managers. They want to have a list filter that shows the name of the month. However, based on the "CloseDate_Month" field, the list filter shows numbers instead of names.

How can an Einstein Consultant use the Dataflow nodes to generate the name of month as a new dimension in the dataset?

- A. flatten
- B. append
- C. compute Expression
- D. compute Relative

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 37

A customer wants to change the default blue color on a bar chart. What is the easiest way to change blue to another color?

- A. Use conditional formatting under the bar chart widget properties by selecting the dimension.
- B. Create a compare table formula to specify a hidden metric for coloring purposes.
- C. Use conditional formatting under the bar chart widget properties by selecting the measure.
- D. Use bindings to specify a color per bar.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 38

An Einstein Consultant receives a new project from a client that wants to implement Einstein Analytics. They do not currently have Einstein Analytics, but want guidance around how to ensure that their users have correct access.

They have 1000 users with a small team of three people who will build datasets and dashboards. An additional 15 people should be able to create dashboards. The remaining users should only be able to view dashboards.

Which recommendation should the consultant give the client?

- A. Create and assign Salesforce permission sets according to the three types of roles defined.
- B. Create and assign three new Salesforce profiles according to the three types of roles defined.
- C. Assign the app permissions "viewer/" "editor," and "manager" to the three types of roles defined.
- D. Assign "Einstein Analytics Explorer" licenses to users that should only view the dashboard, and assign "Einstein Analytics Developer" licenses to users that should be able to create datasets and dashboards.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

Is there a need for a separate Permission Set Licence for an Analytics app?

- A. Yes
- B. No

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 40

In a Compare Table formula, you can refer to other columns with:

- A. Letters (A..Z)
- B. All of the above
- C. Numbers (1..9)
- D. Their names

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 41

Which of these standard deviations is for a curve that has values that are the most spread out away from the average?

- A. 8
- B. 16
- C. 4
- D. 1

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 42

When Analytics runs a dataflow that accesses Salesforce objects, which user does it use?

- A. The Integration User
- B. The current user
- C. The system administrator
- D. The record owner

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 43

Which chart type is best suited to track progress of sales revenue that is realized versus the target?

- A. Pie chart
- B. Flat gauge
- C. Bar chart
- D. Pivot table

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 44

What are two main steps for creating a dataset?

- A. Extract and prepare

- B. Build and explore
- C. Plan and map
- D. Run and monitor

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 45

An Einstein Analytics team wants to create a dashboard using two standard Salesforce objects. The dashboard should display data from the Case object, along with related data from the Account object. Which two processes can achieve this?

- A. Extract data from the case and account objects using "sfcdcDigest" transformation, Q use "append" transformation to add case data with account data, store as a dataset, and then build a dashboard using the generated dataset
- B. Extract data from the case and account objects using "dataloader", create a CSV file Q with account and case data, and then upload the CSV as a dataset to Einstein Analytics. Build a dashboard using that dataset
- C. Extract data from the case and account objects using an ETL tool, use the ETL tool to y/ Q join account and case data, and then upload the data to Einstein Analytics. Build a dashboard using the ETL generated dataset
- D. Extract data from the case and account objects using "sfcdcDigest" transformation, y/ Q use "augment" transformation to add case data with account data, store as a dataset, and then build a dashboard using the generated dataset

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 46

In what order does Einstein Discovery present the insights that it uncovers?

- A. B and D
- B. Alphabetical, in ascending order
- C. Alphabetical, in descending order
- D. Insights that explain the most variation in the outcome variable, in ascending order
- E. Insights that explain the most variation in the outcome variable, in descending order

Answer: E ([LEAVE A REPLY](#))

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by TrainingQuiz.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! TrainingQuiz.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the TrainingQuiz.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here:

<https://www.trainingquiz.com/Tableau-CRM-Einstein-Discovery-Consultant-practice-quiz.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 47

An Einstein Analytics consultant is notified of a performance issue with data sync (replication). The consultant researches the issue and determines that unnecessary data is being synced.

Which solution should the consultant implement to help improve data sync (replication) performance?

- A. Update the existing data sync (replication) process by removing unused fields with a filter to extract relevant data.

- B. Scale down the number of datasets to help improve data sync (replication) performance.
- C. Modify dataflows to exclude unused fields and include a filter to extract relevant data.
- D. Start over again with new dataflows that exclude unused fields with a filter to extract relevant data.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 48

A customer displays a lot of data and wants a way to dynamically emphasize certain values on a bar chart in order to properly grab the user's attention.

What can an Einstein Consultant use to accomplish this task?

- A. Customize tooltip
- B. Chart Markers
- C. XMD
- D. Compare Table

Answer: ([SHOW ANSWER](#))

Reference:

https://help.salesforce.com/articleView?id=bi_chart_add_tooltips_markers_to_data_points.htm&type=5

NEW QUESTION: 49

You are asked to update and maintain your company's Einstein Analytics dashboards.

A request comes in for one of the dashboards that contains steps from different datasets. The request is to make it possible for a table from one dataset to be filtered by the results of a chart from another dataset. Your solution is to create a results binding.

Which three steps should you implement to create the binding?

- A. Look up the API name of the source field
- B. Find source and target step names
- C. Look up the API name of the filtering field
- D. Configure the results binding on the target step in the dashboard JSON.

Answer: B,C,D ([LEAVE A REPLY](#))

NEW QUESTION: 50

An Einstein Consultant receives a request from the Marketing department to help them understand lead conversion. Presently, they are unaware of the percentage of leads that get converted to sales. They hope to view results by account manager, value, and quarter. The data is there, so the consultant can add it to the marketing dashboard.

How should this metric be calculated?

- A. Create a new step in the dashboard using a compare table and define a formula.
- B. Create a formula field on the lead object in Salesforce and add it to the dataset.
- C. Create a new step in the dashboard using a compare table and the running total function.
- D. Create a computeExpression in the dataflow.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 51

In the context of Analytics, what is faceting?

- A. Representing the number of widgets on a dashboard
- B. Something only programmers can access
- C. Filtering all related widgets in a dashboard by your selection
- D. Measuring the number of significant digits of precision for a particular metric
- E. Choosing the color of the background in a graph

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

Which of the following are included in the template object?

- A. ui.json
- B. app.json
- C. variables.json
- D. A,B and C
- E. A,C

Answer: E ([LEAVE A REPLY](#))

Reference:

* template-info.json manages all elements of your template, including metadata information about the template, the Analytics objects that define dashboards and lenses, and the other files that are part of the template. * ui.json manages the configuration wizard that drives app creation. It defines the number of wizard pages, the order of wizard questions, and any messages you want the user to see. * variables.json contains all template variables, including text for wizard questions and specifications for the answers. Variables also define conditional questions. For example, you may want some questions to appear in the wizard only if an org contains certain data. Or you might want to add more specific questions based on the answers to more general wizard questions. * template-to-app-rules.json defines the rules the template follows. For example, you could define a rule that specifies that if an org doesn't use certain Salesforce objects, the app won't refer to them in dashboards or include them in the dataflow. Rules also define how variables are handled. For example, if the wizard asks which fields to include in filters for accounts, template-to-app-rules.json determines how that choice is reflected in dashboards.

NEW QUESTION: 53

What are two benefits of designing using the "Progressive Disclosure" principle? Choose 2 answers

- A. improved ease of use for end users
- B. Discounted EA licenses when growth is achieved
- C. Automatic conditional formatting
- D. Better dashboard performance

Answer: ([SHOW ANSWER](#))

Reference:

<https://developer.salesforce.com/blogs/developer-relations/2017/04/lightning-components-performance-best-practices.html>

NEW QUESTION: 54

What happens if you first disable Analytics, and then you re-enable Analytics later? Select 2

- A. User permissions are removed from each defined permission set if Analytics is disabled. (Missed)
- B. User permissions are not removed from each defined permission set if Analytics is disabled.
- C. You must define the permission sets again if Analytics is re-enabled. (Missed)

D. You must not define the permission sets again if Analytics is re-enabled.

Answer: A,C ([LEAVE A REPLY](#))

Reference:

https://blog.bessereau.eu/assets/pdfs/bi_admin_guide_setup.pdf

NEW QUESTION: 55

An Einstein Consultant is reviewing the "Why it Happened" Insights provided by Einstein Discovery with the customer. The customer would like to validate the results. Which action should the consultant take?

- A. Consult with a Data Scientist to validate the findings
- B. Show the customer how to export and review the R-Code model validation results
- C. Check the p-values and standard deviation
- D. Use the Share and Export feature to help the customer determine if the findings make logical sense

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

Creating an Einstein Discovery story involves:

- A. Uploading a Microsoft® PowerPoint® presentation
- B. Copying text from company reports and pasting into Einstein Discovery
- C. Selecting a Dataset in Einstein Analytics, then clicking Create Story
- D. Entering notes about the data

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 57

What's the best way to describe the template-info.json file?

- A. It's a read-only file with all the user documentation for a template.
- B. It's the boss of the template with all the information needed to create the app.
- C. It makes sure that the app includes all the right Salesforce data.
- D. It's automatically populated every time you create an app from the template.

Answer: ([SHOW ANSWER](#))

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_structure

NEW QUESTION: 58

About what does the configuration wizard ask you questions about how you measure?

- A. Customer geography
- B. Case resolution
- C. Case duration
- D. All of the above
- E. Customer satisfaction

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

When creating a story in Einstein Discovery, do all potential collinear fields need to be removed before executing the build story's

- A. Yes. If the collinear variables are not removed, the Einstein Discovery model build will fail.
- B. No. Einstein Discovery is impervious to collinearity, so the story and subsequent model will be fine.
- C. yes. If all collinear variables are not excluded, the model will over-fit and not make any sense.
- D. No. Although it is ideal to eliminate collinearity as soon as possible, Einstein will give a warning post-build and the ridge regression will prevent collinearity from over-fitting.

Answer: D (LEAVE A REPLY)

NEW QUESTION: 60

Universal Containers has a dashboard for Sales Managers to visualize the YoY Growth of their customers- The formula used is: $YoY = [(This\ Year - Last\ Year) / Last\ Year] \%$ Based on the graphic, when there is no account in the Last Year column, the YoY Growth shows null results. The Sales Managers want to replace it with 100% value.

What is the correct function to use?

- A. coalesce()
- B. number_to_string()
- C. substr()
- D. replace()

Answer: (SHOW ANSWER)

NEW QUESTION: 61

A consultant is asked to create a dashboard for sales to see the forecasted sales per product family. After gathering the requirements, the consultant decides to leverage the timeseries SAQL statement to predict sales.

Which two actions must be performed when writing the SAQL query?

Choose 2 answers

- A. Include the fill SAQL statement to fill any missing dates.
- B. Determine if the timeseries required parameter, prediction interval, should be 80 or 95.
- C. Investigate which prediction model is best for the data available.
- D. Validate that there is enough data in the dataset to make a good prediction.

Answer: A,D (LEAVE A REPLY)

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by TrainingQuiz.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! TrainingQuiz.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the TrainingQuiz.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here:

<https://www.trainingquiz.com/Tableau-CRM-Einstein-Discovery-Consultant-practice-quiz.html> (244 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

NEW QUESTION: 62

What does Einstein Analytics check when a user submits a query against a dataset?

- A. Whether the user has access to the app
- B. If the user has access to the dataset
- C. Which fields the user has access to
- D. Which rows the user has access to

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 63

In an org, some of the Activity records do not have related Opportunity records. Additionally, there are Opportunity records that do not have related Activity records.

Which SAQL statement will fetch all Opportunities, even if they don't have associated Activities, and fetch related Activity data, if it exists?

- A. q = cogroup Opportunity by 'Id', Activities by 'OpportunityId';
- B. q = cogroup Opportunity by 'Id', Activities by 'OpportunityId' left;
- C. q = cogroup Opportunity by 'Id' right, Activities by 'OpportunityId';
- D. q = cogroup Opportunity by 'Id' left, Activities by 'OpportunityId';

Answer: D ([LEAVE A REPLY](#))

Reference:

https://developer.salesforce.com/docs/atlas.en-us.bi_dev_guide_saql.meta/bi_dev_guide_saql/bi_saql_statement_cogroup.htm

NEW QUESTION: 64

A consultant created an Einstein Analytics dashboard in a sandbox. Now, the dashboard needs to be migrated into production.

To complete the migration, what are the consultant's three options? Choose 3 answers

- A. Ant Migration Tool
- B. Analytics External Data API
- C. Analytics REST API
- D. Change sets
- E. Analytics dashboard connector

Answer: A,C,D ([LEAVE A REPLY](#))

Reference:

https://help.salesforce.com/articleView?id=bi_explore_packaging_intro.htm&type=0

NEW QUESTION: 65

What happens if the ui.json file is empty?

- A. You create a text-only version of an app.
- B. The template will not include a configuration wizard.
- C. The dataflow fails.
- D. The app includes all possible dashboards by default.
- E. B and D

Answer: B ([LEAVE A REPLY](#))

Reference:

https://trailhead.salesforce.com/en/content/learn/modules/wave_analytics_templates_intro/wave_analytics_templates_structure

NEW QUESTION: 66

What is the test called that helps to identify categories that exhibit a pattern outside the overall average?

- A. Significance level test
- B. Critical region test
- C. Chi-square test
- D. T-test
- E. Null hypothesis test

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 67

Universal Containers reports that any selection in the List widget is not affecting the Pie chart in one of their Einstein Analytics dashboards. The step options associated with the List widget and Pie chart are shown in the graphic.

The image shows a screenshot of the Salesforce Einstein Analytics configuration interface. On the left, there is a 'ProjectRegion' List widget with a search bar and a table of data. On the right, there are two 'STEP' configuration panels. The top panel is for 'Region_1' and the bottom panel is for 'Step_pie_1'. Both panels have 'Single selection' and 'Broadcast selections as facets' checked. A 'salesforce' watermark is visible over the bottom panel.

ProjectRegion	Count
AMER	1,392
AMER B2B (Commerce Cl...	4
AMER B2C	3,824
AMER CMRCL & SMB	164
AMER Financial Services	223
AMER HLS	180
AMER Key Select Canada	391
AMER Strategic	1,338
APAC	318

Which two changes can an Einstein Consultant implement to solve this issue, given that the steps are using the same dataset? Choose 2 answers

- A. Use selection binding in the filters section of the step "Region_1."
- B. Use selection binding in the filters section of the step "Step_pie_1."

- C. Enable the option "Apply filters from faceting" in the step "Region_1."
- D. Enable the option "Apply filters from faceting" in the step "Step_pie_1."

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 68

You can get data into Einstein Discovery:

- A. By connecting a USB drive to your laptop
- B. By using an Einstein analytics dataset
- C. Only if your database administrator does it for you
- D. Only if Salesforce does it for you

Answer: B ([LEAVE A REPLY](#))

Reference:

https://trailhead.salesforce.com/content/learn/modules/wave_exploration_smart_data_discovery_basics/wave_get_smart_data_discovery_and_data

NEW QUESTION: 69

An Einstein Analytics team wants to create a dashboard that displays values from an external, on-premise Oracle database.

What are two options to load the data from the Oracle database into Einstein Analytics? Choose 2 answers

- A. Use Oracle database connector.
- B. Use the Analytics External Data API.
- C. Load the data as a CSV file.
- D. Use the Salesforce SOAP interface.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 70

How do you analyze data from a CSV file using Einstein Discovery?

- A. Import the CSV file into the most similar Salesforce object, then run reports on that object.
- B. Import the CSV file into an Einstein Analytics dataset, then create a story.
- C. Import the CSV file into Einstein Discovery.
- D. You can't import data from a CSV file

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 71

A company wants to use Einstein Analytics to analyze the trend of their sales pipeline. The company wants to accelerate the sales process. To do so, they need to know the average time an opportunity spends in each stage. This value is not pre-calculated in Salesforce, so a consultant recommends using a dataflow to calculate it.

How can a dataflow be used to calculate the average time an opportunity spends in each stage?

- A. computeExpression Transformation with SAQL Expression to calculate the duration
- B. flatten Transformation with Offset Expressions to calculate the duration
- C. computeRelative Transformation with offset parameter to calculate the duration
- D. computeRelative Transformation with SAQL Expression to calculate the duration

Answer: D ([LEAVE A REPLY](#))

Reference:

https://help.salesforce.com/articleView?id=bi_integrate_computeRelative_transformation_operation.htm

NEW QUESTION: 72

A consultant built an Einstein Analytics dashboard for a shipping company. The dashboard displays data from several data sources- The consultant enabled data sync (replication) to increase the speed of data refreshing from these sources.

What is the maximum number of dataflow definitions available in this situation?

- A. 45
- B. 35
- C. 25
- D. 30

Answer: D (LEAVE A REPLY)

Reference:

https://help.salesforce.com/articleView?id=bi_limits.htm&type=5

NEW QUESTION: 73

A Senior Sales Business Analyst asks for a dashboard that contains fiscal year product opportunities. Information is maintained in a spreadsheet which is comprehensive, but its contents often need to be explained. After sketching the dashboard, the consultant is ready to start building.

Which concept should be applied to this dashboard?

- A. Limit widget actions and exploration so users will focus only on the high-level information.
- B. Use the different chart types to make the dashboard interesting and appealing.
- C. Design the dashboard with the desktop in mind and use the same layout for mobile devices for consistency.
- D. Use charts to help users ask questions, not illustrate a conclusion.

Answer: D (LEAVE A REPLY)

Reference:

https://help.salesforce.com/articleView?id=bi_dashboard_build_tips.htm&type=5

NEW QUESTION: 74

You can configure access to data at all of the following levels, except:

- A. Page Layouts
- B. Organization
- C. Objects
- D. Records

Answer: A (LEAVE A REPLY)

Valid Tableau-CRM-Einstein-Discovery-Consultant Dumps shared by TrainingQuiz.com for Helping Passing Tableau-CRM-Einstein-Discovery-Consultant Exam! TrainingQuiz.com now offer the **newest Tableau-CRM-Einstein-Discovery-Consultant exam dumps**, the TrainingQuiz.com Tableau-CRM-Einstein-Discovery-Consultant exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com Tableau-CRM-Einstein-Discovery-Consultant dumps with Test Engine here:

<https://www.trainingquiz.com/Tableau-CRM-Einstein-Discovery-Consultant-practice-quiz.html> (244 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)