

Tibco.TCP-EMS8.v2022-02-03.q53

Exam Code:	TCP-EMS8
Exam Name:	TIBCO Enterprise Message Service 8 Certification Exam
Certification Provider:	Tibco
Free Question Number:	53
Version:	v2022-02-03
# of views:	2145
# of Questions views:	530
https://www.dumpsdb.com/dumps/Tibco/TCP-EMS8/Tibco.TCP-EMS8.v2022-02-03.q53	

NEW QUESTION: 1

Which two EMS message types can have nested messages of the same type? (Choose Two.) Options are :

- A. XML Messages
- B. Stream Messages
- C. Map Messages
- D. Text Messages

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 2

An EMS server and client are receiving heartbeats. Given the following EMS server settings:

? client_timeout_server_connection = 20 seconds

? server_timeout_client_connection = 10 seconds

What are two possible outcomes? (Choose two.)

Options are :

- A. If a client does not receive heartbeats from EMS server for a period exceeding 20 seconds, the client will close the connection.
- B. If EMS server does not receive heartbeats from a client for a period exceeding 10 seconds, the EMS server will close the connection.
- C. If a client does not receive heartbeats from EMS server for a period exceeding 10 seconds, the client will close the connection.
- D. If EMS server does not receive heartbeats from a client for a period exceeding 20 seconds, the EMS server will close the connection.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 3

Which statement best characterizes the IT architecture for a solution?

Options are :

- A.** It defines the set of products, technologies, programming tools, and coding standards to be used to implement a solution.
- B.** It defines the structure of a solution (communication mechanisms, components) suitable for the present purpose.
- C.** It is a compilation of user features required for the solution.
- D.** It provides a generic framework, such as an application server, that is suitable for solving any common business problem.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 4

Which server parameter in the tibemsd. conf file allows confirmation of NON_PERSISTENT messages to the producer when authorization is disabled in the server?

Options are :

- A.** npsend_check_mode
- B.** compliant_ack_check
- C.** non persistent
- D.** confirm ok

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 5

Which statement is true about message compression with EMS?

Options are :

- A.** Properties are compressed, but headers are not.
- B.** Headers are compressed, but properties are not.
- C.** Properties and headers are also compressed.
- D.** Body is the only message part that is compressed

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 6

When does an RTC cycle end?

Options are :

- A.** When a rule action is executed
- B.** When an external action causes changes to the RETE network
- C.** When TIBCO Business Events builds (or refreshes) a rule action agenda
- D.** When the rule action agenda is empty

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 7

TIBCO Enterprise Message Service Certification Exam Set 2

Atopic sales, topic is bridged to two queues: FINANCE.Q and AUDIT.Q. Ten messages are sent on the topic SALES.TOPIC. A consumer reads ten messages from FINANCE.Q. How many messages are now in the AUDIT.Q?

Options are :

ten

zero

twenty

five

Answer : ten

Which two actions are most likely to improve EMS server performance? (Choose two.)

Options are :

Increasing network I/O capacity on the server

Improving physical disk performance

B,D

Switching from a file-based store to a database store

Adding an additional CPU to the server running EMS

Answer : B,D

Which two statements are true about load balancing with EMS? (Choose two.) Options are :

Load balancing should be avoided when the application requires strict message ordering.

A,C

Each consumer must maintain connections to all servers.

EMS servers should not be load balanced with durable subscribers.

Two load balanced servers can also be configured as a fault-tolerant pair.

Answer : A,C

Which two statements are true about routing queue messages? (Choose two.) Options are :

Queue messages can travel multiple hops.

The concept of zones and hops does not apply to queue messages.

B,C

Each server in the route path must have its queue defined as global.

Routed queue messages can travel to adjacent servers without reaching the home queue.

Answer : B,C

Which two statements are true about writing a LoginModule, which implements a JAAS interface? (Choose two.) Options are :

The LoginModule must be named JAASLoginModule.

B,D

The LoginModule must be thread-safe.

The LoginModule must use SSL.

The LoginModule must accept the password from the EMS server by way of a callback.

Answer : B,D

Which two datastores are supported by EMS servers? (Choose two.)

Options are :

A,D

ledger file

in-memorydatagrid

file

mstore

Answer : A,D

Which three commands must be executed to ensure that user ui can only send messages to queue q1? (Choose three.) Options are :

addprop queue q1 exclusive user=u1

A,D,E

addprop queue q1 secure

set server authorization=enabled

grant admin connect user =u1, queue=q1

grant queue q1 user =u1 send

Answer : A,D,E

Which two statements are true about asynchronous message consumption? (Choose two.)

Options are :

An asynchronous durable subscriber exits once it registers its callback with the server.

Asynchronous consumers must use asynchronous message stores,

A,C

Asynchronous consumers use a callback to handle messages,

Each asynchronous consumer object can have at most one listener.

Answer : A,C

Which two objects are referred to as EMS administered objects?

Options are :

A & B

connection factories

groups

topics

Answer : A & B

Which four commands grant the user Bob permission to view topic topic, sample? (Choose four.) Options are :

Grant topic.topic.sample user=Bob view

Grant admin Bob view topic.sample

Grant topic.topic.> user=Bob view

Grant admin Bob view-all

A,B,D,E

Grant topic > user=Bob view

Grant admin Bob view topics

Answer : A,B,D,E

Which four parameters in tibemsd.conf can be used to quickly identify network connection failures between EMS clients and servers? (Choose four.) Options are :

server_client_heartbeat

Server_timeout_client_connection

server_heartbeat_client

client_heartbeat_server

server_client_timeout

client_timeout_server_connection

A,C,D,E

Answer : A,C,D,E

Which two statements are true about logging and tracing capabilities in EMS? (Choose two.) Options are :

The location of log file is set in tibemsd.conf file via the log_trace parameter.

Message tracing applies to the header and/or body of the message.

Access control violations can be logged to console or log file.

Message tracing can be applied at the destination level, not at message level.

B,C

Answer : B,C

The following topics are defined in topics.conf:

Larger image

Which Statement is true about the topic mycompany. tibx. eng. all?

Options are :

It is secure, but not global.

It is global, but not secure.

It is global and secure.

It is neither global nor secure.

Answer : It is global and secure.

Given the following configuration:

Larger image

What happens when the JMSExpri ration property is set to 60secwhen producing a message?

Options are :

Message expires after 90 seconds.

Message expires after 60 seconds.

Message expires after 30 seconds.

Message expires after 120 seconds.

Answer : Message expires after 30 seconds.

Which two statements are true about RELIABLE_DELIVERY mode? (Choose two.)

Options are :

A,C

With RELIABLE_DELIVERY mode, the producer receives a response from the server.

With RELIABLE_DELIVERY mode, the server sends the producer a receipt confirmation.

Reliable mode decreases the volume of message traffic, allowing higher message rates.

It is a TIBCO extension to JMS.

Answer : A,C

How does a backup fault-tolerant server detect a failure of the primary fault-tolerant server?

Options are :

Multicast heartbeats sent from the backup server

Multicast heartbeats sent from the primary server

TCP heartbeats sent from the backup server

TCP heartbeats sent from the primary server

Answer : TCP heartbeats sent from the primary server

Which Administration Tool command sets the maximum size of a queue?

Options are :

Create queue queue.manage maxbytes = value[KB|MB|GB]

Create queue queue.manage msgm = value[KB|MB|GB]

Create queue queue.manage mbytes = value[KB|MB|GB]

Create queue queue.manage size = value[KB|MB|GB]

Answer : Create queue queue.manage size = value[KB|MB|GB]

Which three commands will update EMS configuration files when an exclusive commit command is issued from EMS? (Choose three.) Options are :

set server password=password

set server track_message_ids=enabled

B,C,D

set server routing=enabled

set server client trace=enabled

set server authorization=enabled

Answer : B,C,D

Which two conditions can cause messages in a queue to be moved to the undelivered queue? (Choose two.) Options are :

The number of pending messages has reached the limit defined for the queue.

A,C

The number of delivery attempts has reached the limit defined for the queue.

The overflow policy for the queue has been set to discard the oldest messages.

The length of time the message has been retained in the queue has exceeded the limit defined for the queue.

Answer : A,C

Two EMS servers have an active/active route between them.

How many connections are used to route messages bi-directionally between them?

Options are :

4

2

1

0

Answer : 1

Which two are valid acknowledgment modes in TIBCO Enterprise Message Service?

(Choose two.)

Options are :

TRANSACTIONAL

A,E

ACKNOWLEDGE_ALL

AUTO_ACKNOWLEDGE

ACK_PRODUCER

CLIENT_ACKNOWLEDGE

Answer : A,E

Which two statements are true about selector functions? (Choose two.)

Options are :

A. They are available for use in the bridging functions, helping to reduce unnecessary network traffic.

B. A selector's conditional expression can refer to values of the message body.

C. They are available to control the flow of messages along a route.

D. They are useful when used in conjunction with topic browser functions.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 8

Which two statements reflect the realities about using common data models? (Choose two.) Options are :

A. A common data model provides a single representation of each concept that is used every where.

B. Enterprises typically require more than one representation for each concept.

C. The use of comprehensive data structures that combine many concepts simplifies interface design.

D. The goal of common data models is to minimize the number of representation of each concept.

Answer: A,D ([LEAVE A REPLY](#))

NEW QUESTION: 9

Which Administration Tool command sets the maximum size of a queue?

Options are :

- A. Create queue queue.manage msgm = value[KB|MB|GB]
- B. Create queue queue.manage maxbytes = value[KB|MB|GB]
- C. Create queue queue.manage size = value[KB|MB|GB]
- D. Create queue queue.manage mbytes = value[KB|MB|GB]

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 10

Where are system-level settings configured before the TIBCO Business Events engine can be started?

Options are :

- A. EAR
- B. XML
- C. CDD
- D. TRA

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 11

TIBCO Enterprise Message Service Certification Exam Set 1

Which two datastores are supported by EMS servers? (Choose two.)

Options are :

data grid

dbstore

A,D

dbstore

mstore

Answer : A,D

Which two statements are true about EMS tracing and logging capabilities? (Choose two.)

Options are :

The location of log file is set in tibemsd.conf file via the log_trace parameter.

B,D

Message tracing applies only to headers.

Message tracing can be applied at destination and message levels.

Access control violations can be logged to console or log file.

Answer : B,D

Which statement is true about configuration file usage for an EMS fault tolerant configuration?

Options are :

Primary and Secondary EMS servers must share all configuration files excluding the stores.conf file.

Primary and Secondary EMS servers must share all configuration files.

Primary and Secondary EMS servers should share the tibemsd.conf file.

C

Primary and Secondary EMS servers can share all configuration files excluding the tibemsd.conf file.

Answer : C

Which command displays message count delivered to a queue receiver?

Options are :

Show consumers

Show connections

Show users

Show receivers

Answer : Show consumers

What are three valid acknowledgment modes in TIBCO Enterprise Message Service?
(Choose three.)

Options are :

DUPS_OK_ACKNOWLEDGE

IMPLICIT_CLIENT_DUPS_OK_ACKNOWLEDGE

EXPLICIT_CLIENT_ACKNOWLEDGE

NO_ACKNOWLEDGE

A,B,E

IMPLICIT_CLIENT_ACKNOWLEDGE

Answer : A,B,E

Which Administration Tool command creates the queue without reporting any errors?

Options are :

Create queue test.queue store=\$sys.failsafe, secure,local

Create queue test.queue store=\$sys.failsafe,trace=header

Create queue test.queue secure,global,store=\$sys.failsafe

Create queue test.queue secure,store=\$sys.failsafe,channel=multicast-l

Answer : Create queue test.queue secure,global,store=\$sys.failsafe

Which parameter must be configured for primary and secondary EMS to operate in fault-tolerant mode?

Options are :

ft_passive parameter in the tibemsd.conf file

store parameter in the store, conf file

server parameter in the tibemsd.conf file

ft_factory in the factories.conf file

Answer : server parameter in the tibemsd.conf file

Which section is required in a JMS message?

Options are :

Header

Footer

Properties

Body

Answer : Header

The customer has identified an interface called "New Customer". When a new customer has been created in the Customer Care Application, the customer data must be distributed to other applications such as billing, payments, etc.

What is the most efficient mechanism to implement the message delivery?

Options are :

Publish/subscribe using queues

Point-to-point using queues

Publish/subscribe using topics

Point-to-point using topics

Answer : Point-to-point using queues

A topic, conf.file contains the following entry: mycompany. *. hr. > secure Which two topics will inherit the secure property? (Choose two.) Options are :

mycompany.south.hr.vacation.approval

mycompany.south.eng.hr.vacation

A,F

mycompany.south.hr

mycompany.hr.vacation

mycompany.south.region.hr.vacation

mycompany_office.hr.vacation

mycompany.south.hr.vacation

Answer : A,F

Which two statements are true about topics and queues? (Choose two.)

Options are :

A sender can send to a wildcard queue.

A consumer can listen for wildcard queue names.

C,E

A queue can only have one exclusive connected consumer at a time.

A publisher can publish to a wildcard topic.

A consumer can listen for wildcard topic names.

A queue can only have one consumer per message.

Answer : C,E

What are the three options for the user_auth parameter in EMS? (Choose three.) Options are :

A,C,D

local

ldap

ssl

jaas

x.509

Answer : A,C,D

A bridge has been configured from topic T1 to topic T2.

Which two statements are true if a message producer sends messages to T1 within a transaction? (Choose two.) Options are :

The transaction can succeed if the producer only has permission to send to topic T1.

The transaction will fail if the producer does not have permission to send to topic T2.

A,B

The bridge needs to be configured to support transactions.

All messages sent across the bridge are part of the transaction.

Answer : A,B

Which two statements are true about configuring security for a fault-tolerant pair that does not share state? (Choose two.) Options are :

When SSL is deployed, both servers must use the same certificate(s).

B,D

acl.conf settings can differ between servers.

When SSL is deployed, servers can use different certificate(s), but must use the same root certificate authority.

All access control settings should be the same on both servers.

Answer : B,D

Which two statements are true about the listen parameter? (Choose two.) Options are :

Multiple listen parameters can be set in the TIBCO EMS configuration file.

A,B

The listen parameter is set in the tibemsd.conf file.

TCP is the only protocol supported in the listen parameter.

The listen parameter is set in the transports, conf file.

Answer : A,B

Which statement is true about acknowledgment modes?

Options are :

They determine the way the EMS server sends confirmations to message producers.

They determine the way message consumers send confirmations to message producers

They determine the way message consumers send confirmations to the EMS server.

They determine the way the EMS server sends confirmations to message consumers.

Answer : They determine the way message consumers send confirmations to the EMS server.

What are three valid delivery modes in EMS? (Choose three.)

Options are :

NON PERSISTENT

PERSISTENT

TRANSACTIONAL

GUARANTEED

RELIABLE_DELIVERY

A,C,E

Answer : A,C,E

What are two characteristics of multicasting? (Choose two.)

Options are :

The EMS server uses TCP to transmit messages to receivers,

The EMS server uses PGM to transmit messages to receivers.

B,C

It reduces network traffic generated between EMS server and EMS client machines.

The producer can choose to use PGM or TCP to send messages to the EMS server,

Multicasting is used in messaging scenarios where high bandwidth delivery of real-time data is a requirement, Answer : B,C Which Context.PROVDER_URL is used to look up EMS administered objects stored in the EMS server running on host EMSHOST on port 7222?

Options are :

tibjmsnaming://EMSHOST:7222

emsnaming://EMSHOST:7222

jndi://EMSHOST:7222

ems://EMSHOST:7222

http://EMSHOST:7222

tcp: ://EMSHOST: 7222

Answer : jndi://EMSHOST:7222

User Bob is in the ENG group with the following permissions:

Larger image

Which statement is true for user Bob and the topic quote.tibx.us.new?

Options are :

The EMS server starts and Bob can publish and subscribe to quote.tibx.us.new.

The wildcard topics collide, so the EMS server fails to start.

The EMS server starts and Bob overrides all the ENG group permission, so Bob cannot subscribe to quote.tibx.us.new.

The EMS server starts and Bob inherits all permissions from the ENG group, so Bob cannot publish to quote.tibx.us.new.

Answer : The EMS server starts and Bob can publish and subscribe to quote.tibx.us.new.

What must you do to set an EMS Java client application to attempt reconnection 10 times with 1000 ms delay between attempts to the EMS server during fault tolerance switch or when a connection is being terminated by the network? (Choose two.) Larger image

Options are :

Option A

Option B

Option D

Option C

A,D

Answer : A,D

A dynamic queue named q1 has been created by an EMS client.

What will be the result of executing the following command: create queue q1?

Options are :

The command will fail saying the queue already exists.

The command will succeed and dynamic queue will be renamed.

The command will succeed and queue will be promoted to static.

The command will fail if queue has connected receivers.

Answer : The command will succeed and queue will be promoted to static.

Which statement is true about message compression with EMS?

Options are :

Body is the only message part that is compressed

Properties are compressed, but headers are not.

Properties and headers are also compressed.

Headers are compressed, but properties are not.

Answer : Body is the only message part that is compressed

What are two valid delivery modes in EMS? (Choose two.)

Options are :

B,E

GUARANTEED

DURABLE

PERSISTENT

RELIABLE_DELIVERY

EXPLICIT

Answer : B,E

Producer A has published a message with expiration time as 30 seconds to a queue with the property JMS_TIBCO_PRESERVE_UNDELIVERED set to true.

What happens when the message expires?

Options are :

The message is moved to Ssys.expired queue.

The message is deleted from the undelivered queue.

The message is moved to Ssys.undelivered queue.

The message is completely deleted from the server.

Answer : The message is moved to Ssys.undelivered queue.

If authorization is enabled in the tibemsd.conf file and the secure property is set for a destination, when are permissions checked? (Choose two.) Options are :

A,B

When creating non-durable subscription for wildcard topics

When performing a JNDI lookup of a destination

When a producer sends a message to the destination

When attempting to become a consumer for a queue

Answer : A,B

Which parameter is used to preallocate disk space for the store file?

Options are :

file_minimum

store_min_size

store_minimum

file_min_size

file_truncate

Answer : file_minimum

What are three limitations in the use of wildcards by EMS clients? (Choose three.) Options are :

Clients cannot subscribe to wildcard topics,

Clients cannot send to wildcard queues.

Clients cannot use wildcards for dynamic topics.

B,C,E

Clients cannot receive from wildcard queues.

Clients cannot publish to wildcard topics.

Answer : B,C,E

Which event causes EMS to return a delivered but unacknowledged queue message to be available to another receiver?

Options are :

The client application terminates the connection.

Ssys.redelivery.delay queue is purged.

redeliverydelay property is set to zero.

Ssys.undelivered queue is disabled.

Answer : The client application terminates the connection.

Click the Exhibit button.

An EMS server is configured with a bridge from the topic ORDER.NEW to the queue SALES.ORDERS,Q1. You enable flow control at the server and destination levels (order, new and SALES, ORDERS, Q1) .The source destination order, new blocks publishers.

Which two statements are true about flow control? (Choose two.)

Options are :

A. It discards the earliest messages (FIFO).

B. It blocks the sender but does not send back an error.

C. It does not discard the messages.

D. It discards the latest messages (FILO).

Answer: C,D (LEAVE A REPLY)

NEW QUESTION: 12

In Cache Object Management settings, what does the property cache Agent Quorum specify?

Options are :

- A. The size of the limited cache
- B. The maximum size of the object table cache
- C. The number of members in the cluster that hold the backup data
- D. The minimum number of storage-enabled nodes that must be active in the cluster at startup

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 13

The following topics are defined in topics.conf:

Larger image

Which Statement is true about the topic mycompany.tibx.eng.all?

Options are :

- A. It is secure, but not global.
- B. It is global, but not secure.
- C. It is neither global nor secure.
- D. It is global and secure.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 14

Which four commands grant the user Bob permission to view topic topic.sample? (Choose four.) Options are :

- A. Grant topic > user=Bob view
- B. Grant admin Bob view topics
- C. Grant admin Bob view-all
- D. Grant topic topic.sample user=Bob view
- E. Grant admin Bob view topic.sample
- F. Grant topic topic.> user=Bob view

Answer: A,C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 15

Which two statements are true about routing queue messages? (Choose two.) Options are :

- A. The concept of zones and hops does not apply to queue messages.
- B. Routed queue messages can travel to adjacent servers without reaching the home queue.
- C. Each server in the route path must have its queue defined as global.
- D. Queue messages can travel multiple hops.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 16

Which two JMS message types are supported by Text Message Serializer? (Choose two.)

Options are :

- A. Stream Message
- B. Mao Message
- C. Text Message
- D. Bytes Message

Answer: C,D ([LEAVE A REPLY](#))

Valid TCP-EMS8 Dumps shared by TrainingQuiz.com for Helping Passing TCP-EMS8 Exam! TrainingQuiz.com now offer the **newest TCP-EMS8 exam dumps**, the TrainingQuiz.com TCP-EMS8 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com TCP-EMS8 dumps with Test Engine here: <https://www.trainingquiz.com/TCP-EMS8-practice-quiz.html> (150 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 17

TIBCO Enterprise Message Service Certification Exam Set 2

Atopic sales, topic is bridged to two queues: FINANCE.Q and AUDIT.Q. Ten messages are sent on the topic SALES.TOPIC. A consumer reads ten messages from FINANCE.Q. How many messages are now in the AUDIT.Q?

Options are :

- ten
- zero
- twenty
- five

Answer : ten

Which two actions are most likely to improve EMS server performance? (Choose two.)

Options are :

- Increasing network I/O capacity on the server
- Improving physical disk performance

B,D

Switching from a file-based store to a database store

Adding an additional CPU to the server running EMS

Answer : B,D

Which two statements are true about load balancing with EMS? (Choose two.) Options are :

Load balancing should be avoided when the application requires strict message ordering.

A,C

Each consumer must maintain connections to all servers.

EMS servers should not be load balanced with durable subscribers.

Two load balanced servers can also be configured as a fault-tolerant pair.

Answer : A,C

Which two statements are true about routing queue messages? (Choose two.) Options are :

Queue messages can travel multiple hops.

The concept of zones and hops does not apply to queue messages.

B,C

Each server in the route path must have its queue defined as global.

Routed queue messages can travel to adjacent servers without reaching the home queue.

Answer : B,C

Which two statements are true about writing a LoginModule, which implements a JAAS interface? (Choose two.) Options are :

The LoginModule must be named JAASLoginModule.

B,D

The LoginModule must be thread-safe.

The LoginModule must use SSL.

The LoginModule must accept the password from the EMS server by way of a callback.

Answer : B,D

Which two datastores are supported by EMS servers? (Choose two.)

Options are :

A,D

ledger file

in-memory datagrid

file

mstore

Answer : A,D

Which three commands must be executed to ensure that user ui can only send messages to queue q1? (Choose three.) Options are :

addprop queue q1 exclusive user=u1

A,D,E

addprop queue q1 secure

set server authorization=enabled

grant admin connect user =u1, queue=q1

grant queue q1 user =u1 send

Answer : A,D,E

Which two statements are true about asynchronous message consumption? (Choose two.)

Options are :

An asynchronous durable subscriber exits once it registers its callback with the server.

Asynchronous consumers must use asynchronous message stores,
A,C

Asynchronous consumers use a callback to handle messages,
Each asynchronous consumer object can have at most one listener.

Answer : A,C

Which two objects are referred to as EMS administered objects?

Options are :

A & B

connection factories

groups

topics

Answer : A & B

Which four commands grant the user Bob permission to view topic topic, sample? (Choose four.) Options are :

Grant topic topic.sample user=Bob view

Grant admin Bob view topic.sample

Grant topic topic.> user=Bob view

Grant admin Bob view-all

A,B,D,E

Grant topic > user=Bob view

Grant admin Bob view topics

Answer : A,B,D,E

Which four parameters in tibemsd.conf can be used to quickly identify network connection failures between EMS clients and servers? (Choose four.) Options are :

server_client_heartbeat

Server_timeout_client_connection

server_heartbeat_client

client_heartbeat_server

server_client_timeout

client_timeout_server_connection

A,C,D,E

Answer : A,C,D,E

Which two statements are true about logging and tracing capabilities in EMS? (Choose two.) Options are :

The location of log file is set in tibemsd.conf file via the log_trace parameter.

Message tracing applies to the header and/or body of the message.

Access control violations can be logged to console or log file.

Message tracing can be applied at the destination level, not at message level.

B,C

Answer : B,C

The following topics are defined in topics.conf:

Larger image

Which Statement is true about the topic mycompany. tibx. eng. all?

Options are :

It is secure, but not global.

It is global, but not secure.

It is global and secure.

It is neither global nor secure.

Answer : It is global and secure.

Given the following configuration:

Larger image

What happens when the jMSExpiration property is set to 60sec when producing a message?

Options are :

Message expires after 90 seconds.

Message expires after 60 seconds.

Message expires after 30 seconds.

Message expires after 120 seconds.

Answer : Message expires after 30 seconds.

Which two statements are true about RELIABLE_DELIVERY mode? (Choose two.)

Options are :

A,C

With RELIABLE_DELIVERY mode, the producer receives a response from the server.

With RELIABLE_DELIVERY mode, the server sends the producer a receipt confirmation.

Reliable mode decreases the volume of message traffic, allowing higher message rates.

It is a TIBCO extension to JMS.

Answer : A,C

How does a backup fault-tolerant server detect a failure of the primary fault-tolerant server?

Options are :

Multicast heartbeats sent from the backup server

Multicast heartbeats sent from the primary server

TCP heartbeats sent from the backup server

TCP heartbeats sent from the primary server

Answer : TCP heartbeats sent from the primary server

Which Administration Tool command sets the maximum size of a queue?

Options are :

Create queue queue.manage maxbytes = value[KB|MB|GB]

Create queue queue.manage msgm = value[KB|MB|GB]

Create queue queue.manage mbytes = value[KB|MB|GB]

Create queue queue.manage size = value[KB|MB|GB]

Answer : Create queue queue.manage size = value[KB|MB|GB]

Which three commands will update EMS configuration files when an exclusive commit command is issued from EMS? (Choose three.) Options are :

set server password=password

set server track_message_ids=enabled

B,C,D

set server routing=enabled

set server client trace=enabled

set server authorization=enabled

Answer : B,C,D

Which two conditions can cause messages in a queue to be moved to the undelivered queue? (Choose two.) Options are :

The number of pending messages has reached the limit defined for the queue.

A,C

The number of delivery attempts has reached the limit defined for the queue.

The overflow policy for the queue has been set to discard the oldest messages.

The length of time the message has been retained in the queue has exceeded the limit defined for the queue.

Answer : A,C

Two EMS servers have an active/active route between them.

How many connections are used to route messages bi-directionally between them?

Options are :

4

2

1

0

Answer : 1

Which two are valid acknowledgment modes in TIBCO Enterprise Message Service? (Choose two.)

Options are :

TRANSACTIONAL

A,E

ACKNOWLEDGE_ALL

AUTO_ACKNOWLEDGE

ACK_PRODUCER

CLIENT_ACKNOWLEDGE

Answer : A,E

Which two statements are true about selector functions? (Choose two.)

Options are :

They are available to control the flow of messages along a route.

They are available for use in the bridging functions, helping to reduce unnecessary network traffic.

B,D

They are useful when used in conjunction with topic browser functions.

A selector's conditional expression can refer to values of the message body.

Answer : B,D

Which two transaction policies are supported by TIBCO ActiveMatrix Service Bus?

(Choose two.) Options are :

managed transaction

XA transaction

JDBC transaction

single resource transaction

transacted one-way

C,D

Answer : C,D

You have a routed queue named ORDER. NEW defined between the US-EMS (home queue) and MEXICO-EMS servers What must be done for messages to route properly?

Options are :

Send a message to the queue named ORDER, NEW

Send a message to the queue named order. NEW@US-EMS

Define ORDER.NEW@home in the US-EMS server's queues, conf file

Send a message to the routed queue named order. NEW@MEXICO-EMS

Answer : Send a message to the queue named ORDER, NEW

Which three configuration files are used by EMS? (Choose three.)

Options are :

B,E,F

listeners.conf

routes.conf

jaas.conf

producers.conf

consumers.conf

channels.conf

Answer : B,E,F

Which method is used to register the message listener with the message consumer for asynchronous message consumption?

Options are :

A. setListener ()

B. onMessage ()

C. setMessageListener ()

D. putMessageListener ()

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 18

What must you do to set an EMS Java client application to attempt reconnection 10 times to the EMS server during fault tolerance switch or when a connection is being terminated by the network? (Choose two.) Options are :

- A.** define the following Java system property for ConnectionFactory property: -
`Dcom.tibco.tibjms.reconnect.attemptcount=10`
- B.** before creating a connection, set the connection factory object "factory" with the following parameters:
`factory.setReconnAttemptCount(10);`
- C.** before creating a connection, set the connection factory object "factory" with the following parameters:
`factory.setConnAttemptCount(10);`
- D.** define the following Java system property for ConnectionFactory property: -
`Dcom.tibco.tibjms.connect.attemptcount=10`

Answer: [\(SHOW ANSWER\)](#)

NEW QUESTION: 19

Which type of wiring can be done at deployment time?

Options are :

- A.** from a service in one SCA composite to a reference of another SCA composite
- B.** from a component service to a component reference in the same SCA composite
- C.** from a reference in one SCA composite to a service of another SCA composite
- D.** from a component reference to a component service in the same SCA composite

Answer: **C** [\(LEAVE A REPLY\)](#)

NEW QUESTION: 20

Which statement is true about EMS mstore?

Options are :

- A.** It can be configured as async mode.
- B.** It can help reduce memory usage by the EMS server.
- C.** It can help recover quickly after a failover.
- D.** It can use file or database as medium.

Answer: **C** [\(LEAVE A REPLY\)](#)

NEW QUESTION: 21

Which two transaction policies are supported by TIBCO ActiveMatrix Service Bus?

(Choose two.) Options are :

- A.** managed transaction
- B.** transacted one-way
- C.** XA transaction
- D.** single resource transaction
- E.** JDBC transaction

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 22

Which TIBCO product is designed to operate as a cache without customization?

Options are :

- A. Business Works Smart Mapper
- B. Active Matrix Service Grid
- C. Active Matrix BPM
- D. Business Events

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 23

When is it appropriate to use a Mediation implementation type?

Options are :

- A. when service operation might need human interaction
- B. when the underlying service is a REST service
- C. when the interaction with an underlying service is asynchronous
- D. when each underlying service operation completes quickly

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 24

What are two characteristics of topics and queues? (Choose two.)

Options are :

- A. Each topic message can be acknowledged by multiple consumers.
- B. A queue cannot have multiple receivers connected at the same time
- C. Each queue message is acknowledged by at most one receiver.
- D. A topic publisher can send to wildcard topics.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 25

Which two statements are true about EMS management of persistent messages? (Choose two.) Options are :

- A. Persistent messages sent to a queue are written to disk only if that queue has at least one durable consumer or one consumer with a fault-tolerant connection to the EMS server.
- B. Persistent messages published to a topic are always written to disk,
- C. Persistent messages published to a topic are written to disk only if that topic has at least one durable subscriber or one subscriber with a fault-tolerant connection to the EMS server.
- D. Persistent messages sent to a queue are always written to disk.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 26

What is the Recovery Point Objective (RPO) of a system?

Options are :

- A. a formal contract detailing the critical system to be restored
- B. the complete collection of data that must be restored
- C. the time period that can elapse before normal operation must be restored
- D. the point in time to which the application state must be restored

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which two permissions can be granted to users to access queues? (Choose two.) Options are :

- A. browse
- B. send
- C. durable
- D. subscribe

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 28

Which two functions does the studio-tools.exe utility provide? (Choose two) Options are :

- A. Imports version 3.x projects
- B. Analyzes decision tables
- C. Validates decision tables
- D. Imports version 2.x projects
- E. Imports decision tables from Microsoft Excel
- F. Exports decision tables to Microsoft Excel

Answer: E,F ([LEAVE A REPLY](#))

NEW QUESTION: 29

Which two statements are true about fault-tolerant pairs of EMS servers? (Choose two.)

Options are :

- A. The standby server sends heartbeats to the active server.
- B. The passive server does not need to specify an ft_active value,
- C. The active server sends heartbeats to the standby server,
- D. Both servers need to point to each other using their ft_active parameters,

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 30

Which two statements are true about load balancing with EMS? (Choose two.) Options are :

- A. Each consumer must maintain connections to all servers.

- B. EMS servers should not be load balanced with durable subscribers.
- C. Two load balanced servers can also be configured as a fault-tolerant pair.
- D. Load balancing should be avoided when the application requires strict message ordering.

Answer: (SHOW ANSWER)

NEW QUESTION: 31

Which three are required in order to determine the feasibility of providing a proposed service? (Choose Three.) Options are :

- A. service interface specification
- B. user interface specification
- C. service architecture
- D. service utilization scenarios
- E. binding port specification

Answer: A,B,C (LEAVE A REPLY)

Valid TCP-EMS8 Dumps shared by TrainingQuiz.com for Helping Passing TCP-EMS8 Exam! TrainingQuiz.com now offer the **newest TCP-EMS8 exam dumps**, the TrainingQuiz.com TCP-EMS8 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com TCP-EMS8 dumps with Test Engine here: <https://www.trainingquiz.com/TCP-EMS8-practice-quiz.html> (150 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 32

Concept a contains Concept B.

Concept A is using Cache Only mode of object management mode is recommended for Concept B to use?

Options are :

- A. Memory Only
- B. Cache + Memory or Cache Only
- C. Memory Only or Cache Only
- D. Memory Only or Cache + Memory or Cache Only

Answer: B (LEAVE A REPLY)

NEW QUESTION: 33

Which two statements are true about JNDI lookups of EMS administered objects? (Choose two.) Options are :

- A. Dynamic topics are automatically added to the third-party naming/directory service.

- B. EMS client can perform JNDI lookups of administrated objects stored in third-party naming/directory services.
- C. The EMS server and third-party naming/directory services automatically synchronize administered objects,
- D. EMS "administered" objects include users/groups.
- E. EMS client can only perform JNDI lookups on static queues or topics.

Answer: C,E ([LEAVE A REPLY](#))

NEW QUESTION: 34

Which two statements are true about the Delegation pattern? (Choose two.) Options are :

- A. The service provider sends the work result to the service consumer.
- B. The service consumer receives confirmation that the work was completed successfully.
- C. The service consumer receives confirmation that the request was accepted.
- D. The service consumer does not receive the work result.

Answer: A,B ([LEAVE A REPLY](#))

NEW QUESTION: 35

Which two conditions can cause messages in a queue to be moved to the undelivered queue? (Choose two.) Options are :

- A. The overflow policy for the queue has been set to discard the oldest messages.
- B. The number of delivery attempts has reached the limit defined for the queue.
- C. The number of pending messages has reached the limit defined for the queue.
- D. The length of time the message has been retained in the queue has exceeded the limit defined for the queue.

Answer: A,C ([LEAVE A REPLY](#))

NEW QUESTION: 36

What are two properties of a push-based cached composite service? (Choose two.) Options are :

- A. Underlying services are not impacted when the composite responds to requests.
- B. Responses are provided from information private to the service.
- C. Responses require the invocation of all underlying services.
- D. Underlying services are not required.

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 37

What are three feature of Pattern Matcher? (Chooae three.)

Options are :

- A. The Pattern service can run in Inference agent or Query agent.
- B. The Pattern service starts automatically when the engine starts.
- C. Each agent has a separate instance of the Pattern service.

D. The Pattern service can only be run inside an Inference agent.

E. The Pattern service can be started and stopped anytime inside the engine.

Answer: C,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 38

TIBCO Enterprise Message Service Certification Exam Set 1

Which two datastores are supported by EMS servers? (Choose two.)

Options are :

data grid

dbstore

A,D

dbstore

mstore

Answer : A,D

Which two statements are true about EMS tracing and logging capabilities? (Choose two.)

Options are :

The location of log file is set in tibemsd.conf file via the log_trace parameter.

B,D

Message tracing applies only to headers.

Message tracing can be applied at destination and message levels.

Access control violations can be logged to console or log file.

Answer : B,D

Which statement is true about configuration file usage for an EMS fault tolerant configuration?

Options are :

Primary and Secondary EMS servers must share all configuration files excluding the stores.conf file.

Primary and Secondary EMS servers must share all configuration files.

Primary and Secondary EMS servers should share the tibemsd.conf file.

C

Primary and Secondary EMS servers can share all configuration files excluding the tibemsd.conf file.

Answer : C

Which command displays message count delivered to a queue receiver?

Options are :

Show consumers

Show connections

Show users

Show receivers

Answer : Show consumers

What are three valid acknowledgment modes in TIBCO Enterprise Message Service?

(Choose three.)

Options are :

DUPS_OK_ACKNOWLEDGE

IMPLICIT_CLIENT_DUPS_OK_ACKNOWLEDGE

EXPLICIT_CLIENT_ACKNOWLEDGE

NO_ACKNOWLEDGE

A,B,E

IMPLICIT_CLIENT_ACKNOWLEDGE

Answer : A,B,E

Which Administration Tool command creates the queue without reporting any errors?

Options are :

Create queue test.queue store=\$sys.fail-safe, secure,local

Create queue test.queue store=\$sys.fail-safe,trace=header

Create queue test.queue secure,global,store=\$sys.fail-safe

Create queue test.queue secure,store=\$sys.fail-safe,channel=multicast-l

Answer : Create queue test.queue secure,global,store=\$sys.fail-safe

Which parameter must be configured for primary and secondary EMS to operate in fault-tolerant mode?

Options are :

ft_passive parameter in the tibemsd.conf file

store parameter in the store, conf file

server parameter in the tibemsd.conf file

ft_factory in the factories.conf file

Answer : server parameter in the tibemsd.conf file

Which section is required in a JMS message?

Options are :

Header

Footer

Properties

Body

Answer : Header

The customer has identified an interface called "New Customer". When a new customer has been created in the Customer Care Application, the customer data must be distributed to other applications such as billing, payments, etc.

What is the most efficient mechanism to implement the message delivery?

Options are :

Publish/subscribe using queues

Point-to-point using queues

Publish/subscribe using topics

Point-to-point using topics

Answer : Point-to-point using queues

A topic, conf.file contains the following entry: mycompany. *. hr. > secure Which two topics will inherit the secure property? (Choose two.) Options are :

mycompany.south.hr.vacation.approval

mycompany.south.eng.hr.vacation

A,F

mycompany.south.hr

mycompany.hr.vacation

mycompany.south.region.hr.vacation

mycompany_office.hr.vacation

mycompany.south.hr.vacation

Answer : A,F

Which two statements are true about topics and queues? (Choose two.)

Options are :

A sender can send to a wildcard queue.

A consumer can listen for wildcard queue names.

C,E

A queue can only have one exclusive connected consumer at a time.

A publisher can publish to a wildcard topic.

A consumer can listen for wildcard topic names.

A queue can only have one consumer per message.

Answer : C,E

What are the three options for the user_auth parameter in EMS? (Choose three.) Options are :

A,C,D

local

ldap

ssl

jaas

x.509

Answer : A,C,D

A bridge has been configured from topic T1 to topic T2.

Which two statements are true if a message producer sends messages to T1 within a transaction? (Choose two.) Options are :

The transaction can succeed if the producer only has permission to send to topic T1.

The transaction will fail if the producer does not have permission to send to topic T2.

A,B

The bridge needs to be configured to support transactions.

All messages sent across the bridge are part of the transaction.

Answer : A,B

Which two statements are true about configuring security for a fault-tolerant pair that does not share state? (Choose two.) Options are :

When SSL is deployed, both servers must use the same certificate(s).

B,D

acl.conf settings can differ between servers.

When SSL is deployed, servers can use different certificate(s), but must use the same root certificate authority.

All access control settings should be the same on both servers.

Answer : B,D

Which two statements are true about the listen parameter? (Choose two.) Options are :

Multiple listen parameters can be set in the TIBCO EMS configuration file.

A,B

The listen parameter is set in the tibemsd.conf file.

TCP is the only protocol supported in the listen parameter.

The listen parameter is set in the transports, conf file.

Answer : A,B

Which statement is true about acknowledgment modes?

Options are :

They determine the way the EMS server sends confirmations to message producers.

They determine the way message consumers send confirmations to message producers

They determine the way message consumers send confirmations to the EMS server.

They determine the way the EMS server sends confirmations to message consumers.

Answer : They determine the way message consumers send confirmations to the EMS server.

What are three valid delivery modes in EMS? (Choose three.)

Options are :

NON PERSISTENT

PERSISTENT

TRANSACTIONAL

GUARANTEED

RELIABLE_DELIVERY

A,C,E

Answer : A,C,E

What are two characteristics of multicasting? (Choose two.)

Options are :

The EMS server uses TCP to transmit messages to receivers,

The EMS server uses PGM to transmit messages to receivers.

B,C

It reduces network traffic generated between EMS server and EMS client machines.

The producer can choose to use PGM or TCP to send messages to the EMS server,

Multicasting is used in messaging scenarios where high bandwidth delivery of real-time data is a requirement, Answer : B,C Which Context.PROVDER_URL is used to look up

EMS administered objects stored in the EMS server running on host EMSHOST on port 7222?

Options are :

tibjmsnaming://EMSHOST:7222

emsnaming://EMSHOST:7222

jndi://EMSHOST:7222

ems://EMSHOST:7222

http://EMSHOST:7222

tcp: ://EMSHOST: 7222

Answer : jndi://EMSHOST:7222

User Bob is in the ENG group with the following permissions:

Larger image

Which statement is true for user Bob and the topic quote.tibx.us.new?

Options are :

The EMS server starts and Bob can publish and subscribe to quote.tibx.us.new.

The wildcard topics collide, so the EMS server fails to start.

The EMS server starts and Bob overrides all the ENG group permission, so Bob cannot subscribe to quote.tibx.us.new.

The EMS server starts and Bob inherits all permissions from the ENG group, so Bob cannot publish to quote.tibx.us.new.

Answer : The EMS server starts and Bob can publish and subscribe to quote.tibx.us.new.

What must you do to set an EMS Java client application to attempt reconnection 10 times with 1000 ms delay between attempts to the EMS server during fault tolerance switch or when a connection is being terminated by the network? (Choose two.) Larger image

Options are :

Option A

Option B

Option D

Option C

A,D

Answer : A,D

A dynamic queue named q1 has been created by an EMS client.

What will be the result of executing the following command: create queue q1?

Options are :

The command will fail saying the queue already exists.

The command will succeed and dynamic queue will be renamed.

The command will succeed and queue will be promoted to static.

The command will fail if queue has connected receivers.

Answer : The command will succeed and queue will be promoted to static.

Which statement is true about message compression with EMS?

Options are :

Body is the only message part that is compressed

Properties are compressed, but headers are not.

Properties and headers are also compressed.

Headers are compressed, but properties are not.

Answer : Body is the only message part that is compressed

What are two valid delivery modes in EMS? (Choose two.)

Options are :

B,E

GUARANTEED

DURABLE

PERSISTENT

RELIABLE_DELIVERY

EXPLICIT

Answer : B,E

Producer A has published a message with expiration time as 30 seconds to a queue with the property JMS_TIBCO_PRESERVE_UNDELIVERED set to true.

What happens when the message expires?

Options are :

The message is moved to Ssys.expired queue.

The message is deleted from the undelivered queue.

The message is moved to Ssys.undelivered queue.

The message is completely deleted from the server.

Answer : The message is moved to Ssys.undelivered queue.

If authorization is enabled in the tibemsd.conf file and the secure property is set for a destination, when are permissions checked? (Choose two.) Options are :

A,B

When creating non-durable subscription for wildcard topics

When performing a JNDI lookup of a destination

When a producer sends a message to the destination

When attempting to become a consumer for a queue

Answer : A,B

Which parameter is used to preallocate disk space for the store file?

Options are :

file_minimum

store_min_size

store_minimum

file_min_size

file_truncate

Answer : file_minimum

What are three limitations in the use of wildcards by EMS clients? (Choose three.) Options are :

Clients cannot subscribe to wildcard topics,
Clients cannot send to wildcard queues.
Clients cannot use wildcards for dynamic topics.

B,C,E

Clients cannot receive from wildcard queues.
Clients cannot publish to wildcard topics.

Answer : B,C,E

Which event causes EMS to return a delivered but unacknowledged queue message to be available to another receiver?

Options are :

- A. redeliverydelay property is set to zero.
- B. The client application terminates the connection.
- C. Ssys.redelivery.delay queue is purged.
- D. Ssys.undelivered queue is disabled.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 39

Which three statements about a CDD are true? (Choose Three.)

Options are :

- A. A project can have a one-to-many relationship with a CDD.
- B. Deployment requires both a CDD and the project.
- C. A CDD can be associated with only Object Management type at any given time.
- D. A CDD needs to be rebuilt when a new rule is added to the project.
- E. Deployment requires both CDD and EAR files.

Answer: A,D,E ([LEAVE A REPLY](#))

NEW QUESTION: 40

Which character is valid separator in the URL for a client to connect to a load-balanced EMS server pair?

Options are :

- A. &
- B. ;
- C. .
- D. |

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 41

Which statement is true about rules?

Options are :

- A. To assert a new set of concept instances it must be returned as arrays of objects from a rule

- B. All rules matching the conditions at given time will be triggered in parallel.
- C. Returning an event instance from a rule sends the events to its default destination.
- D. Executing a rule action may prevent the execution of other rules matching the criteria.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 42

A solution needs to update a backend database with a JDBC interface. Which TIBCO ActiveMatrix component should you recommend?

Options are :

- A. Active Matrix Business Works
- B. Active Matrix Meditation implementation type
- C. Active Matrix Web App implementation type
- D. Active Matrix Spring implementation type

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 43

Which three TIBCO Business Events objects can be stored in cache servers? (Choose three.) Options are :

- A. Rule Functions
- B. Global Variables
- C. Events
- D. Concepts
- E. Scorecards
- F. Rules

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

Which activity is appropriate for implementation as a synchronous request-reply operation?

Options are :

- A. keeping a cache of customer information continuously updated
- B. processing a request that requires human action
- C. performing a long-running update to a back end system
- D. retrieving data from a back end system

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 45

What are two valid ways to create a Connection Factory? (Choose two.)

Options are :

- A. Create factory myFactory queue url=tibjmsnaming://server:7777
- B. Create factory myFactory queue url=tcp://server:7777,tcp://server1:8888
- C. Create factory myFactory queue url=ssl://server:7777

Create factory myFactory queue url=ems://server:7777

Create factory myFactory queue

url=tibjmsnaming://server:7777,tibjmsnaming://server:8888

Answer: B,C (LEAVE A REPLY)

NEW QUESTION: 46

Which three statements are true about the TRA file? (Choose three.)

Options are :

- A. Its settings define backing store database connection pools.
- B. It contains the settings necessary to enable the JMX connector.
- C. It is mandatory when running the be-engine.
- D. It is used to select backing store database types.
- E. It defines the classpath for Java libraries existing outside of the project

Answer: A,D,E (LEAVE A REPLY)

Valid TCP-EMS8 Dumps shared by TrainingQuiz.com for Helping Passing TCP-EMS8 Exam! TrainingQuiz.com now offer the **newest TCP-EMS8 exam dumps**, the TrainingQuiz.com TCP-EMS8 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com TCP-EMS8 dumps with Test Engine here: <https://www.trainingquiz.com/TCP-EMS8-practice-quiz.html> (150 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 47

What are three key configuration elements that must be used to run the debugger?

(Choose three.) Options are :

- A. Destination collection
- B. Rule collection
- C. Processing Unit name
- D. EAR file location
- E. CDD file location

Answer: B,C,D (LEAVE A REPLY)

NEW QUESTION: 48

What are the three options for the user_auth parameter in EMS? (Choose three.) Options are :

- A. ssl
- B. jaas
- C. ldap
- D. x.509

E. local

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 49

*You have the following configuration, where mstore1 is of type mstore and Ssys.failsafe and \$sys.nonfailsafe are file-based stores:

What happens?

Options are :

- A. Commands 1 and 2 execute successfully.
- B. Command 2 fails, but Command 1 executes successfully.
- C. Commands 1 and 2 fail.
- D. Command 1 fails, but Command 2 executes successfully.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 50

Which TIBCO Business Events add-on software enables queries using a language that is SQL-like?

Options are :

- A. Decision Manager
- B. Data Modeling
- C. Views
- D. Event Stream Processing

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 51

Which three can be achieved out-of-the-box in TIBCO Active matrix Mediation implementation type?

(Choose Three.)

Options are :

- A. database update
- B. data mapping
- C. content-based routing
- D. sub-routine call
- E. schema validation

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 52

A Company wants to automate its interactions with its partners. Which product is best suited for this purpose?

Options are :

- A. TIBCO Business Studio

- B. TIBCO ActiveMatrix BPM
- C. TIBCO ActiveMatrix Service Grid
- D. TIBCO Business Connect
- E. TIBCO ActiveMatrix Business Works

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 53

Which two statements about channels are true? (Choose two.)

Options are :

- A. A Channel can contain many destinations.
- B. All destinations for a channel use the same server connection.
- C. All destinations for a channel must use different server connections.
- D. A destination can contain many channels.

Answer: C,D ([LEAVE A REPLY](#))

Valid TCP-EMS8 Dumps shared by TrainingQuiz.com for Helping Passing TCP-EMS8 Exam! TrainingQuiz.com now offer the **newest TCP-EMS8 exam dumps**, the TrainingQuiz.com TCP-EMS8 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com TCP-EMS8 dumps with Test Engine here: <https://www.trainingquiz.com/TCP-EMS8-practice-quiz.html> (150 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)