

Veritas.VCS-278.v2022-02-02.q107

Exam Code:	VCS-278
Exam Name:	Administration of Veritas NetBackup 8.1.2
Certification Provider:	Veritas
Free Question Number:	107
Version:	v2022-02-02
# of views:	3095
# of Questions views:	1070
https://www.dumpsdb.com/dumps/Veritas/VCS-278/Veritas.VCS-278.v2022-02-02.q107	

NEW QUESTION: 1

An administrator has master server running over 50,000 jobs per day.

What can the administrator do to reduce the load on the master server?

- A. Replicate the backups to another master server domain
- B. Configure a new master server to distribute the backup load
- C, Add additional media servers to the environment
- C. Configure client-side deduplication and load balancing media servers

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 2

Backup images that reside in an MSDP storage pool have been manually expired using bpexpdate.

Which step must an administrator perform to manually free the associated space in the storage pool?

- A. run image cleanup on the media server that hosts the MSDP storage server.
- B. run content router queue processing on the media server that hosts the MSDP storage server.
- C. run an inventory on the MSDP storage pool.
- D. run content router queue processing on the master server.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 3

Which command starts the NetBackup services on Windows?

- A. The netbackup start command
- B. The start services command
- C. The bp.start_all command

- D. The bpup command
- E. The bpup all command

Answer: D ([LEAVE A REPLY](#))

Explanation

Explanation:

None of the other commands are valid on a Windows NetBackup host, some are valid on UNIX.

NEW QUESTION: 4

Which type of backup schedule is available when using the "After each backup session" schedule type for an NBU-Catalog policy type?

- A. Full
- B. Application Backup
- C. Differential Incremental
- D. Vault Catalog Backup

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 5

A tape containing valid backup images is damaged and is unusable. The administrator removes the tape from the robot to avoid trying to use it again for backup or restore operations.

Which two tasks should the administrator perform next? (Choose two.)

- A. Expire all the backup images located on the damaged tape.
- B. Delete the damaged tape.
- C. Move the damaged tape to the scratch pool.
- D. Label the damaged tape.
- E. Expire all the backup images located on the damaged tape.

Answer: B,E ([LEAVE A REPLY](#))

NEW QUESTION: 6

A peername file needs to be created for a client to perform redirected restores.

What is the name of the directory where the peername file needs to be created on a master?

- A. clients
- B. config
- C. images
- D. altnames

Answer: D ([LEAVE A REPLY](#))

Explanation/Reference: <https://vox.veritas.com/t5/NetBackup/Netbackup-windows-folder-restore-to-different-server/td-p/411252>

NEW QUESTION: 7

An administrator is attempting to protect 500TB of Windows file system data in a 4-hour backup window, when the file servers are idle. The daily change rate for the data is below 1%, and an Initial

full backup has been performed to a high performance disk array configured as an Advanced Disk storage unit.

What can the administrator do to ensure subsequent backups complete within the backup window?

- A. configure NetBackup Accelerator
- B. configure multiplexing
- C. configure client-side deduplication
- D. configure Synthetic backups

Answer: D ([LEAVE A REPLY](#))

Explanation/Reference:

NEW QUESTION: 8

A job fails with the following message:

The administrator verifies the default OS host name resolution order is in place in all the environments, but finds an incorrect entry for the client in the media server's hosts file and corrects it. The hosts file on the client is properly configured. The administrator restarts the job, but the job fails with the same error message.

Which action should the administrator perform to ensure the job completes successfully?

- A. Restart the NetBackup services on the client.
- B. Run `bpcIntcmd -clear_host_cache` command on the media server.
- C. Create a DNS record for the client.
- D. Restart the NetBackup services on the master server.

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 9

When is it most appropriate to use multiple data streams?

- A. When backup up ALL_LOCAL_DRIVES to multiple tape drives.
- B. When different backup selections are on the same disk.
- C. When performing backups over a network that is very busy.
- D. When you have very small backup jobs.

Answer: A ([LEAVE A REPLY](#))

Explanation

Each tape drive can receive a data stream from a different disk.

NEW QUESTION: 10

An administrator has a MS-Windows type policy that has failed for a Microsoft Windows NetBackup client.

The policy uses the ALL_LOCAL_DRIVES backup selection. See the extract from the end of the job details below:

Which two logs will provide the most relevant information for troubleshooting and resolving the error? (Select two.)

- A. NetBackup bptm logs on the media server

- B. Operating system logs on the media server
- C. NetBackup bpfis logs on the media server
- D. NetBackup bpfis logs on the client
- E. Operating system logs on the client

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 11

An administrator is comparing the NetBackup Accelerator and NetBackup FlashBackup features to determine which feature should be used for backup of a very large file system with millions of files. Which consideration is irrelevant when determining whether to use NetBackup Accelerator or NetBackup FlashBackup in the situation?

- A. the file system change rate.
- B. the file system storage capacity.
- C. the type of file system being used.
- D. the file system folder depth.

Answer: A ([LEAVE A REPLY](#))

Explanation/Reference:

NEW QUESTION: 12

Which host types are supported in a Standard policy?

- A. Linux
- B. UNIX
- C. All of the above
- D. Mac OS X

Answer: ([SHOW ANSWER](#))

Explanation/Reference:

NEW QUESTION: 13

A volume is no longer used for backups if it is past its expiration data or has reached its maximum number of mounts.

- A. True
- B. False

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 14

Where are the NetBackup track logs located by default when backing up a NetApp filer using the NDMP policy type with NetBackup Accelerator enabled?

- A. on the NetBackup master and media server
- B. on a NetBackup client
- C. on the NetApp filer
- D. on a user defined network share

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 15

Which command can be used to recover the NBDB from the staging location?

- A. bprestore
- B. nbdb_admin
- C. nbdb_restore
- D. bprecover

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 16

An administrator runs a VxUpdate policy, but the job fails with an error indicating that the client's hardware and operating system are specified incorrectly (status code 224).

Which command can the administrator run to correct this error?

- A. bpclient
- B. bpplclients
- C. bpsetconfig
- D. nbhostmgmt

Answer: B ([LEAVE A REPLY](#))

Valid VCS-278 Dumps shared by TrainingQuiz.com for Helping Passing VCS-278 Exam!

TrainingQuiz.com now offer the **newest VCS-278 exam dumps**, the TrainingQuiz.com VCS-278 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com VCS-278 dumps with Test Engine here:

<https://www.trainingquiz.com/VCS-278-practice-quiz.html> (220 Q&As Dumps, **40%OFF** Special

Discount: **Exam-Tests**)

NEW QUESTION: 17

Backup jobs end with the following series of messages in the Job Details:

Error bpbrm(pid=) db_FLISTsend failed: Unable to connect to the database (2505)

12/05/2013 15:39:45 - job 63389 was restarted as job 63390

Failed to get status code information (2505)

Which process is failing to respond?

- A. nbemm
- B. bpdbrm
- C. nbjm
- D. bpbrm

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 18

An administrator is attempting to start NetBackup services on a master server without success. When verifying the database is up using the nbdb_ping command, the administrator receives the following error:

Database [NBDB] is not available

Which log file should the administrator analyze to determine why NetBackup Database fails to start?

- A. server.log
- B. emm.log
- C. nbdb.log
- D. nbdbms.log

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 19

Consider the configuration information for a single UNIX client displayed below.

Allow Multiple Data Streams is enabled. ALL_LOCAL_DRIVES is specified. Media multiplexing is set to 6.

Three tape drives are available in the storage unit and multiplex per drive is 2. Max Jobs per Client is set to 8.

The client has five local file systems with no exclude list.

How many concurrent data streams will there be when the policy runs?

- A. six
- B. two
- C. eight
- D. three
- E. five

Answer: E ([LEAVE A REPLY](#))

NEW QUESTION: 20

Refer to the exhibit.

A backup policy uses a Full backup schedule with a schedule type of Frequency: 1 day. The Exclude Dates tab is configured to exclude all Thursdays for the next few weeks. The start window for the schedule is configured as shown in the exhibit:

The administrator runs a manual backup at 10:00 on Wednesday.

When will the next backup run, if all prior backups completed successfully?

- A. Thursday at 10:00
- B. Thursday at 2:00
- C. Friday at 10:00
- D. Friday at 2:00

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 21

What is a logical destination for NetBackup client's backup data?

- A. Selection List
- B. Storage Unit
- C. Policy
- D. Catalog

Answer: ([SHOW ANSWER](#))

Explanation

The logical destinations for a NetBackup client's data include storage units, storage unit groups, and SLP.

NEW QUESTION: 22

Which two options are available to an administrator to bring the MSDP catalog back online in the case of a hardware problem that caused corruption? (Choose two.)

- A. restore the MSDP catalog from the NetBackup catalog backup.
- B. restore the MSDP catalog from a MSDP catalog shadow copy.
- C. repair the MSDP catalog using the recoverCR tool.
- D. recover the MSDP catalog from a MSDP catalog backup.
- E. repair the MSDP catalog using the crchk tool.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 23

Which command is used by VxUpdate to upgrade clients?

- A. nbhostmgmt
- B. nbrepo
- C. vmupdate
- D. nbinstallcmd

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 24

A disk volume is a.

- A. Collection of media in a volume
- B. DataStore Pool
- C. Pool of volumes
- D. Logical unit of disk storage

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 25

What is a possible cause for job failure when a Windows client is configured to use NetBackup Accelerator writing to an MSDP pool?

- A. There is insufficient space in the client's NetBackup installation directory.

- B. "Disable client-side deduplication" is set on the policy.
- C. The policy lacks a schedule with "Accelerator forced rescan" enabled.
- D. Use of the NTFS or ReFS Change Journal is disabled.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 26

A storage lifecycle policy can be configured for which operations?

- A. Fixed, data classification, automatic
- B. Backup, export and import
- C. Backup, deduplication and export
- D. Backup, duplication and replication

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 27

Which command should an administrator use to view the expiry date of the local host-ID based certificate?

- A. nbcertcmd -listCertDetails
- B. nbcertcmd -listCACertDetails
- C. nbcertcmd -hostSelfCheck
- D. bpcIntcmd -self

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 28

What are the minimal policy directive(s) to ensure all components of a Windows server system are protected when performing a backup?

- A. ALL_LOCAL_DRIVESand System State:\and Shadow Copy Components:\
- B. ALL_LOCAL_DRIVESand System State:\
- C. ALL_LOCAL_DRIVESand Shadow Copy Components:\
- D. ALL_LOCAL_DRIVES

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 29

When an administrator creates a duplicate copy of an image, what will the retention be for the new copy?

- A. The backup date plus the new retention period
- B. The specified date plus the retention period.
- C. The system date plus the new retention period.
- D. The duplication date plus the new retention period.

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 30

Refer to the exhibit.

The following Storage Lifecycle Policy was used to back up data from a client. All duplication jobs have completed, and none of the backups have expired.

How should an administrator restore data from the tape using Netbackup?

- A. From the Netbackup Administrator Console, promote copy 2 to the primary copy
- B. From the BAR console, select the tape backup to restore from
- C. From the Netbackup Administrator Console, promote copy 1 to the primary copy
- D. From the BAR console, start the restore and NetBackup will automatically select the tape copy

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 31

Which command should an administrator run to display all images written to both disk and tape for a particular client?

- A. bpcIntcmd
- B. bpimmedia
bpmedia
- C. bplist

Answer: ([SHOW ANSWER](#))

Valid VCS-278 Dumps shared by TrainingQuiz.com for Helping Passing VCS-278 Exam!

TrainingQuiz.com now offer the **newest VCS-278 exam dumps**, the TrainingQuiz.com VCS-278 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com VCS-278 dumps with Test Engine here:

<https://www.trainingquiz.com/VCS-278-practice-quiz.html> (220 Q&As Dumps, **40%OFF** Special

Discount: Exam-Tests)

NEW QUESTION: 32

Which two NetBackup features are available to protect the MSDP catalog? (Choose two.)

- A. MSDP catalog policy
- B. Optimized Catalog Duplication
- C. Checkpoints
- D. NetBackup catalog backups
- E. MSDP shadow copies

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 33

Which statement about managing tape devices is correct in NetBackup?

- A. The Device Monitor enables you to change the status of a tape drive.

- B. Only tape drives in a robotic library are supported.
- C. Tape drives cannot be shared by multiple media servers.
- D. Tape drives can only be managed in OpsCenter.

Answer: A ([LEAVE A REPLY](#))

Explanation

You can manage tape drives status from NetBackup, OpsCenter or the command line.

NEW QUESTION: 34

An administrator of a multi-site, multi-domain NetBackup environment wants to be able to provide redundancy for backups as well as protecting the NetBackup image database. All backups must have on-site and off-site copies in multiple NetBackup domains as well as off-site tape copies. Which NetBackup feature should the administrator use to implement the functionality?

- A. Optimized Duplication
- B. Auto Image Replication
- C. Vault with Catalog Backups
- D. Replication Director

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 35

Which host types are supported in a Standard policy?

- A. All of the above
- B. Linux
- C. UNIX
- D. Mac OS X

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 36

What are the minimal policy directive(s) to ensure all components of a Windows server system are protected when performing a backup?

- A. ALL_LOCAL_DRIVES and Shadow Copy Components:\
- B. ALL_LOCAL_DRIVES
- C. ALL_LOCAL_DRIVES and System State:\ and Shadow Copy Components:\
- D. ALL_LOCAL_DRIVES and System State:\

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 37

Which data is restored if the restore file is a symbolic link?

- A. the link file object and the linked file
- B. the link file object
- C. the link file object and the data contained in it
- D. the file that the link points to

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 38

What happens if the "Maximum data streams" property is enabled in the General tab of Client Attributes for a particular client?

- A. NetBackup ignores "Limit jobs per policy" and uses either "Maximum data streams" or "Maximum jobs per client", whichever is lowest.
- B. NetBackup ignores "Maximum concurrent jobs" per storage unit and uses either "Limit jobs per policy" or "Maximum data streams", whichever is lowest.
- C. NetBackup ignores "Maximum jobs per client" and uses either "Maximum data streams" or "Limit jobs per policy", whichever is lowest.
- D. NetBackup ignores "Maximum concurrent jobs" per storage unit and uses "Maximum jobs per client" or the "Limit jobs per policy", whichever is lowest.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 39

Manual backups apply only to automatic schedules.

- A. False
- B. True

Answer: B ([LEAVE A REPLY](#))

Explanation/Reference:

NEW QUESTION: 40

Which statement about Microsoft Exchange backups is true in NetBackup?

- A. Individual mail messages can be restored.
- B. Exchange must be shut down to be backed up consistently.
- C. The entire Exchange database must be restored as a whole.
- D. Individual Exchange mailboxes can be restored, but not individual messages.

Answer: A ([LEAVE A REPLY](#))

Granular Recovery Technology provides this functionality for Exchange.

NEW QUESTION: 41

An administrator has an environment with four media servers connected to a single cloud storage server. The environment has ten application servers and 50 file and print servers that need to be backed up to the same cloud storage.

How can the administrator ensure that the application servers have prioritized access to the cloud storage?

- A. add more media servers to the cloud storage server
- B. enable NetBackup Accelerator for the high priority clients
- C. configure separate storage units for the high and low priority clients
- D. configure Throttling in Scalable Storage settings

Answer: C ([LEAVE A REPLY](#))

Explanation/Reference: <https://docs.microsoft.com/en-us/azure/architecture/patterns/priority-queue>

NEW QUESTION: 42

What is an available sub-type for a disk storage unit?

- A. NDMP
- B. VTL
- C. Media Manager
- D. OpenStorage

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 43

Refer to the Exhibit.

An administrator has created a policy that has three new Full schedules as shown in the exhibit. All the schedules are set to run on Friday, from 0200 to 0600.

What is the order of priority for the schedules on Friday?

- A. Full-Quarterly > Full-Monthly > Full-Weekly
- B. Full-Monthly > Full-Weekly > Full-Quarterly
- C. Full-Quarterly > Full-Weekly > Full-Monthly
- D. Full-Weekly > Full-Monthly > Full-Quarterly

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 44

Which parameter in NetBackup Management > Most properties must be modified to change the logging level to 5 for the Netbackup client named client.example.com?

- A. Set the Global logging level" in the master server host properties
- B. Enable "Logging for critical process " in the client host properties
- C. Set the Global logging level" in the client host properties
- D. Enable "logging for critical process" in the master server host properties

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 45

Which command is used by VxUpdate to upgrade clients?

vmupdate

- A. nbinstallcmd
- B. nbhostmgmt
- C. nbrepo

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 46

An MSDP media server is experiencing performance issues when running multiple deduplication backup jobs concurrently over 10 GbE. When switched to AdvancedDisk on the same media server, the backups perform well.

Which step can be utilized to mitigate the performance issues?

- A. increase the "Maximum concurrent jobs" for the MSDP storage unit
- B. increase the size of the MSDP disk pool on the storage server
- C. add load balancing media servers for the storage server
- D. increase the "Job priority" on the MSDP backup policy

Answer: C ([LEAVE A REPLY](#))

Explanation/Reference:

Valid VCS-278 Dumps shared by TrainingQuiz.com for Helping Passing VCS-278 Exam!

TrainingQuiz.com now offer the **newest VCS-278 exam dumps**, the TrainingQuiz.com VCS-278 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com VCS-278 dumps with Test Engine here:

<https://www.trainingquiz.com/VCS-278-practice-quiz.html> (220 Q&As Dumps, **40%OFF** Special

Discount: **Exam-Tests**)

NEW QUESTION: 47

Where can an administrator change a disk pool to Down status in the NetBackup Administration Console?

- A. Media and Device Management > Credentials > Storage Servers
- B. Media and Device Management > Devices > Disk Pools
- C. NetBackup Management > Storage > Storage Unit
- D. Media and Device Management > Device Monitor > Disk Pools

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 48

An administrator configure a default Standard file system backup policy, which up very large file system from a set of clients. There are multiple scheduled backup attempts configured.

How can the administrator the Amount of time needed to complete these backup jobs after failures?

- A. Configure the "Take checkpoints every policy settings
- B. Increase the "Client connect timeout" host property setting
- C. Increase the "job retry delay"; host property setting
- D. Use the "Resume Job" action instead of "Restart Job"

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 49

What is the certificate deployment and management behavior when the security level is set to High?

- A. Certificates are deployed automatically for all hosts and the Certificate Revocation List (CRL) is refreshed every hour.
- B. Certificates are deployed with a token for all hosts and the Certificate Revocation List (CRL) is refreshed every 4 hours.
- C. Certificates are deployed automatically for known hosts and the Certificate Revocation List (CRL) is refreshed every hour.
- D. Certificates are deployed automatically for known hosts and the Certificate Revocation List (CRL) is refreshed every 4 hours.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 50

Which two pools are created by default in the NetBackup? (Choose two.)

- A. Default pool
- B. Deduplication pool
- C. Scratch pool
- D. CatalogBackup pool
- E. DataStore pool

Answer: D,E ([LEAVE A REPLY](#))

Explanation

NEW QUESTION: 51

What is the definition of a Storage Unit?

- A. It is a label that the Media Manager associates with physical storage.
- B. It is a label that defines where storage is physically located.
- C. It is a label that lets the administrator create a storage plan.
- D. It is a label that NetBackup associates with physical storage.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 52

Refer to the exhibit.

Two media servers, sharing a library with 6 tape drives, exist in the NetBackup environment displayed in the exhibit. Both weekly Full and daily Differential Incremental backups need to run for the clients and each schedule has a different retention period. Because of network topology, some clients back up to Media server 1 and some back up to Media server 2. The environment suffers from multiple status 96 failures during the backup window.

How can the administrator minimize the number of failures?

- A. increase the "Media unmount delay"
- B. enable backups to span tape media
- C. enable media sharing

D. configure media multiplexing

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 53

When NetBackup makes more than one image copy simultaneously during the backup, it is called

A. Inline copy

B. Storage life backup

C. Simultaneous copy

D. Duplication copy

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 54

Some NetBackup jobs are affected by the failure of a disk in an AdvancedDisk pool, but the jobs are unavailable to view in the Activity Monitor.

In which two places can the administrator view NetBackup jobs affected by the disk failure?

(Choose two.)

A. Media and Device Management > Device Monitor > Disk Pool

B. NetBackup Management > Reports > Disk Reports > Disk Storage Unit Status

C. NetBackup Management > Reports > Disk Reports > Disk Pool Status

D. NetBackup Management > Reports > Disk Reports > Disk Logs

E. NetBackup Management > Reports > Media Logs

Answer: D,E ([LEAVE A REPLY](#))

NEW QUESTION: 55

What the definition of a Storage Unit?

A. It is a label that the media Manager associates with physical storage.

B. It is a label that lets the administrator create a storage plan.

C. It is a label that Netbackup associated with physical storage.

D. It is a label that defines where storage is physically located.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 56

Which NetBackup utility should an administrator use to determine real-time I/O performance of the appliance storage?

A. datacollect

B. nbdna

C. nbperfchk

D. nbsu

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 57

An administrator configures storage units STU-A and STU-B into a storage unit group in Failover mode.

If STU-A is busy, what happens to a new job going to the storage unit group?

- A. Fails over and writes backups to STU-B.
- B. Queues and waits for STU-A to become available.
- C. Queues and then initiates job to STU-B.
- D. Fails with a status code 219: Required storage unit is unavailable.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 58

In which two locations within the NetBackup Administration Console can an administrator monitor the progress of active restore tasks? (Choose two.)

- A. View > Options in the taskbar
- B. Activity Monitor > Jobs tab
- C. Backup, Archive, and Restore > Restore Files tab
- D. Backup, Archive, and Restore > Task Progress tab
- E. NetBackup Management > Catalog > Results tab

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 59

A job fails with the following message:

The administrator verifies the default OS host name resolution order is in place in all the environments, but finds an incorrect entry for the client in the media server's hosts file and corrects it. The hosts file on the client is properly configured. The administrator restarts the job, but the job fails with the same error message.

Which action should the administrator perform to ensure the job completes successfully?

- A. Restart the NetBackup services on the master server.
- B. Create a DNS record for the client.
- C. Restart the NetBackup services on the client.
- D. Run `bpcIntcmd -clear_host_cache` command on the media server.

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 60

A disk pool is a.

- A. Logical grouping of media servers
- B. Collection of disk volumes presented as a single entity
- C. Disk enclosure
- D. None of the above

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 61

An administrator has a Synthetic backup that fails with a status code 1, and the error message:
No images were found to synthesize (607)

Which steps should the administrator take to determine why the backup failed?

- A. check the schedule's Storage Unit for compatibility.
- B. check the policy schedules.
- C. check the policy backup selection list.
- D. check the client attributes in Host Properties.

Answer: B ([LEAVE A REPLY](#))

Valid VCS-278 Dumps shared by TrainingQuiz.com for Helping Passing VCS-278 Exam!
TrainingQuiz.com now offer the **newest VCS-278 exam dumps**, the TrainingQuiz.com VCS-278 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com VCS-278 dumps with Test Engine here:
<https://www.trainingquiz.com/VCS-278-practice-quiz.html> (220 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 62

An administrator has a Linux client that has a backup job failing with the following error message:
bbpim Exit client backup ESIT STATUS 41: network connection timed out

Which step should the administrator perform to ensure the backup job completes successfully?

- A. check the firewall settings to ensure Not Backup ports are open
- B. edit the "Client connect timeout" in the master server Host Properties
- C. add a SERVER entry for the media server in the client's bp.conf file
- D. edit the "Client read timeout" setting in the master server Host Properties

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 63

Which statement is true about NetBackup OpsCenter?

- A. OpsCenter is required to manage and monitor NetBackup.
- B. OpsCenter is the built-in interface to manage NetBackup.
- C. OpsCenter is the NetBackup management and monitoring GUI.
- D. An instance of OpsCenter is required for each NetBackup master server.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 64

Which schedule type is unsupported for a NetBackup catalog backup policy?

- A. Full backup with an "After each backup session" schedule
- B. Cumulative Incremental backup with an "After each backup session" schedule

- C. Differential Incremental backup with a "Frequency" schedule
- D. Differential Incremental backup with a "Calendar" schedule

Answer: ([SHOW ANSWER](#))

Explanation/Reference: https://www.veritas.com/support/en_US/article.100029886

NEW QUESTION: 65

Which of the following is not a selection type of storage unit groups?

- A. First-in First-out
- B. Failover
- C. Priority
- D. Round Robin

Answer: ([SHOW ANSWER](#))

The four storage unit group selections include Failover, Priority, Round Robin and Media Server Load Balancing.

NEW QUESTION: 66

A NetBackup Master Server has commenced writing four long-running duplication jobs on an AdvancedDisk disk pool. The value of Maximum concurrent jobs for the storage unit and Limit I/O streams for the disk pool are both set to 4.

There are 35 jobs queued on the Master Server that require this disk pool:

5 replication jobs with priority 9999

10 backup jobs with priority 999

20 duplication jobs with priority 99

Two restore jobs that require this disk pool are then submitted with default priority.

Which job type goes active next?

- A. Restore
- B. Backup
- C. Replication
- D. Duplication

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 67

Some NetBackup jobs are affected by the failure of a disk in an AdvancedDisk pool, but the jobs are unavailable to view in the Activity Monitor.

In which two places can the administrator view NetBackup jobs affected by the disk failure?

(Choose two.)

- A. Media and Device Management > Device Monitor > Disk Pool
- B. NetBackup Management > Reports > Disk Reports > Disk Logs
- C. NetBackup Management > Reports > Disk Reports > Disk Pool Status
- D. NetBackup Management > Reports > Disk Reports > Disk Storage Unit Status
- E. NetBackup Management > Reports > Media Logs

Answer: B,E (LEAVE A REPLY)

Explanation/Reference: https://www.veritas.com/support/en_US/article.000119038#v18660372

NEW QUESTION: 68

When an administrator creates a duplicate copy of an image, what will the retention be for the new copy?

- A. The system date plus the new retention period.
- B. The backup date plus the new retention period.
- C. The duplication date plus the new retention period.
- D. The specified date plus the retention period.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 69

Which parameter in NetBackup Management > Host Properties must be modified to change the logging level to 5 for the NetBackup client named client1.example.com?

- A. set the "Global logging level" in the client host properties.
- B. set the "Global logging level" in the master server host properties.
- C. enable "Logging for critical processes" in the client host properties.
- D. enable "Logging for critical processes" in the master server host properties.

Answer: B (LEAVE A REPLY)

NEW QUESTION: 70

Which storage unit group selection causes Netbackup to choose the least recently selected storage unit in the list as each new job is started?

- A. Prioritized
- B. Round Robin
- C. Media Server Load balancing
- D. Failover

Answer: B (LEAVE A REPLY)

NEW QUESTION: 71

Refer to the exhibit.

The following Storage Lifecycle Policy was used to back up data from a client. All duplication jobs have completed, and none of the backups have expired.

How should an administrator restore data from the tape using NetBackup?

- A. from the BAR console, start the restore and NetBackup will automatically select the tape copy.
- B. from the NetBackup Administration Console, promote copy 1 to the primary copy.
- C. from the NetBackup Administration Console, promote copy 2 to the primary copy.
- D. from the BAR console, select the tape backup to restore from.

Answer: C (LEAVE A REPLY)

NEW QUESTION: 72

An administrator navigates to NetBackup Management > Catalog, and selects Action: Import. After clicking the Search Now button, the following message appears:

Which step must the administrator perform in order to get search results?

- A. enable Catalog > Override default priority, and increase the Job Priority value
- B. run the Initiate Import command in the Catalog > Action menu
- C. increase the "Catalog cleanup wait time" in the Clean-up host property
- D. run the "Recover the catalogs" wizard

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 73

A file system on a server that has different files changing daily becomes corrupt, and a restore is required. The system is being backed up using True Image Restore with move detection enabled. The most recent backups of this file system are displayed below:

- * Monday: A full backup
- * Tuesday: A differential incremental backup
- * Wednesday: A cumulative incremental backup
- * Thursday: A differential incremental backup
- * Friday: A differential incremental backup

What is the minimum number of backup images that will be used to fully restore the server to its most current state?

- A. five
- B. four
- C. three
- D. one
- E. two

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 74

An administrator is experiencing a communication issue between the master and client and believes the certificate might be revoked.

Which log can the administrator view to analyze a certificate issue?

- A. vnetd
- B. bprd
- C. nbemm
- D. nbrb

Answer: ([SHOW ANSWER](#)**)**

Explanation/Reference: <https://sort.veritas.com/DocPortal/pdf/ka6j00000000A9IAAE>

NEW QUESTION: 75

An administrator working offsite is required to carry out a major upgrade to a NetBackup appliance. The appliance will need to be rebooted multiple times during the upgrade process. How should the administrator connect to the appliance to monitor the upgrade progress without interruption?

- A. connect to the eth0 interface using SSH
- B. connect to the IPMI interface using a web browser
- C. connect to the serial interface remotely using CLISH
- D. connect to the eth0 interface using a web browser

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 76

An administrator configures a policy to perform file system backups of multiple client systems using the "Allow multiple data streams" feature. All other policy attributes are at default settings. Which master server host property must be configured to enable the backup job from all clients to run concurrently?

- A. Policy storage unit > Enable multiplexing
- B. Client Attributes > Maximum data streams
- C. Global Attributes > Maximum jobs per client
- D. Policy storage unit > Maximum concurrent jobs

Answer: C ([LEAVE A REPLY](#))

Valid VCS-278 Dumps shared by TrainingQuiz.com for Helping Passing VCS-278 Exam!

TrainingQuiz.com now offer the **newest VCS-278 exam dumps**, the TrainingQuiz.com VCS-278 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com VCS-278 dumps with Test Engine here:

<https://www.trainingquiz.com/VCS-278-practice-quiz.html> (220 Q&As Dumps, **40%OFF** Special

Discount: Exam-Tests)

NEW QUESTION: 77

Which of the following is not a selection type of storage unit groups?

- A. First-in First-out
- B. Failover
- C. Priority
- D. Round Robin

Answer: A ([LEAVE A REPLY](#))

Explanation

The four storage unit group selections include Failover, Priority, Round Robin and Media Server Load Balancing.

NEW QUESTION: 78

Weekly full backups run for clientA on master1 using a storage unit that belongs to media1. The administrator is required to retain clientA's full backups for a period of four months. When the administrator modifies the full schedule, an option for 4 months is missing from the Retention drop-down list.

How can the administrator add a four month retention?

- A. modify an existing retention level in the master server host properties, under Retention Periods
- B. ignore the selection list and type in the desired retention period directly
- C. add a new retention period in the media server host properties, under Retention Periods
- D. increase the "Image cleanup interval" in the master server host properties, under Clean-up

Answer: C ([LEAVE A REPLY](#))

Explanation/Reference:

NEW QUESTION: 79

Refer to the Exhibit.

An administrator is trying to access client properties on the NetBackup Administration Console and receives the following message:

When checking the services on the master server, the administrator sees that the PBX service is down.

Which two commands can the administrator use to increase the PBX log level to determine the reason for the message above? (Choose two.)

- A. vxpbx_exchanged
- B. pbx_exchange
- C. vxlogcfg
- D. vxlogmgr
- E. pbxcfg

Answer: C,D ([LEAVE A REPLY](#))

NEW QUESTION: 80

Refer to the exhibit.

A backup uses a Full backup schedule with a schedule type of Frequency: 1 days. The start windows for the schedule is configured as shown in the exhibit.

The administrator runs a manual backup at 10:00 on Thursday.

When will the next backup run, if all prior backups completed successfully/

- A. Monday at 2:00
- B. Friday at 10: 00
- C. Friday at 2: 00
- D. Monday at 1:00

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 81

The nbemmcmd -getemmserver command on a new NetBackup media server produces the error displayed below.

Failed to initialize EMM connection.

Which two steps are used to diagnose the issue? (Choose two.)

- A. Verify that the nbemm and pbx_exchange daemons/services are running on the master server.
- B. Remove the media server name from the additional servers list on the master server.
- C. Run the bpcintcmd -hn command on the master server to confirm that the master server was able to resolve its own hostname.
- D. Telnet from the master server to the media server's VNETD port.
- E. Verify that network access to the master server is available.

Answer: A,E ([LEAVE A REPLY](#))

NEW QUESTION: 82

In the NetBackup Administration Console or Java console, how should an administrator change a disk pool to down status?

- A. Credentials > Storage Servers > right-click and select Down Disk Pool
- B. Media and Device Management > Devices > Disk Pools > right-click and select Down Disk Pool
- C. Devices > Disk Pools > right-click and select Down Disk Pool
- D. Device Monitor > Disk Pools > right-click and select Down Disk Pool

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 83

Which feature is enabled after adding a master server to the Trusted Master Servers tab?

- A. backup of clients in other master server domains
- B. remote console to another master server
- C. targeted Auto Image Replication
- D. remote catalog backups

Answer: C ([LEAVE A REPLY](#))

Explanation

NEW QUESTION: 84

To reduce network use by limiting the number of parallel backup streams, which cloud setting should be modified under the Scalable Storage host property?

- A. Throttling > Sampling interval
- B. Throttling > Total available bandwidth
- C. Network Connections > Maximum concurrent jobs
- D. Metering > Metering interval

Answer: ([SHOW ANSWER](#)**)**

NEW QUESTION: 85

A disk volume is a _____.

- A. DataStore Pool
- B. Collection of media in a volume
- C. Pool of volumes
- D. Logical unit of disk storage

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 86

What is the recommended method to configure devices into Media Manager?

- A. the device management configuration utility
- B. the device configuration wizard
- C. the command line interface
- D. The media and device management interface

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 87

Which volume pool holds cleaning media?

- A. Scratch
- B. None
- C. DataStore
- D. NetBackup

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 88

Which command starts the NetBackup services on Windows?

- A. The netbackup start command
- B. The start services command
- C. The bp.start_all command
- D. The bpup command
- E. The bpup all command

Answer: ([SHOW ANSWER](#))

None of the other commands are valid on a Windows NetBackup host, some are valid on UNIX.

NEW QUESTION: 89

An administrator has backups for a Linux client that are failing with the following error message:

Status 58: can't connect to client

Which command should the administrator use to identify why the media server is unable to connect to the client?

- A. bpclient
- B. nbsetconfig
- C. bpclntcmd
- D. nbemmcmd

Answer: ([SHOW ANSWER](#))

Explanation/Reference: https://www.veritas.com/support/en_US/article.100020482

NEW QUESTION: 90

Which type of backup can be performed from a client machine by a user or script?

- A. User-directed
- B. Automatic scheduled
- C. Immediate
- D. Manual

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 91

An administrator has a backup policy with the following policy attributes:

3 paths listed in the Backup Selections list 5 clients listed in the Clients list

"Allow multiple data streams" is selected "Limit jobs per policy" is set to 4 How many jobs go Active when the job is started, excluding parent jobs, assuming there are enough storage resources to handle the expected jobs?

- A. 4
- B. 3
- C. 15
- D. 12

Answer: A ([LEAVE A REPLY](#))

Valid VCS-278 Dumps shared by TrainingQuiz.com for Helping Passing VCS-278 Exam!

TrainingQuiz.com now offer the **newest VCS-278 exam dumps**, the TrainingQuiz.com VCS-278 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com VCS-278 dumps with Test Engine here:

<https://www.trainingquiz.com/VCS-278-practice-quiz.html> (220 Q&As Dumps, **40%OFF** Special

Discount: Exam-Tests)

NEW QUESTION: 92

A backup job is showing the following error message:

Which two actions can an administrator perform to ensure the backup completes successfully? (Choose two.)

- A. increase the Multiplexing value on the Storage Unit.
- B. ensure at least one storage unit is without the On Demand Only option selected.
- C. increase the "Maximum concurrent jobs" parameter on the Storage Unit.
- D. assign a specific Storage Unit for that policy.
- E. increase the "Limit I/O streams" parameter on the disk volume.

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 93

A BasicDisk storage unit is 500GB and is running out of space.

The disk and file system is resized to 800GB. What must occur to use this new disk space?

- A. Initiate a backup operation to the BasicDisk storage unit.
- B. Run nbdevquery to refresh the disk inventory.
- C. Restart the Disk Manager (bpdm) process.
- D. Run bpstinfo to update the high water mark.

Answer: ([SHOW ANSWER](#))

NEW QUESTION: 94

An administrator is configuring a new device and receives the following error message:

Unable to determine robot type

What are two possible solutions? (Choose two.)

- A. perform a rescan of the available tape drives.
- B. download a new device_mapping file from the Veritas Support website.
- C. verify compatibility for the library with NetBackup.
- D. ensure the tape drive is closed and ready for use.
- E. select the correct device type for the drives.

Answer: B,C ([LEAVE A REPLY](#))

NEW QUESTION: 95

An administrator is creating a Standard policy with the option "Use Accelerator" to back up files on a Linux server.

Which two options are disabled by default in this type of policy? (Choose two.)

- A. Cross mount points
- B. Compress
- C. Collect true image restore information
- D. Encrypt
- E. Allow multiple data streams

Answer: B,D ([LEAVE A REPLY](#))

NEW QUESTION: 96

Refer to the exhibit.

A backup policy uses a Full backup schedule with a schedule type of Frequency: 1 day. The Exclude Dates tab is configured to exclude all Thursdays for the next few weeks. The start window for the schedule is configured as shown in the exhibit:

The administrator runs a manual backup at 10:00 on Wednesday.

When will the next backup run, if all prior backups completed successfully?

- A. Thursday at 10:00

- B. Friday at 2:00
- C. Thursday at 2:00
- D. Friday at 10:00

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 97

Which data is restored of the restore file is symbolic link?

- A. The link file object and the data contained in it
- B. The link file object and the linked file
- C. The file that the link points to
- D. The link file object

Answer: ([SHOW ANSWER](#)**)**

Explanation

https://www.veritas.com/content/support/en_US/doc/18716246-126559472-0/v42176768-126559472

NEW QUESTION: 98

During a catalog backup, the NBDB and configuration files are backed up directly to the storage unit.

- A. True
- B. False

Answer: B ([LEAVE A REPLY](#))

Explanation

During a catalog backup, the configuration files are backed up directly to the storage unit, however a copy of the NBDB is first place in a staging location on the master server prior to being backed up.

NEW QUESTION: 99

An administrator is attempting to protect 500TB of Windows file system data in 4-hour backup window, when the file servers are idle. The daily change rate for the data is below 1% and initial full backup has been performed to a high performance disk array configured as an Advanced Disk storage unit.

What can the administrator do to ensure subsequence backups complete within the backup window?

- A. Configure Synthetic backup
- B. Configure client-side deduplication
- C. Configure NetBackup Accelerator
- D. Configure multiplexing

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 100

Backups can be initiated by many methods.

Which method does not apply?

- A. As a user scheduled backup.
- B. Automatically, based on a policy schedule.
- C. Manually from the command line.
- D. Manually from the NetBackup Administration Console.

Answer: A ([LEAVE A REPLY](#))

NEW QUESTION: 101

Weekly full backups run for clientA on master1 using a storage unit that belongs to media1. The administrator is required to retain clientA's full backups for a period of four months. When the administrator modifies the full schedule, an option for 4 months is missing from the Retention drop-down list.

How can the administrator add a four month retention?

- A. ignore the selection list and type in the desired retention period directly
- B. add a new retention period in the media server host properties, under Retention Periods
- C. modify an existing retention level in the master server host properties, under Retention Periods
- D. increase the "Image cleanup interval" in the master server host properties, under Clean-up

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 102

What is the maximum age of the host's Certificate Revocation List (CRL) before communication with the host is prevented?

- A. 48 hours
- B. 30 days
- C. 5 days
- D. 7 days

Answer: D ([LEAVE A REPLY](#))

NEW QUESTION: 103

Backup images that reside in an MSDP storage pool have been manually expired using bpexpdate. Which step must the administrator perform to manually free the associated space in the storage pool?

- A. run content router queue processing on the master server
- B. run image cleanup on the media server that hosts the MSDP storage server
- C. run an inventory on the MSDP storage pool
- D. run content router queue processing on media server that hosts the MSDP storage server

Answer: B ([LEAVE A REPLY](#))

NEW QUESTION: 104

An administrator has a Linux client that has a backup job failing with the following error message:

Which step should the administrator perform to ensure the backup job completes successfully?

- A. edit the "Client connect timeout" in the master server Host Properties.
- B. check the firewall settings to ensure NetBackup ports are open.
- C. edit the "Client read timeout" setting in the master server Host Properties.
- D. add a SERVER entry for the media server in the client's bp.conf file.

Answer: C ([LEAVE A REPLY](#))

NEW QUESTION: 105

What is the maximum number of policies that NetBackup can be configured to use?

- A. None of the above
- B. 1,000
- C. Unlimited
- D. 500

Answer: ([SHOW ANSWER](#))

NetBackup does not limit the number of policies that you can configure.

NEW QUESTION: 106

Refer to the exhibit.

A backup policy uses a Full Backup schedule with a schedule type of Frequency: 1 days. The start window for the schedule is configured as shown in the exhibit:

The administrator runs a manual backup at 10:00 on Thursday.

When would the next backup run, if all prior backups completed successfully?

- A. Monday at 2:00
- B. Monday at 10:00
- C. Friday at 10:00
- D. Friday at 2:00

Answer: D ([LEAVE A REPLY](#))

Valid VCS-278 Dumps shared by TrainingQuiz.com for Helping Passing VCS-278 Exam!

TrainingQuiz.com now offer the **newest VCS-278 exam dumps**, the TrainingQuiz.com VCS-278 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com VCS-278 dumps with Test Engine here:

<https://www.trainingquiz.com/VCS-278-practice-quiz.html> (220 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)

NEW QUESTION: 107

NetBackup commands can be used in UNIX shell or Windows batch scrips to perform reusable custom operations.

- A. True
- B. False

Answer: ([SHOW ANSWER](#))

Valid VCS-278 Dumps shared by TrainingQuiz.com for Helping Passing VCS-278 Exam!
TrainingQuiz.com now offer the **newest VCS-278 exam dumps**, the TrainingQuiz.com VCS-278 exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com VCS-278 dumps with Test Engine here:
<https://www.trainingquiz.com/VCS-278-practice-quiz.html> (220 Q&As Dumps, **40%OFF** Special Discount: **Exam-Tests**)