

## Vlocity.Vlocity-Platform-Developer.v2022-07-11.q27

<b>Exam Code:</b>	Vlocity-Platform-Developer
<b>Exam Name:</b>	Vlocity Platform Developer Exam (v5.0)
<b>Certification Provider:</b>	Vlocity
<b>Free Question Number:</b>	27
<b>Version:</b>	v2022-07-11
<b># of views:</b>	858
<b># of Questions views:</b>	270
<a href="https://www.dumpsdb.com/dumps/Vlocity/Vlocity-Platform-Developer/Vlocity.Vlocity-Platform-Developer.v2022-07-11.q27">https://www.dumpsdb.com/dumps/Vlocity/Vlocity-Platform-Developer/Vlocity.Vlocity-Platform-Developer.v2022-07-11.q27</a>	

### NEW QUESTION: 1

In an OmniScript, what is unique about a Requirement in a Messaging element?

Choose 2 answers

- A. It is only availability for the false message
- B. It requires a Validate Expression
- C. It sets the element to required
- D. It makes the banner yellow

**Answer: B,D (LEAVE A REPLY)**

### NEW QUESTION: 2

Which description below best matches what Publish Options does?

- A. Configure metadata values and set the target for the published FlexCard
- B. Enable a FlexCard to use a Viocity Integration Procedure to return a set of actions
- C. Make the FlexCard usable in the OmniScript Designer via the Custom LWC element
- D. Enable grouping FlexCards by object type or by the order they appear in the database

**Answer: (SHOW ANSWER)**

### NEW QUESTION: 3

An OmniScript updates data from one Salesforce record, but when it completes, only some of the data is updated in Salesforce. A DataRaptor Load saves the data. What error could cause this behavior?

Choose 2 answers Calculator

- A. The Input JSON paths in the DataRaptor Load do not match the JSON sent from the OmniScript.
- B. In the DataRaptor Load, in the preview tab, the Recordid is from the wrong record type.
- C. Contextid is misspelled in the merge code that passes the Recordid to the DataRaptor.
- D. The fields that are not updated are read only in Salesforce.

**Answer: A,D (LEAVE A REPLY)**

**NEW QUESTION: 4**

Which Calculation Matrix Version in the list would execute on 2/15/2020 at 12:00 PM?

Name	Version Number	Enabled	Start Date / Time	End Date / Time	Priority
termLifeQuote v1	1	<input type="checkbox"/>	1/1/2020, 12:00 AM	4/1/2020, 12:00 AM	1
termLifeQuote v2	2	<input checked="" type="checkbox"/>	3/1/2020, 12:00 AM	4/1/2020, 12:00 AM	4
termLifeQuote v3	3	<input type="checkbox"/>	1/1/2020, 12:00 AM	3/1/2020, 12:00 AM	3
termLifeQuote v4	4	<input checked="" type="checkbox"/>	2/1/2020, 12:00 AM	3/1/2020, 12:00 AM	2

- A. Version Number 3
- B. Version Number 2
- C. Version Number 4
- D. Version Number 1

**Answer: C (LEAVE A REPLY)**

**NEW QUESTION: 5**

Of the questions listed below, which two are ones you need to answer when you create a DataRaptor Extract?

- A. Which sObject or sObjects contain the data | need?
- B. What should | name the JSON node where the data will be sent?
- C. Which card will be using this DataRaptor?

**Answer: A,C (LEAVE A REPLY)**

D Which OmniScript template will | be using?

**NEW QUESTION: 6**

In an OmniScript, you have a Disclosure element that requires user input only if the user already checked a Non Disclosure Agreement checkbox. Which conditional view option do you choose?

- A. Disable read only if true
- B. Set element to required if true
- C. Show element if true
- D. Set element to optional if false

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 7**

What two advantages does a DataRaptor Turbo Extract have over a standard DataRaptor Extract?


Choose 2 answers

- A. It supports complex field mappings
- B. It populates data in PDF and DocuSign format
- C. It has better performance at runtime
- D. It is easier to configure

**Answer: A,C (LEAVE A REPLY)**

**NEW QUESTION: 8**

What is the merge code you need for this Integration Procedure structure to pass a CaseNumber node from the DataRaptor Extract Action Single Book (DRReadCase) to the HTTP Action's HTTP Path URL?



- A. %DRReadCase:CaseNumber%
- B. HTTPGetCaseDetails: CaseNumber
- C. {{DRReadCase. CaseNumber}}
- D. {{CaseNumben}}

**Answer: (SHOW ANSWER)**

**NEW QUESTION: 9**

You are configuring the API URL in an HTTP Action element within an Integration Procedure. What is the merge code syntax for passing a Date node from an element named SetValues in the URL?

- A. %SetValues:Date%
- B. {{SetValues. Date} Calculator
- C. %Setvalues.Date%
- D. [SetValues' [Date] on

**Answer: A ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 10**

You have a FlexCard with five FlexCard states. Four of the states have a condition. Two of the states have true conditions. Which state will be displayed?

- A. The state that has the higher priority
- B. The state that is closer to the bottom in the FlexCard canvas
- C. The state that has no condition
- D. The state that is closer to the top in the FlexCard canvas

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 11**

You want to use a custom icon in a FlexCard. How would you do this?

- A. Select Salesforce SVG as the icon type and search for custom to find the custom icon
- B. Select Salesforce SVG as the icon type and scroll through until you find the custom icons
- C. Select Custom as the icon type and search for the custom icon you want from the library
- D. Select Custom as the icon type and enter the icon URL in the Image Source field

**Answer: ([SHOW ANSWER](#))**

#### **NEW QUESTION: 12**

What should your first step be in troubleshooting whether a DataRaptor Extract is retrieving data?

- A. Go to the Industry Console and reload the page to test.
- B. Go to the PREVIEW tab in OmniScript to test.
- C. Add a key/value pair in the DataRaptor to test it
- D. Deactivate the card and layout, and go to the PREVIEW tab for the card to test.

**Answer: D ([LEAVE A REPLY](#))**

#### **NEW QUESTION: 13**

What OmniScript Element only displays a rich-text HTML formatted code block?

- A. Edit Block
- B. Text Block
- C. Text
- D. Text Area

**Answer: B ([LEAVE A REPLY](#))**

**NEW QUESTION: 14**

Which context variable is set in the card designer and allows access to any property in scope plus the {{payload}} variable?

- A. Session variables {{session}}
- B. Object {{obj}}
- C. Attributes {{attrs}}
- D. Page parameters {{params}}

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 15**

in a DataRaptor Extract JSON Path, which option below has the correct syntax for a relationship query for a native Salesforce record?

- A. Contact:Caseld\_\_r-Subject
- B. ContactCaseld. Subject
- C. Contact: Caseld:Subject
- D. Contact:Caseld\_\_rSubject

**Answer: A (LEAVE A REPLY)**

**NEW QUESTION: 16**

Which two of these options can retrieve data from a Salesforce object? Choose 2 answers

- A. A DataRaptor Load Action
- B. An HTTP Action
- C. A DataRaptor Post Action
- D. A Lookup Action
- E. A DataRaptor Extract Action
- F. A DataRaptor Transform Action

**Answer: D,F (LEAVE A REPLY)**

**Valid Vlocity-Platform-Developer Dumps** shared by TrainingQuiz.com for Helping Passing Vlocity-Platform-Developer Exam! TrainingQuiz.com now offer the **newest Vlocity-Platform-Developer exam dumps**, the TrainingQuiz.com Vlocity-Platform-Developer exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com Vlocity-Platform-Developer dumps with Test Engine here: <https://www.trainingquiz.com/Vlocity-Platform-Developer-practice-quiz.html> (62 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)

**NEW QUESTION: 17**

Which statement about a FlexCard is true?

- A. A FlexCard can have multiple states.
- B. A FlexCard requires its own data source.
- C. A FlexCard must have test data source settings.
- D. A FlexCard requires a template to be assigned to it

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 18**

What JSON code correctly represents the step in the OmniScript Structure panel shown?



- A. "Step1": {"Block1": {"Text1": "Text" }, "Block2": {"Telephone 1": "1234567890", "Checkbox1": false, "Block3": { "Multi-select1": "Value A;Value B" }}}}
- B. "Step1": { "Block1": { "Text1" "Text", "Telephane1": "1234567890" }. "Block2": { "Checkbox1" false, "Block3": { "Multi-selecti": "Value Value A;Value B A;value B" }}}}
- C. "Step1": {"Block1": { "Text1": "Text", "Telephone 1": "1234567890", "Block2": { "Checkbox1": false  
}}, "Block3": { "Multi-select1": "Value A;Value B"}}} Written
- D. "Step1": {"Block1": { "Text1": "Text". "Block2": { "Telephone1": "1234567890", "Checkbox1": false  
}}, "Block": { "Multi-selecti": "Value A;Value B" }}

Answer: B ([LEAVE A REPLY](#))

**NEW QUESTION: 19**

Your company is using an OmniScript on a Community page to take applications from new customers. The email address field is not required when the customer fills in their contact information on the first step. On the last step, a customer indicates they would like to be

contacted via email, but on the first step they left that field blank. Which element will let you return the customer to that first step and change the email field to a required field?

- A. Set Values
- B. Lookup
- C. Email Action
- D. Set Errors

Answer: D ([LEAVE A REPLY](#))

**NEW QUESTION: 20**

You have so many fields on a FlexCard that it looks cluttered. Based on best practices, what is the most efficient way to declutter it?

- A. Delete some of the actions
- B. Use a flyout action
- C. Use a child FlexCard
- D. Use a datatable or chart element

Answer: ([SHOW ANSWER](#))

**NEW QUESTION: 21**

You have configured an Integration Procedure element with SEND/RESPONSE TRANSFORMATIONS as shown. Alternatively, how would you configure Additional Input to send exactly the same data? Assume that you check Send Only Additional Input.

▼ SEND/RESPONSE TRANSFORMATIONS

Send JSON Path ⓘ	Send JSON Node ⓘ
DRExtractAction:Account	SecondaryAccount
Response JSON Path ⓘ	Response JSON Node ⓘ

A)

Key	Value
SecondaryAccount	%DRExtractAction:Account%

B)

Key	Value
SecondaryAccount	DRExtractAction:Account

C)

Key	Value
%DRExtractAction:Account%	SecondaryAccount

D)

Key

Value

DRExtractAction:Account

SecondaryAccount

- A. OptionC
- B. OptionB
- C. OptionA
- D. OptionD

**Answer: D** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 22**

In an Integration Procedure, you need to perform a multi-step calculation on every element of an array. Based on best practices, what two methods are recommended?

Choose 2 answers

- A. Use a List Action to merge the array elements together.
- B. Use a Set Values Element inside a Loop Block.
- C. Use a Matrix Action to call a Calculation Matrix
- D. Use a Calculation Action to call a Calculation Procedure.

**Answer: C,D** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 23**

Which property enables custom Lightning web components to override an individual OmniScript element's component?

- A. LWC Component Override
- B. Element Type to LWC Component Mapping
- C. HTML Template ID
- D. Enable LWC

**Answer: B** ([LEAVE A REPLY](#))

#### **NEW QUESTION: 24**

You have configured an Integration Procedure element with SEND/RESPONSE

TRANSFORMATIONS as shown. Alternatively, how would you configure Additional Input to send exactly the same data? Assume that you check Send Only Additional Input.

▼ SEND/RESPONSE TRANSFORMATIONS

Send JSON Path ⓘ DRExtractAction:Account	Send JSON Node ⓘ SecondaryAccount
Response JSON Path ⓘ 	Response JSON Node ⓘ 

A)

Key	Value
SecondaryAccount	%DRExtractAction:Account%

B)

Key	Value
SecondaryAccount	DRExtractAction:Account

C)

Key	Value
%DRExtractAction:Account%	SecondaryAccount

D)

Key	Value
DRExtractAction:Account	SecondaryAccount

A. Option A

B. Option D


C. Option C

D. Option B

**Answer: B** ([LEAVE A REPLY](#))

**NEW QUESTION: 25**

What JSON from the DRGetAccountDetails action would display all six values correctly in the OmniScript structure shown? BikContacts is a Repeat Block.



- A. {"Contacts": [ {"ContactPhone": "(212) 169-1475", "ContactName": "Edward Stamos" }, {"ContactPhone": "(212) 189-8979", "ContactName": "Leanne Tomlin" } ], "AccountPhone": "2221546450", "AccountName": "Acme" }
- B. {"BlkContacts": [ { "ContactPhone": "(212) 169-1475", "ContactName": "Edward Stamos" }, { "ContactPhone": "(212) 189-6979", "ContactName": "Leanne Tomlin" } ], "AccountPhone": "2221546450", "AccountName": "Acme" }
- C. {"ContactPhone": "(212) 169-1475", "ContactName": "Edward Stamos", "ContactPhone": "(212) 189-8979", "ContactName": "Leanne Tomlin", "AccountPhone": "2221546450", "AccountName": "Acme" }
- D. {"BlkContacts": [ { "Phone": "(212) 169-1475", "Name": "Edward Stamos" }, { "Phone": "(212) 169-8979", "Name": "Leanne Tomlin" } ], "AccountPhone": "2221546450", "AccountName": "Acme" }

**Answer: B (LEAVE A REPLY)**

**NEW QUESTION: 26**

An OmniScript gets data from Salesforce and from an on-premises billing database. What two OmniScript elements could retrieve this data?

Choose 2 answers

- A. DataRaptor Extract Action
- B. Response Action
- C. Navigate Action
- D. HTTP Action

**Answer: A,D (LEAVE A REPLY)**

#### **NEW QUESTION: 27**

In which two fields in an Integration Procedure or DataRaptor can you use a function like CONCAT or DATEDIFF?

Choose 2 answers

- A. In a Remote Action in an Additional Output value field.
- B. In a Set Values Action in a Value field.
- C. In a DataRaptor Action in an Input Parameters value field.
- D. In a DataRaptor in an Output Tab Output JSON Path.

**Answer: A,C (LEAVE A REPLY)**

**Valid Vlocity-Platform-Developer Dumps** shared by TrainingQuiz.com for Helping Passing Vlocity-Platform-Developer Exam! TrainingQuiz.com now offer the **newest Vlocity-Platform-Developer exam dumps**, the TrainingQuiz.com Vlocity-Platform-Developer exam **questions have been updated** and **answers have been corrected** get the **newest** TrainingQuiz.com Vlocity-Platform-Developer dumps with Test Engine here: <https://www.trainingquiz.com/Vlocity-Platform-Developer-practice-quiz.html> (62 Q&As Dumps, **40%OFF Special Discount: Exam-Tests**)